

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1	LinePipe		Gr. 6	114. 30x11. 13	BE	ASTM A333/A333M-2018, ASME SA-333/SA-333M-2017	1	0. 16
2	LinePipe		Gr. 6	114. 30x6. 02	BE	ASTM A333/A333M-2016	10	1. 713
72	LinePipe		Gr. 6	114. 30x6. 02	BE	ASTM A333/A333M-2016	172	31. 527
73	LinePipe		Gr. 6	114. 30x6. 02	BE	ASTM A333/A333M-2016	411	75. 446
74	LinePipe		Gr. 6	114. 30x6. 02	BE	ASTM A333/A333M-2016	1	0. 153
75	LinePipe		Gr. 6	114. 30x6. 30	PE	ASTM A333/A333M-2018	1	0. 105
76	LinePipe		Gr. 6	127. 00x8. 20	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	2	0. 286
77	LinePipe		Gr. 6	127. 00x8. 20	PE	ASTM A333/A333M-2018	1	0. 147
78	LinePipe		Gr. 6	127. 00x8. 20	PE	ASTM A333/A333M-2018, TGGXS-033-2016 Rev. 03	1	0. 143
79	LinePipe		Gr. 6	168. 30x14. 27	PE	ASTM A333/A333M-2018, ASME SA-333/SA-333M-2019, 01-SAMSS-043(2018. 1	2	0. 637
80	LinePipe		Gr. 6	193. 70x10. 50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	3	0. 852
81	LinePipe		Gr. 6	193. 70x10. 50	PE	ASTM A333/A333M-2018, TGGXS-033-2016 Rev. 03	3	0. 863
82	LinePipe		Gr. 6	193. 70x10. 50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0. 286
83	LinePipe		Gr. 6	193. 70x10. 50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	3	0. 815
84	LinePipe		Gr. 6	219. 10x11. 00	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0. 347
85	LinePipe		Gr. 6	219. 10x11. 00	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	3	1. 084
86	LinePipe		Gr. 6	219. 10x12. 70	BE	ASTM A333/A333M-2016	144	106. 445
87	LinePipe		Gr. 6	219. 10x12. 70	BE	ASTM A333/A333M-2016	3	2. 095
88	LinePipe		Gr. 6	219. 10x6. 35	BE	ASTM A333/A333M-2016	11	3. 998
89	LinePipe		Gr. 6	219. 10x6. 35	BE	ASTM A333/A333M-2016	176	68. 526
90	LinePipe		Gr. 6	219. 10x8. 18	BE	ASTM A333/A333M-2016	6	2. 807
91	LinePipe		Gr. 6	219. 10x8. 18	BE	ASTM A333/A333M-2016	20	9. 841
92	LinePipe		Gr. 6	219. 10x8. 18	BE	ASTM A333/A333M-2016	1	0. 467
93	LinePipe		Gr. 6	219. 10x8. 18	BE	ASTM A333/A333M-2016	4	1. 983
94	LinePipe		Gr. 6	219. 10x8. 18	BE	ASTM A333/A333M-2016	43	21. 215
95	LinePipe		Gr. 6	219. 10x8. 18	BE	ASTM A333/A333M-2016	83	40. 123
96	LinePipe		Gr. 6	241. 80x9. 00	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0. 317
97	LinePipe		Gr. 6	245. 00x10. 50	PE	ASTM A333/A333M-2018	1	0. 357
98	LinePipe		Gr. 6	245. 00x10. 50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0. 37
99	LinePipe		Gr. 6	245. 00x10. 50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0. 374
100	LinePipe		Gr. 6	245. 00x10. 50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	2	0. 717
101	LinePipe		Gr. 6	245. 00x10. 50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	2	0. 679
102	LinePipe		Gr. 6	245. 00x13. 50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	5	2. 377
103	LinePipe		Gr. 6	245. 00x13. 50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0. 449
104	LinePipe		Gr. 6	245. 00x13. 50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0. 451
105	LinePipe		Gr. 6	245. 00x9. 00	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	2	0. 646
106	LinePipe		Gr. 6	245. 00x9. 00	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	2	0. 615
107	LinePipe		Gr. 6	273. 00x10. 50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0. 373

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
108	LinePipe		Gr. 6	273.00x10.50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0.378
109	LinePipe		Gr. 6	273.00x10.50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0.378
110	LinePipe		Gr. 6	273.00x13.00	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	2	0.914
111	LinePipe		Gr. 6	273.00x13.00	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0.443
112	LinePipe		Gr. 6	273.00x14.00	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0.532
113	LinePipe		Gr. 6	273.00x14.00	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0.512
114	LinePipe		Gr. 6	273.00x9.50	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	3	1.032
115	LinePipe		Gr. 6	273.10x9.27	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	1	0.655
116	LinePipe		Gr. 6	273.10x9.27	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	7	4.952
117	LinePipe		Gr. 6	323.80x8.38	BE	ASTM A333/A333M-2018	2	1.35
118	LinePipe		Gr. 6	323.90x17.48	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	16	24.318
119	LinePipe		Gr. 6	323.90x17.48	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	30	46.196
120	LinePipe		Gr. 6	323.90x17.48	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	22	33.63
121	LinePipe		Gr. 6	323.90x17.48	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	64	98.545
122	LinePipe		Gr. 6	323.90x17.48	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	65	99.873
123	LinePipe		Gr. 6	323.90x7.14	BE	ASTM A333/A333M-2016	11	6.889
124	LinePipe		Gr. 6	323.90x7.14	BE	ASTM A333/A333M-2016	24	15.803
125	LinePipe		Gr. 6	323.90x7.14	BE	ASTM A333/A333M-2016	39	25.552
126	LinePipe		Gr. 6	323.90x7.14	BE	ASTM A333/A333M-2016	80	52.882
127	LinePipe		Gr. 6	323.90x9.53	BE	ASTM A333/A333M-2016	30	25.721
128	LinePipe		Gr. 6	406.40x7.92	BE	ASTM A333/A333M-2016, MESC SPE 74/004-2014	1	0.882
129	LinePipe		Gr. 6	426.00x19.00	PE	ASTM A333/A333M-2018	5	6.115
130	LinePipe		Gr. 6	508.00x26.19	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	9	31.683
131	LinePipe		Gr. 6	508.00x26.19	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	17	59.692
132	LinePipe		Gr. 6	508.00x26.19	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	1	3.259
133	LinePipe		Gr. 6	508.00x26.19	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	1	3.294
134	LinePipe		Gr. 6	508.00x26.19	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	4	13.723
135	LinePipe		Gr. 6	508.00x26.19	BE	ASTM A333/A333M-2016, 0055-4.0.0.00.CPC-TM.TT-0011 (Rev. 01)	20	70.242
136	LinePipe		Gr. 6	60.30x5.54	BE	ASTM A333/A333M-2018, ASME SA-333/SA-333M-2019, 01-SAMSS-043 (2018. 1	6	0.514
137	LinePipe		Gr. 6	60.30x5.54	BE	ASTM A333/A333M-2016	1143	98.197
138	LinePipe		Gr. 6	60.30x5.54	BE	ASTM A333/A333M-2016	13	1.021
139	LinePipe		Gr. 6	60.30x5.54	BE	ASTM A333/A333M-2016	1384	119.038
140	LinePipe		Gr. 6	60.30x5.54	BE	ASTM A333/A333M-2016	33	2.672
141	LinePipe		Gr. 6	60.30x5.54	BE	ASTM A333/A333M-2016	10	0.813
142	LinePipe		Gr. 6	60.30x5.54	BE	ASTM A333/A333M-2018, ASME SA-333/SA-333M-2019, 01-SAMSS-043 (2018. 1	3	0.261
143	LinePipe		Gr. 6	60.30x5.54	BE	ASTM A333/A333M-2018, 01-SAMSS-043 (2015. 10. 6)	2	0.142
144	LinePipe		Gr. 6	60.30x5.54	BE	ASTM A333/A333M-2016, MESC SPE 74/004-2014	1	0.071
145	LinePipe		Gr. 6	60.30x5.54	BE	ASTM A333/A333M-2016	1260	107.992

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
146	LinePipe		Gr. 6	610.00x14.27	BE	ASTM A333/A333M-2018	4	9.468
147	LinePipe		Gr. 6	610.00x14.27	BE	ASTM A333/A333M-2018	3	6.765
148	LinePipe		Gr. 6	88.90x10.00	PE	Green Pipe For ASTM A333 (2016) Gr. 6 & TGGXS-033-2016 Rev. 1 Gr. 6	1	0.113
149	LinePipe		Gr. 6	88.90x5.49	BE	ASTM A333/A333M-2016	171	22.383
150	LinePipe		Gr. 6	88.90x5.49	BE	ASTM A333/A333M-2016	368	47.981
151	LinePipe		Gr. 6	88.90x7.62	BE	ASTM A333/A333M-2016	127	22.194
152	LinePipe	PSL1	B/Gr. B	114.30x11.13	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019, AS	1	0.163
153	LinePipe	PSL2	BNS/BNO/Gr. B	114.30x11.13	BE	API Spec 5L 46th, 01-SAMSS-035 (2018. 6. 7) , ASTM A106/A106M-2019, AS	3	0.484
154	LinePipe		Gr. B	114.30x11.13	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015. 10. 06)	5	1.567
155	LinePipe	PSL2	L245N/L290N/G	114.30x11.13	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019, AS	2	0.334
156	LinePipe	PSL2	X52Q	114.30x11.13	BE	API Spec 5L 46th	1	0.296
157	LinePipe	PSL2	X60QS	114.30x11.13	BE	API Spec 5L 45th(2012), ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.	1	0.277
158	LinePipe	PSL2	BNS/BNO/Gr. B	114.30x13.49	BE	API Spec 5L 46th, 01-SAMSS-035 (2018. 6. 7) , ASTM A106/A106M-2019, AS	3	0.577
159	LinePipe		Gr. B	114.30x5.50	PE	ASTM A106-2019 AMT-PSC-WPB-JIS Rev. 2	2	0.194
160	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	2	0.329
161	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	4	0.688
162	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	2	0.326
163	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	1	0.16
164	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	2	0.324
165	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	1	0.163
166	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	4	0.63
167	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	2	0.327
168	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	1	0.161
169	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	3	0.474
170	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	2	0.326
171	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	2	0.326
172	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	4	0.642
173	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	1	0.162
174	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	2	0.327
175	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	1	0.163
176	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	2	0.327
177	LinePipe	PSL2	L360QS	114.30x5.60	BE	ISO 3183: 2012, API SPEC 5L 46th, DEP 31.40.20.37-2017	2	0.323
178	LinePipe	PSL2	X42N	114.30x5.60	BE	API Spec 5L 46th	6	0.978
179	LinePipe	PSL2	X42N	114.30x5.60	BE	API Spec 5L 46th	1	0.147
180	LinePipe		STPG370/STS37	114.30x6.00	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	6	0.506
181	LinePipe	PSL2	BN	114.30x6.02	BE	API Spec 5L 46th, 01-SAMSS-035 (2018. 6. 7)	2	0.357
182	LinePipe		Gr. B	114.30x6.02	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015. 10. 06)	1	0.16
183	LinePipe	PSL2	X42NS/BNS/X42	114.30x6.02	BE	API Spec 5L 46th, 01-SAMSS-035 (2018. 6. 7) , ASTM A106/A106M-2019, AS	2	0.172

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
184	LinePipe	PSL2	X42NS/BNS/X42	114.30x6.02	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	1	0.089
185	LinePipe	PSL2	X42NS/BNS/X42	114.30x6.02	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	3	0.262
186	LinePipe	PSL2	X70Q	114.30x7.90	BE	API Spec 5L 46th	4	1.033
187	LinePipe	PSL2	X70Q	114.30x7.90	BE	API Spec 5L 46th	1	0.254
188	LinePipe	PSL2	X60QS	114.30x8.56	BE	API Spec 5L 46th, JSZX-MPS-301-2019	6	1.518
189	LinePipe	PSL2	BR	114.30x8.60	BE	API Spec 5L 46th	5	1.169
190	LinePipe		STPG370/STS37	114.30x8.60	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	1	0.125
191	LinePipe		STPG370/STS37	139.80x6.60	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	1	0.13
192	LinePipe		STPG370/STS37	139.80x9.50	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	1	0.183
193	LinePipe	PSL2	L360QS	168.00x22.20	BE	GB/T 9711-2017	1	0.967
194	LinePipe	PSL2	X52Q	168.30x10.31	BE	API Spec 5L 46th	1	0.428
195	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	1.096
196	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	1.102
197	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	1.074
198	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	1.069
199	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	1	0.533
200	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	1.071
201	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	1.07
202	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	1.077
203	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	1.093
204	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	1.101
205	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	1.076
206	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	1.105
207	LinePipe	PSL2	X52QS	168.30x10.97	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	1	0.54
208	LinePipe	PSL2	X60Q	168.30x10.97	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7)	2	0.969
209	LinePipe	PSL2	X60Q	168.30x10.97	BE	API Spec 5L 46th, JSZX-MPS-061-2018	1	0.492
210	LinePipe	PSL2	X60QS	168.30x12.54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	4	2.244
211	LinePipe	PSL2	X60QS	168.30x12.54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	7	3.732
212	LinePipe	PSL2	X60QS	168.30x12.54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	1	0.571
213	LinePipe	PSL2	X60QS	168.30x12.54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	1	0.569
214	LinePipe	PSL2	X60QS	168.30x12.54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	4	2.277
215	LinePipe	PSL2	X60QS	168.30x12.54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	1	0.582
216	LinePipe	PSL2	X60QS	168.30x12.54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	1	0.568
217	LinePipe	PSL2	X60QS	168.30x12.54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	1	0.57
218	LinePipe	PSL2	X60QS	168.30x12.54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	1	0.573
219	LinePipe	PSL2	X60QS	168.30x12.54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	1	0.569
220	LinePipe	PSL2	X60QS	168.30x12.54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	1	0.575
221	LinePipe	PSL2	X60QS	168.30x12.54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	1	0.564

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
222	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 564
223	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	2	1. 143
224	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 58
225	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 574
226	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	2	1. 157
227	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 539
228	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 565
229	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 576
230	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 538
231	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 56
232	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 58
233	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 567
234	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 562
235	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 568
236	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	2	1. 117
237	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 571
238	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 566
239	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 556
240	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 553
241	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 56
242	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	2	1. 155
243	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	2	1. 161
244	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	5	2. 87
245	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 572
246	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 574
247	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	2	1. 115
248	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 575
249	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	3	1. 706
250	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	2	1. 165
251	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 572
252	LinePipe	PSL2	X60QS	168. 30x12. 54	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 565
253	LinePipe	PSL2	X60QS	168. 30x12. 70	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	6	3. 547
254	LinePipe	PSL2	X65Q	168. 30x12. 70	BE	API Spec 5L 46th	1	0. 563
255	LinePipe	PSL2	X65Q	168. 30x12. 70	BE	API Spec 5L 46th	1	0. 532
256	LinePipe	PSL2	X65Q	168. 30x12. 70	BE	API Spec 5L 46th	3	1. 702
257	LinePipe	PSL2	X65Q	168. 30x12. 70	BE	API Spec 5L 46th, ELM-ASP-PI-GEN-0021	2	1. 043
258	LinePipe	PSL2	X65Q	168. 30x12. 70	BE	API Spec 5L 46th, ELM-ASP-PI-GEN-0021	1	0. 431
259	LinePipe	PSL2	X65Q	168. 30x12. 70	BE	API Spec 5L 46th, ELM-ASP-PI-GEN-0021	1	0. 509

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
260	LinePipe	PSL2	X65Q	168. 30x12. 70	BE	API Spec 5L 46th, ELM-ASP-PI-GEN-0021	1	0. 53
261	LinePipe	PSL2	X65Q	168. 30x12. 70	BE	API Spec 5L 46th, ELM-ASP-PI-GEN-0021	1	0. 463
262	LinePipe	PSL2	X65Q0	168. 30x12. 70	BE	API Spec 5L 46th	3	1. 943
263	LinePipe	PSL2	X60QS	168. 30x14. 27	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	93	63. 465
264	LinePipe	PSL2	X60QS	168. 30x14. 27	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	8	5. 495
265	LinePipe	PSL2	X60QS	168. 30x14. 27	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	20	13. 8
266	LinePipe	PSL2	X60QS	168. 30x14. 27	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	2	1. 34
267	LinePipe	PSL2	X60QS	168. 30x14. 27	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	8	5. 533
268	LinePipe	PSL2	X60QS	168. 30x14. 27	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	1	0. 624
269	LinePipe	PSL2	X60QS	168. 30x14. 27	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	30	20. 677
270	LinePipe	PSL2	X60QS	168. 30x14. 27	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	40	27. 682
271	LinePipe	PSL2	X52QS	168. 30x15. 88	BE	API Spec 5L 45th(2012), ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20.	1	0. 644
272	LinePipe	PSL2	X60QS	168. 30x15. 88	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	3	2. 281
273	LinePipe	PSL2	X60QS	168. 30x15. 88	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	4	2. 985
274	LinePipe	PSL2	X60QS	168. 30x15. 88	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	4	3. 036
275	LinePipe	PSL2	X52Q	168. 30x18. 26	BE	API Spec 5L 46th	1	0. 725
276	LinePipe	PSL2	X65QS/X65Q0	168. 30x18. 30	PE	API Spec 5L 46th, DNV OS F101(2013)	10	8. 71
277	LinePipe	PSL2	X65QS/X65Q0	168. 30x18. 30	PE	API Spec 5L 46th, DNV OS F101(2013)	1	0. 783
278	LinePipe	PSL2	X60Q	168. 30x6. 35	BE	API Spec 5L 46th, 01-SAMSS-035 (2018. 6. 7)	4	1. 145
279	LinePipe	PSL2	BN/X42N/Gr. B	168. 30x7. 11	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019, AS	1	0. 223
280	LinePipe	PSL2	BNS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	0. 646
281	LinePipe	PSL2	BNS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	0. 651
282	LinePipe	PSL2	BNS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	0. 646
283	LinePipe	PSL2	BNS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	3	0. 94
284	LinePipe	PSL2	BNS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	4	1. 258
285	LinePipe	PSL2	BNS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	1	0. 323
286	LinePipe	PSL2	BNS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	1	0. 303
287	LinePipe	PSL2	BNS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	1	0. 313
288	LinePipe	PSL2	BNS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	1	0. 315
289	LinePipe	PSL2	BNS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	0. 633
290	LinePipe	PSL2	BNS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	0. 651
291	LinePipe	PSL2	BR	168. 30x7. 11	BE	API Spec 5L 46th	2	0. 581
292	LinePipe	PSL2	X42NS/BNS/X42	168. 30x7. 11	BE	API Spec 5L 46th, 01-SAMSS-035 (2018. 6. 7) , ASTM A106/A106M-2019, AS	1	0. 167
293	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	4	1. 305
294	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	3	0. 955
295	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	7	2. 11
296	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	8	2. 616
297	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	1	0. 327

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
298	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	5	1. 639
299	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	13	4. 247
300	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2, Hot rolling EMI; WPMI (MPQT)	2	0. 604
301	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	12	3. 91
302	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	5	1. 624
303	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	1	0. 305
304	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	3	0. 861
305	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2, Hot rolling EMI; WPMI (MPQT)	1	0. 3
306	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	5	1. 635
307	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	6	1. 97
308	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	5	1. 639
309	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	1	0. 331
310	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	3	0. 974
311	LinePipe	PSL2	X52QS	168. 30x7. 11	BE	API Spec 5L 46th, KOC-MS-001 PT. 1 REV. 2	2	0. 657
312	LinePipe	PSL2	X52Q	168. 30x7. 92	PE	API Spec 5L 46th, N999TP-TA-H2001-A02	2	0. 731
313	LinePipe		STPG370/STS37	216. 30x12. 70	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	1	0. 348
314	LinePipe	PSL2	X52Q	219. 10x10. 31	BE	API Spec 5L 46th	2	1. 226
315	LinePipe		B/Gr. B	219. 10x11. 00	PE	ASTM A106-2019 R-02-507211 Rev. 13	2	0. 79
316	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 866
317	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 843
318	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 863
319	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	2	1. 751
320	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 859
321	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	2	1. 71
322	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	2	1. 74
323	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	2	1. 743
324	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 859
325	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	15	14. 697
326	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	2	1. 921
327	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 86
328	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 861
329	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 866
330	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	28	24. 258
331	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 867
332	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 954
333	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 866
334	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 859
335	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 866

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
336	LinePipe	PSL2	X65Q0	219. 10x14. 30	BE	API Spec 5L 46th	1	0. 869
337	LinePipe		B/Gr. B	219. 10x16. 90	PE	ASTM A106-2019 R-02-507211 Rev. 13	3	2. 689
338	LinePipe		B/Gr. B	219. 10x16. 90	PE	ASTM A106-2019 R-02-507211 Rev. 13	1	0. 755
339	LinePipe		Gr. B	219. 10x18. 26	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015. 10. 06)	1	0. 885
340	LinePipe		Gr. B	219. 10x18. 26	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2018. 10. 09)	1	0. 887
341	LinePipe		Gr. B	219. 10x18. 26	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015. 10. 06)	1	0. 903
342	LinePipe	PSL2	X60QS	219. 10x19. 05	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	3	3. 451
343	LinePipe	PSL2	X60QS	219. 10x19. 05	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	24	27. 477
344	LinePipe	PSL2	X52Q	219. 10x6. 00	BE	API Spec 5L 46th	1	0. 323
345	LinePipe	PSL2	X52Q	219. 10x6. 00	BE	API Spec 5L 46th	2	0. 6
346	LinePipe	PSL2	X52Q	219. 10x6. 35	BE	API Spec 5L 46th, TPCO-MPS-2021-0041	3	1. 082
347	LinePipe	PSL2	X52Q	219. 10x6. 35	BE	API Spec 5L 46th, TPCO-MPS-2021-0041	6	2. 326
348	LinePipe	PSL2	L360N	219. 10x6. 40	BE	API Spec 5L 46th, GB/T 9711-2017	5	2. 087
349	LinePipe	PSL2	L360N	219. 10x6. 40	BE	API Spec 5L 46th, GB/T 9711-2017	2	0. 825
350	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	70	27. 687
351	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	4	1. 601
352	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	30	11. 986
353	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	79	31. 474
354	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	1	0. 381
355	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	1	0. 383
356	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	1	0. 396
357	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	14	5. 473
358	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	75	30. 077
359	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	1	0. 399
360	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	44	17. 496
361	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	46	18. 376
362	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	25	10. 026
363	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	6	2. 37
364	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	22	8. 709
365	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	100	39. 616
366	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	66	26. 35
367	LinePipe	PSL2	L360Q	219. 10x6. 40	BE	GB/T 9711-2017	1	0. 384
368	LinePipe	PSL2	X52Q	219. 10x7. 04	BE	API Spec 5L 46th	5	2. 15
369	LinePipe	PSL2	X52Q	219. 10x8. 18	PE	API Spec 5L 46th, N999TP-TA-H2001-A02	3	1. 501
370	LinePipe	PSL2	X52QS	219. 10x8. 74	BE	API Spec 5L 46th, BK91-1101-GEN-999-PPL-SPC-0009_0	3	1. 414
371	LinePipe	PSL2	BN	219. 10x9. 53	PE	API Spec 5L 46th, 01-SAMSS-035 (2018. 6. 7)	2	1. 057
372	LinePipe	PSL2	BN	219. 10x9. 53	PE	API Spec 5L 46th, 01-SAMSS-035 (2018. 6. 7)	1	0. 525
373	LinePipe	PSL1	L245/Gr. B	267. 40x28. 60	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019, AS	1	1. 967

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
374	LinePipe		STPG370/STS37	267. 40x28. 60	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	1	0. 918
375	LinePipe		Gr. B	267. 40x6. 70	PE	ASTM A106-2019 AMT-PSC-WPB-JIS Rev. 2	1	0. 264
376	LinePipe		Gr. B	267. 40x8. 40	PE	ASTM A106-2019 AMT-PSC-WPB-JIS Rev. 2	2	0. 696
377	LinePipe		Gr. B	267. 40x9. 30	PE	ASTM A106-2019 AMT-PSC-WPB-JIS Rev. 2	6	2. 432
378	LinePipe		Gr. B	267. 40x9. 30	PE	ASTM A106-2019 AMT-PSC-WPB-JIS Rev. 2	10	4. 144
379	LinePipe		STPG370/STS37	267. 40x9. 30	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	1	0. 336
380	LinePipe		Gr. B	273. 00x13. 50	PE	ASTM A106-2019 AMT-PSC-WPB-JIS Rev. 2	7	3. 961
381	LinePipe	PSL2	X52Q	273. 00x14. 00	PE	API Spec 5L 46th	1	0. 884
382	LinePipe	PSL2	X52Q	273. 00x14. 00	PE	API Spec 5L 46th	1	0. 85
383	LinePipe	PSL2	X52Q	273. 00x15. 88	PE	API Spec 5L 46th	1	0. 931
384	LinePipe	PSL2	X60QS	273. 00x18. 26	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	2	2. 745
385	LinePipe	PSL2	X60QS	273. 00x18. 26	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31. 40. 20. 37-201	5	7. 072
386	LinePipe		Gr. B	273. 00x9. 50	PE	ASTM A106-2019 AMT-PSC-WPB-JIS Rev. 2	7	2. 974
387	LinePipe	PSL1	B/Gr. B	273. 10x12. 70	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019, AS	4	1. 896
388	LinePipe	PSL2	X52Q	273. 10x12. 70	PE	API Spec 5L 46th, N999TP-TA-H2001-A02	1	0. 949
389	LinePipe	PSL2	BNS/BNO/Gr. B	273. 10x15. 09	BE	API Spec 5L 46th, 01-SAMSS-035 (2018. 6. 7) , ASTM A106/A106M-2019, AS	1	1. 079
390	LinePipe	PSL2	BNS/BNO/Gr. B	273. 10x15. 09	BE	API Spec 5L 46th, 01-SAMSS-035 (2018. 6. 7) , ASTM A106/A106M-2019, AS	1	1. 079
391	LinePipe	PSL2	L360N	273. 10x7. 10	BE	API Spec 5L 46th, GB/T 9711-2017	10	5. 683
392	LinePipe		Gr. B	273. 10x7. 80	BE	ASTM A106/A106M-2019	1	0. 538
393	LinePipe		STPG370/STS37	318. 50x9. 50	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	1	0. 428
394	LinePipe		Gr. B	323. 80x12. 70	BE	ASTM A106/A106M-2019	1	1. 123
395	LinePipe		Gr. B	323. 80x28. 58	BE	ASTM A106/A106M-2019	7	16. 885
396	LinePipe	PSL2	BN	323. 80x6. 35	BE	API Spec 5L 46th, MESC SPE 74/001-2020	3	1. 846
397	LinePipe		Gr. B	323. 80x6. 35	BE	ASTM A106/A106M-2019	1	0. 429
398	LinePipe		Gr. B	323. 80x7. 14	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015. 10. 06)	1	0. 575
399	LinePipe		Gr. B	323. 80x7. 14	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015. 10. 06)	1	0. 547
400	LinePipe		Gr. B	323. 80x7. 14	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015. 10. 06)	4	2. 411
401	LinePipe		Gr. B	323. 80x7. 14	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015. 10. 06)	1	0. 56
402	LinePipe		Gr. B	323. 80x7. 14	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015. 10. 06)	3	1. 86
403	LinePipe	PSL2	L415Q	323. 80x9. 50	BE	ISO 3183:2019	8	6. 99
404	LinePipe	PSL2	L415Q	323. 80x9. 50	BE	ISO 3183:2019	1	0. 869
405	LinePipe	PSL2	X60Q	323. 90x10. 31	BE	API Spec 5L 46th	1	0. 947
406	LinePipe	PSL2	X60Q	323. 90x10. 31	BE	API Spec 5L 46th	8	7. 563
407	LinePipe	PSL2	X60Q	323. 90x11. 13	BE	API Spec 5L 46th	12	12. 102
408	LinePipe	PSL2	BR/X42R/Gr. B	323. 90x12. 70	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019, AS	1	0. 58
409	LinePipe	PSL2	X52Q	323. 90x12. 70	PE	API Spec 5L 46th, N999TP-TA-H2001-A02	2	1. 876
410	LinePipe	PSL2	X52Q	323. 90x19. 05	PE	API Spec 5L 46th, N999TP-TA-H2001-A02	2	3. 365
411	LinePipe	PSL1	B/Gr. B	323. 90x33. 32	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019	1	2. 806

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
412	LinePipe	PSL1	B/Gr. B	323.90x34.93	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019	2	5.662
413	LinePipe	PSL1	B/Gr. B	323.90x34.93	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019	1	2.813
414	LinePipe	PSL2	X60Q	323.90x5.56	BE	API Spec 5L 46th	4	1.918
415	LinePipe	PSL2	X60Q	323.90x5.56	BE	API Spec 5L 46th	40	20.57
416	LinePipe	PSL2	X60Q	323.90x6.35	BE	API Spec 5L 46th	13	7.592
417	LinePipe	PSL2	X60Q	323.90x6.35	BE	API Spec 5L 46th	1	0.466
418	LinePipe	PSL2	X60Q	323.90x6.35	BE	API Spec 5L 46th	5	2.653
419	LinePipe	PSL2	X60Q	323.90x6.35	BE	API Spec 5L 46th	1	0.572
420	LinePipe	PSL2	X60Q	323.90x7.14	BE	API Spec 5L 46th, Sonatrach #8	31	20.429
421	LinePipe	PSL2	X60Q	323.90x7.14	BE	API Spec 5L 46th	2	1.312
422	LinePipe	PSL2	X60Q	323.90x7.14	BE	API Spec 5L 46th	2	0.974
423	LinePipe	PSL2	X60Q	323.90x7.14	BE	API Spec 5L 46th	1	0.488
424	LinePipe	PSL2	X60Q	323.90x7.14	BE	API Spec 5L 46th, Sonatrach #8	1	0.659
425	LinePipe	PSL2	X60Q	323.90x7.14	BE	API Spec 5L 46th	9	5.724
426	LinePipe	PSL2	X60Q	323.90x7.14	BE	API Spec 5L 46th	1	0.479
427	LinePipe	PSL2	X60Q	323.90x7.14	BE	API Spec 5L 46th, Sonatrach #8	40	26.36
428	LinePipe	PSL2	X60Q	323.90x7.14	BE	API Spec 5L 46th, Sonatrach #8	16	10.544
429	LinePipe	PSL2	X60Q	323.90x7.14	BE	API Spec 5L 46th	1	0.518
430	LinePipe	PSL2	X60Q	323.90x7.14	BE	API Spec 5L 46th	1	0.669
431	LinePipe	PSL2	X60Q	323.90x7.14	BE	API Spec 5L 46th	1	0.661
432	LinePipe	PSL2	X52QS	323.90x7.92	BE	API Spec 5L 45th, CMIT-710-PIP-15.03-10208 REV:C2	1	0.71
433	LinePipe	PSL2	X60Q	323.90x7.92	BE	API Spec 5L 46th	30	21.943
434	LinePipe	PSL2	X52Q	323.90x9.53	BE	API Spec 5L 46th	1	0.821
435	LinePipe		B/Gr. B	355.60x12.70	PE	ASTM A106-2019 R-02-507211 Rev. 13	1	0.663
436	LinePipe	PSL2	BNS/BNO/Gr. B	355.60x12.70	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	1	1.242
437	LinePipe		Gr. B	355.60x12.70	BE	ASTM A106/A106M-2019	1	1.22
438	LinePipe		Gr. B	355.60x13.50	PE	ASTM A106-2019 AMT-PSC-WPB-JIS Rev. 2	3	2.47
439	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101 (2013)	1	1.627
440	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101 (2013)	2	3.228
441	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101 (2013)	1	1.634
442	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101 (2013)	10	16.386
443	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101 (2013)	1	1.588
444	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101 (2013)	4	6.624
445	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101 (2013)	2	3.22
446	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101 (2013)	49	81.108
447	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101 (2013)	1	1.659
448	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101 (2013)	1	1.654
449	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101 (2013)	52	86.274

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
450	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101(2013)	1	1.656
451	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101(2013)	51	83.665
452	LinePipe	PSL2	X65Q0	355.60x15.90	PE	API Spec 5L 46th, DNV-OS-F101(2013)	1	1.658
453	LinePipe	PSL1	B/Gr. B	355.60x19.05	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019, AS	3	2.728
454	LinePipe		Gr. B	355.60x7.92	BE	ASTM A106/A106M-2019	1	0.699
455	LinePipe	PSL2	L360Q	355.60x8.00	BE	GB/T 9711-2017, JX11B01-GI001-A01#EPL-SP-0101	1	0.825
456	LinePipe	PSL2	L360Q	355.60x8.00	BE	GB/T 9711-2017, JX11B01-GI001-A01#EPL-SP-0101	2	1.664
457	LinePipe	PSL2	L360Q	355.60x8.00	BE	GB/T 9711-2017, JX11B01-GI001-A01#EPL-SP-0101	2	1.664
458	LinePipe	PSL2	L360Q	355.60x8.00	BE	GB/T 9711-2017, JX11B01-GI001-A01#EPL-SP-0101	1	0.825
459	LinePipe	PSL2	L360Q	355.60x8.00	BE	GB/T 9711-2017, JX11B01-GI001-A01#EPL-SP-0101	2	1.65
460	LinePipe	PSL2	L360Q	355.60x8.00	BE	GB/T 9711-2017, JX11B01-GI001-A01#EPL-SP-0101	2	1.692
461	LinePipe	PSL2	L360Q	355.60x8.00	BE	GB/T 9711-2017, JX11B01-GI001-A01#EPL-SP-0101	5	4.23
462	LinePipe	PSL2	L360Q	355.60x8.00	BE	GB/T 9711-2017, JX11B01-GI001-A01#EPL-SP-0101	1	0.842
463	LinePipe	PSL2	X52Q	355.60x9.53	BE	API Spec 5L 46th, -20℃冲击	2	1.785
464	LinePipe		Gr. B	406.00x8.00	/	ASTM A106/A106M-2019	4	3.426
465	LinePipe	PSL2	L360QS	406.40x10.31	BE	GB/T 9711-2017	27	31.979
466	LinePipe	PSL2	L360QS	406.40x10.31	BE	GB/T 9711-2017	2	2.192
467	LinePipe	PSL2	L360QS	406.40x10.31	BE	GB/T 9711-2017	38	46.282
468	LinePipe		STPG370/STS37	406.40x12.70	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	2	2.739
469	LinePipe		STPG370/STS37	406.40x12.70	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	1	1.363
470	LinePipe	PSL2	L360QS	406.40x14.20	BE	API Spec 5L 46th, BBPF-75-00-9002-MA-SPC-001	36	57.465
471	LinePipe	PSL2	L360QS	406.40x14.20	BE	API Spec 5L 46th, BBPF-75-00-9002-MA-SPC-001	46	73.467
472	LinePipe	PSL2	L360QS	406.40x14.20	BE	API Spec 5L 46th, BBPF-75-00-9002-MA-SPC-001	13	20.823
473	LinePipe		Gr. B	406.40x14.27	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06)	1	1.578
474	LinePipe		Gr. B	406.40x14.27	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06)	1	1.607
475	LinePipe	PSL2	X52Q	406.40x15.88	PE	API Spec 5L 46th, N999TP-TA-H2001-A02	1	1.743
476	LinePipe		STPG370/STS37	406.40x16.00	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	4	3.592
477	LinePipe		B/Gr. B	406.40x18.00	PE	ASTM A106-2019 R-02-507211 Rev. 13	4	7.179
478	LinePipe		B/Gr. B	406.40x18.00	PE	ASTM A106-2019 R-02-507211 Rev. 13	7	12.469
479	LinePipe	PSL2	X52Q	406.40x19.05	BE	API Spec 5L 46th	2	4.244
480	LinePipe	PSL2	X52Q	406.40x19.05	PE	API Spec 5L 46th, N999TP-TA-H2001-A02	1	2.091
481	LinePipe	PSL2	X52Q	406.40x19.05	BE	API Spec 5L 46th, -20℃冲击	1	1.878
482	LinePipe		B/Gr. B	406.40x22.00	PE	ASTM A106-2019 R-02-507211 Rev. 13	3	7.186
483	LinePipe		B/Gr. B	406.40x28.20	PE	ASTM A106-2019 R-02-507211 Rev. 13	1	1.916
484	LinePipe	PSL1	B/Gr. B	406.40x44.45	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019	1	4.322
485	LinePipe		Gr. B	406.40x7.92	BE	ASTM A106/A106M-2018, ASME SA106/SA106M-2017, MPS-002-2019 ±0.75%	1	0.924
486	LinePipe	PSL2	X65Q	406.40x7.92	BE	API Spec 5L 46th	4	3.84
487	LinePipe		STPG370/STS37	406.40x9.50	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	9	5.047

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
488	LinePipe		STPG370/STS37	406.40x9.50	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	1	1.003
489	LinePipe	PSL2	X60QS	406.40x9.53	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7)	2	2.23
490	LinePipe		Gr. B	426.00x10.50	/	ASTM A106/A106M-2019	2	1.973
491	LinePipe	PSL2	X65QS	426.00x21.00	PE	API Spec 5L 46th	1	2.479
492	LinePipe		Gr. B	426.00x9.50	/	ASTM A106/A106M-2019	5	4.824
493	LinePipe		Gr. B	457.00x12.70	PE	ASTM A106/A106M-2019	3	5.095
494	LinePipe	PSL2	L360QS	457.00x13.50	BE	GB/T 9711-2017	1	1.625
495	LinePipe	PSL2	BN/Gr. B	457.00x14.27	BE	API Spec 5L 46th, ASTM A106/A106M-2019, TPCO-MPS-2020-0141	1	1.67
496	LinePipe	PSL2	BN/Gr. B	457.00x14.27	BE	API Spec 5L 46th, ASTM A106/A106M-2019	1	1.853
497	LinePipe	PSL2	L415Q	457.00x9.50	BE	ISO 3183:2019	1	1.029
498	LinePipe	PSL1	B	457.00x9.53	BE	API Spec 5L 46th	1	1.148
499	LinePipe	PSL2	BNS/BNO/Gr. B	457.20x12.70	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	1	1.624
500	LinePipe	PSL2	X52Q	457.20x12.70	PE	API Spec 5L 46th, N999TP-TA-H2001-A02	2	3.143
501	LinePipe	PSL2	X52Q	457.20x15.88	PE	API Spec 5L 46th	1	1.67
502	LinePipe	PSL2	X52Q	457.20x15.88	PE	API Spec 5L 46th, N999TP-TA-H2001-A02	3	4.757
503	LinePipe	PSL2	X60Q	457.20x17.48	BE	API Spec 5L 46th, Sonatrach #8	4	7.153
504	LinePipe	PSL2	X60Q	457.20x17.48	BE	API Spec 5L 46th	1	1.682
505	LinePipe	PSL2	X60Q	457.20x17.48	BE	API Spec 5L 46th	1	1.837
506	LinePipe	PSL2	X60Q	457.20x17.48	BE	API Spec 5L 46th, Sonatrach #8	2	3.603
507	LinePipe	PSL2	X52Q	457.20x31.75	PE	API Spec 5L 46th, N999TP-TA-H2001-A02	1	3.778
508	LinePipe	PSL2	X52Q	457.20x31.75	PE	API Spec 5L 46th	1	3.896
509	LinePipe	PSL2	X65QS/X65Q0	457.20x31.80	PE	API Spec 5L 46th, DNV OS F101(2013)	2	8.436
510	LinePipe	PSL2	X65QS/X65Q0	457.20x31.80	PE	API Spec 5L 46th, DNV OS F101(2013)	10	43.676
511	LinePipe	PSL2	X52Q	457.20x9.53	PE	API Spec 5L 46th	1	1.175
512	LinePipe	PSL1	X56	508.00x11.13	BE	API Spec 5L 46th	4	6.255
513	LinePipe	PSL1	X56	508.00x11.13	BE	API Spec 5L 46th, TPCO-MPS-2020-0227	1	1.463
514	LinePipe		Gr. B	508.00x12.70	BE	ASTM A106/A106M-2019	1	1.686
515	LinePipe		Gr. B	508.00x12.70	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06) , TPCO-MPS-2020-006	1	1.896
516	LinePipe		Gr. B	508.00x12.70	BE	ASTM A106/A106M-2019	1	1.814
517	LinePipe		Gr. B	508.00x12.70	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06) , TPCO-MPS-2020-006	1	1.727
518	LinePipe	PSL2	X52Q	508.00x15.88	PE	API Spec 5L 46th, N999TP-TA-H2001-A02	3	4.819
519	LinePipe	PSL2	X52Q	508.00x19.05	PE	API Spec 5L 46th, N999TP-TA-H2001-A02	1	2.247
520	LinePipe	PSL2	X60QS	508.00x23.82	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7)	1	3.156
521	LinePipe	PSL2	X60QS	508.00x23.82	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7)	1	3.387
522	LinePipe	PSL2	X60QS	508.00x23.82	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7)	1	3.102
523	LinePipe	PSL2	X60QS	508.00x23.82	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7)	1	2.97
524	LinePipe	PSL2	BN	508.00x9.53	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , 248HV10	1	0.911
525	LinePipe		Gr. B	508.00x9.53	BE	ASTM A106/A106M-2019, TPCO-MPS-2020-0101 ±0.75	2	2.251

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
526	LinePipe		Gr. B	508.00x9.53	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06)	1	0.878
527	LinePipe	PSL2	X60Q	508.00x9.53	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7)	5	6.941
528	LinePipe	PSL1	B/Gr. B	60.30x3.91	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019	3	0.189
529	LinePipe		Gr. B	60.30x3.91	BE	ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019, ASTM A53/A53M-2020,	1	0.032
530	LinePipe		Gr. B	60.30x3.91	BE	ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019, ASTM A53/A53M-2020,	2	0.067
531	LinePipe		Gr. B	60.30x3.91	BE	ASTM A106/A106M-2019	1	0.065
532	LinePipe		Gr. B	60.30x3.91	BE	ASTM A106/A106M-2019	1	0.063
533	LinePipe	PSL2	BR	60.30x5.50	BE	API Spec 5L 46th	10	0.826
534	LinePipe	PSL2	X65Q	60.30x5.50	BE	API Spec 5L 46th	10	0.79
535	LinePipe	PSL2	X65Q	60.30x5.50	BE	API Spec 5L 46th	1	0.072
536	LinePipe	PSL2	X65Q	60.30x5.50	BE	API Spec 5L 46th	1	0.08
537	LinePipe	PSL1	B/X42/Gr. B	60.30x5.54	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019, AS	1	0.044
538	LinePipe		Gr. B	60.30x5.54	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06)	19	1.342
539	LinePipe		Gr. B	60.30x5.54	BE	ASTM A106/A106M-2019, ASME SA-106/SA-106M-2019, ASTM A53/A53M-2020,	1	0.044
540	LinePipe		Gr. B	60.30x5.54	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06)	4	0.292
541	LinePipe		Gr. B	60.30x5.54	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06)	1	0.075
542	LinePipe		Gr. B	60.30x5.54	BE	ASTM A106/A106M-2019	1	0.081
543	LinePipe		Gr. B	60.30x5.54	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06)	1	0.064
544	LinePipe		Gr. B	60.30x5.54	BE	ASTM A106/A106M-2019	1	0.075
545	LinePipe		Gr. B	60.30x5.54	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06)	1	0.072
546	LinePipe		Gr. B	60.30x5.54	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06)	8	0.584
547	LinePipe		Gr. B	60.30x5.54	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06)	1	0.071
548	LinePipe		Gr. C	60.30x5.54	BE	ASTM A106/A106M-2019	8	0.648
549	LinePipe	PSL1	X42/L290/B/L2	60.30x5.54	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASTM A53/A53M-2018	1	0.044
550	LinePipe	PSL1	X42/L290/B/L2	60.30x5.54	BE	API Spec 5L 46th, ASTM A106/A106M-2019, ASTM A53/A53M-2018	5	0.437
551	LinePipe	PSL2	X42NS/BNS/X42	60.30x5.54	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	3	0.254
552	LinePipe	PSL2	X42NS/BNS/X42	60.30x5.54	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	3	0.227
553	LinePipe	PSL2	X42NS/BNS/X42	60.30x5.54	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	10	0.764
554	LinePipe	PSL2	X42NS/BNS/X42	60.30x5.54	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	1	0.083
555	LinePipe	PSL2	X42NS/BNS/X42	60.30x5.54	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	1	0.085
556	LinePipe	PSL2	X42NS/BNS/X42	60.30x5.54	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	1	0.076
557	LinePipe	PSL2	X42NS/BNS/X42	60.30x5.54	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	1	0.044
558	LinePipe	PSL2	X42NS/BNS/X42	60.30x5.54	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	1	0.077
559	LinePipe	PSL2	X65Q	60.30x5.54	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7)	11	0.989
560	LinePipe	PSL2	X65Q	60.30x5.54	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7)	1	0.082
561	LinePipe	PSL2	BNS	60.30x8.74	BE	API Spec 5L 45th	19	2.641
562	LinePipe		STPG370/STS37	60.50x5.50	BE	JIS G 3454:2017, JIS G 3455:2016, JIS G 3456:2019	1	0.044
563	LinePipe	PSL2	BNS	609.60x9.53	BE	API Spec 5L 46th, TPCO-MPS-2021-0027	1	1.282

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
564	LinePipe	PSL2	BNS	609.60x9.53	BE	API Spec 5L 46th, TPCO-MPS-2021-0027	1	1.244
565	LinePipe	PSL2	BNS	609.60x9.53	BE	API Spec 5L 46th, TPCO-MPS-2021-0027	2	2.744
566	LinePipe	PSL2	BR/X42R/Gr. B	609.60x9.53	BE	API Spec 5L 46th, ASTM A106/A106M-2018, ASME SA-106/SA-106M-2017, AS	1	1.645
567	LinePipe	PSL2	X65QS	610.00x12.70	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7)	1	1.776
568	LinePipe	PSL2	X65QS	610.00x12.70	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , TPCO-MPS-2021-0514	1	1.845
569	LinePipe		Gr. B	610.00x14.27	BE	ASTM A106/A106M-2019	1	1.526
570	LinePipe		Gr. B	610.00x9.53	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06) , TPCO-MPS-2020-006	3	3.735
571	LinePipe		Gr. B	610.00x9.53	BE	ASTM A106/A106M-2019	2	3.01
572	LinePipe		Gr. B	610.00x9.53	BE	ASTM A106/A106M-2019	1	1.359
573	LinePipe		Gr. B	610.00x9.53	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06) , TPCO-MPS-2020-006	1	1.674
574	LinePipe		Gr. B	610.00x9.53	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06) , TPCO-MPS-2020-006	1	1.604
575	LinePipe		Gr. B	610.00x9.53	BE	ASTM A106/A106M-2019, TPCO-MPS-2020-0101 ±0.75	1	1.511
576	LinePipe		Gr. B	610.00x9.53	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06) , TPCO-MPS-2020-006	1	1.406
577	LinePipe		Gr. B	73.00x9.53	BE	ASTM A106/A106M-2019a, ASME SA-106/SA-106M-2019	3	0.328
578	LinePipe		Gr. B	73.00x9.53	BE	ASTM A106/A106M-2019a, ASME SA-106/SA-106M-2019	7	0.886
579	LinePipe		Gr. B	73.00x9.53	BE	ASTM A106/A106M-2019a, ASME SA-106/SA-106M-2019	7	0.899
580	LinePipe		Gr. B	88.90x11.13	BE	ASTM A106/A106M-2019, 01-SAMSS-043 (2015.10.06)	5	1.177
581	LinePipe		Gr. B	88.90x11.13	BE	ASTM A106/A106M-2019	3	0.719
582	LinePipe	PSL2	BN	88.90x5.49	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7)	36	5.13
583	LinePipe		Gr. B	88.90x5.49	BE	ASTM A106/A106M-2019	1	0.128
584	LinePipe	PSL2	X42NS/BNS/X42	88.90x5.49	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	1	0.131
585	LinePipe	PSL2	X42NS/BNS/X42	88.90x5.49	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	1	0.129
586	LinePipe	PSL2	X42NS/BNS/X42	88.90x5.49	BE	API Spec 5L 46th, 01-SAMSS-035 (2018.6.7) , ASTM A106/A106M-2019, AS	1	0.128
587	LinePipe	PSL2	BNO	88.90x5.50	BE	API Spec 5L 46th	4	0.526
588	LinePipe	PSL2	BNO	88.90x5.50	BE	API Spec 5L 46th	1	0.123
589	LinePipe	PSL2	BNO	88.90x5.50	BE	API Spec 5L 46th	4	0.54
590	LinePipe	PSL2	BNO	88.90x5.50	BE	API Spec 5L 46th	2	0.265
591	LinePipe	PSL2	BNO	88.90x5.50	BE	API Spec 5L 46th	2	0.264
592	LinePipe	PSL2	X65QS	88.90x6.35	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	19	2.911
593	LinePipe	PSL2	X65QS	88.90x6.35	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	14	2.137
594	LinePipe	PSL2	X65QS	88.90x6.35	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	5	0.755
595	LinePipe		B/Gr. B	88.90x6.60	PE	ASTM A106-2019 R-02-507211 Rev. 13	3	0.421
596	LinePipe		B/Gr. B	88.90x6.60	PE	ASTM A106-2019 R-02-507211 Rev. 13	3	0.448
597	LinePipe		B/Gr. B	88.90x6.60	PE	ASTM A106-2019 R-02-507211 Rev. 13	12	1.792
598	LinePipe	PSL2	X60QS	88.90x8.58	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	1	0.175
599	LinePipe	PSL2	X60QS	88.90x8.58	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	8	1.453
600	LinePipe	PSL2	X60QS	88.90x8.58	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	5	0.853
601	LinePipe	PSL2	X60QS	88.90x8.58	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	4	0.735

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
602	LinePipe	PSL2	X60QS	88.90x8.58	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	3	0.513
603	LinePipe	PSL2	X60QS	88.90x8.58	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	3	0.515
604	LinePipe	PSL2	X60QS	88.90x8.58	BE	API Spec 5L 46th, ADCO ES 30-99-00-0105 Rev. 3, DEP 31.40.20.37-201	1	0.176
605	LinePipe	PSL2	X52Q	203.00x15.00	PE	TPCO-TGGXS-2020-3002(N966-ODC-H-TA-004A)	1	0.842
606	LinePipe	PSL2	X52Q	203.00x15.00	PE	TPCO-TGGXS-2020-3002(N966-ODC-H-TA-004A)	3	2.428
607	LinePipe	PSL2	X100Q	355.60x27.80	PE	API Spec 5L 46th, 三星X100Q认证用	4	8.761
608	LinePipe	PSL2	X60Q	406.40x20.00	PE	TPCO-TGGXS-2020-3002(N966-ODC-H-TA-004A)	1	2.446
609	LinePipe	PSL2	X60Q	406.40x20.00	PE	TPCO-TGGXS-2020-3002(N966-ODC-H-TA-004A)	2	4.812
610	LinePipe	PSL2	X60Q	406.40x20.00	PE	TPCO-TGGXS-2020-3002(N966-ODC-H-TA-004A)	3	7.21
611	LinePipe	PSL2	X60Q	406.40x20.00	PE	TPCO-TGGXS-2020-3002(N966-ODC-H-TA-004A)	3	6.904
612	LinePipe	PSL2	X60Q	406.40x20.00	PE	TPCO-TGGXS-2020-3002(N966-ODC-H-TA-004A)	1	2.426
613	LinePipe	PSL2	X60Q	406.40x20.00	PE	TPCO-TGGXS-2020-3002(N966-ODC-H-TA-004A)	1	2.397
614	LinePipe	PSL2	X60Q	406.40x20.00	PE	TPCO-TGGXS-2020-3002(N966-ODC-H-TA-004A)	1	2.347
615	LinePipe	PSL2	X60Q	406.40x30.00	PE	TPCO-TGGXS-2020-3002(N966-ODC-H-TA-004A)	2	5.271
616	LinePipe	PSL2	X60Q	406.40x30.00	PE	TPCO-TGGXS-2020-3002(N966-ODC-H-TA-004A)	1	2.666
617	LinePipe	PSL2	X100Q	406.40x40.00	PE	API Spec 5L 46th	3	7.384
618	LinePipe	PSL2	X100Q	406.40x40.00	PE	API Spec 5L 46th	1	2.687
769	CASING PIPE		TP90SS	142.80x18.00	/	API Spec 5CT 10th, NACE TM-0177, TGGXS-171-2019, STD0001807077	3	1.287
770	CASING PIPE		P110	154.00x14.00	/	API Spec 5CT 9th	69	38.778
771	CASING PIPE		TP110-HP13Cr	222x26	/	TGGXS-131-2014	8	8.432
772	CASING PIPE		TP90SS	142.80x18.00	/	API Spec 5CT 10th, NACE TM-0177	3	1.38
773	CASING PIPE		TP140V	144.50x15.60	/	TGGXS-031-2014	20	10.1
774	CASING PIPE		TP155V	128x19	/	TGGXS-078-2013	4	2.12
775	CASING PIPE		K55	200.03x19.00	PE	API Spec 5CT 10th	3	2.756
776	CASING PIPE		N80Q	269.88x19.96	/	API Spec 5CT 10th, 适用于商品接箍料	1	1.388
777	CASING PIPE	PSL2	L80-1	153.67x14.00	/	API Spec 5CT 9th, MPS-169-2018	2	1.081
778	CASING PIPE		L80-1	368.00x29.00	/	API Spec 5CT 10th	1	2.043
779	CASING PIPE		L80-13Cr	200.03x23.00	/	API Spec 5CT 9th, YTG 001-2018	1	1.242
780	CASING PIPE		K55	451.00x24.00	/	API SPEC 5CT 9th	2	6.31
781	CASING PIPE		TP110-HP13Cr	222x26	/	TGGXS-131-2014	18	18.972
782	CASING PIPE		N80Q	198.00x21.00	/	API Spec 5CT 10th	3	2.881
783	CASING PIPE		TP150V	381.00x21.00	/	API Spec 5CT 10th, TGGXS-073-2019, STD0001693676	1	1.39
784	CASING PIPE		P110	141.30x14.00	/	Q/SY 1572.1-2013	10	3.45
785	CASING PIPE		L80-13Cr	203.00x20.00	/	TGGXS-048-2015	5	5.09
786	CASING PIPE		TP125TS	149.00x17.00	/	API Spec 5CT 10th, NACE TM-0177	6	2.868
787	CASING PIPE		N80Q	269.90x27.00	/	API Spec 5CT 10th	1	1.839
788	CASING PIPE		L80-13Cr	273.56x32.26	PE	API Spec 5CT 10th	3	5.067
789	CASING PIPE		L80-3Cr	198.00x21.00	/	API Spec 5CT 10th	12	10.292

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
790	CASING PIPE		TP110-HP13Cr	222x26	/	TGGXS-131-2014	9	9.486
791	CASING PIPE		TP110-3Cr	141.30x14.00	/	API Spec 5CT 10th	11	3.564
792	CASING PIPE		TP110V	512.00x37.00	/	TLM-JSXY-TG-2013-I	2	7.86
793	CASING PIPE		TP150V	365.00x21.00	/	API Spec 5CT 10th, TGGXS-073-2019, STD0001693676	2	4.131
794	CASING PIPE		TP110-3Cr	141.30x14.00	/	API Spec 5CT 10th	11	3.564
795	CASING PIPE	PSL2	L80-1	153.67x17.50	/	API Spec 5CT 9th	1	0.555
796	CASING PIPE		TP125V	153.67x14.00	/	API Spec 5CT 9th	15	6.84
797	CASING PIPE		L80-1Cr	193.68x27.70	/	API Spec 5CT 10th	1	1.291
798	CASING PIPE		P110	154.00x14.00	/	API Spec 5CT 9th	39	21.918
799	CASING PIPE		L80-3Cr	141.30x16.80	/	API Spec 5CT 9th, YTG 002-2017	25	11.85
800	CASING PIPE	PSL3	TP140V	232.00x32.00	/	TLM-JSXY-TG-2015-1	2	2.386
801	CASING PIPE		L80-1	153.67x14.00	/	API Spec 5CT 9th	10	5.61
802	CASING PIPE		TP90SS	142.80x18.00	/	API Spec 5CT 10th, NACE TM-0177, TGGXS-171-2019, STD0001807077	4	2.02
803	CASING PIPE		TP125V	200.03x18.50	/	API Spec 5CT 9th	5	4.76
804	CASING PIPE		N80Q	198.00x21.00	/	API Spec 5CT 10th	3	2.741
805	CASING PIPE		L80-13Cr	200.03x23.00	/	API Spec 5CT 9th, YTG 001-2018	1	1.178
806	CASING PIPE		P110	153.67x14.00	/	API Spec 5CT 9th, Q/SHCG 18010-2016	8	4.448
807	CASING PIPE		P110	141.30x14.00	/	API Spec 5CT 9th, Q/SHCG 18010-2016	100	48.4
808	CASING PIPE		P110	153.67x14.00	/	API Spec 5CT 9th, Q/SHCG 18010-2016	80	45.44
809	CASING PIPE		P110	367.50x25.00	/	API Spec 5CT 9th	1	2.508
810	CASING PIPE		K55	141.30x14.00	/	API Spec 5CT 9th, PDVSA EM-18-00/05	5	2.42
811	CASING PIPE		TP110T	396.00x31.50	/	API Spec 5CT 9th, TGGXS-062-2016	2	4.21
812	CASING PIPE		L80-1	187.71x17.30	/	API Spec 5CT 10th	8	4.968
813	CASING PIPE		N80Q	142.80x20.00	/	API Spec 5CT 9th	10	5.32
814	CASING PIPE		J55	77.80x11.00	/	API Spec 5CT 10th	5	0.945
815	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
816	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
817	CASING PIPE	PSL1	C110	224.00x24.00	/	TLM-JSXY-TG-2015-1	1	0.89
818	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
819	CASING PIPE		L80-3Cr	273.00x27.50	/	TGGXS-031-2016	3	6.006
820	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	20	9.68
821	CASING PIPE	PSL1	L80-1	153.67x14.00	/	API Spec 5CT 9th	5	2.81
822	CASING PIPE		TP110TSS	218.00x24.00	/	API Spec 5CT 9th, NACE TM-0177	4	3.84
823	CASING PIPE		CS110	153.67x14.00	/	API Spec 5CT 10th	23	9.108
824	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	46	22.264
825	CASING PIPE		L80-3Cr	73.02x10.65	/	API 5CT 9th	3	0.531
826	CASING PIPE		TP110-3Cr	141.30x14.00	/	TLM-JSXY-TG-2015-1	10	5.36
827	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	50	24.2

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
828	CASING PIPE		TP110-3Cr	202.00x22.50	/	TLM-JSXY-TG-2015-1	26	23.894
829	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
830	CASING PIPE	PSL1	C110	224.00x24.00	/	TLM-JSXY-TG-2015-1	1	0.89
831	CASING PIPE		K55	127.00x13.00	/	API Spec 5CT 9th, PDVSA EM-18-00/05	37	11.914
832	CASING PIPE		TP110-3Cr	202.00x22.50	/	TLM-JSXY-TG-2015-1	3	3.801
833	CASING PIPE		TP125V	200.03x25.00	/	API Spec 5CT 9th	10	9.67
834	CASING PIPE		P110	224.00x24.00	/	API Spec 5CT 9th, TLM-JSXY-TG-2015-1	8	7.328
835	CASING PIPE		L80-1	141.30x14.00	/	API 5CT 9th	8	3.8
836	CASING PIPE		K55	244.48x20.80	/	API Spec 5CT 9th	3	3.84
837	CASING PIPE		P110	203.00x26.50	/	API Spec 5CT 10th, PJ--Coupling Stock	7	6.608
838	CASING PIPE		K55	431.80x24.00	/	API Spec 5CT 9th	4	11.304
839	CASING PIPE		TP80SS	153.67x14.00	/	API Spec 5CT 9th	28	15.568
840	CASING PIPE		K55	127.00x13.00	/	API Spec 5CT 9th, PDVSA EM-18-00/05	44	14.168
841	CASING PIPE		K55	141.30x14.00	/	API Spec 5CT 9th, PDVSA EM-18-00/05	5	2.42
842	CASING PIPE		TP110TSS	298.45x20.00	/	API Spec 5CT 9th, NACE TM-0177	2	2.534
843	CASING PIPE		K55	351x22	/	API Spec 5CT 9th, IE17100041	1	1.617
844	CASING PIPE	PSL1	P110	367.50x25.00	/	TLM-JSXY-TG-2015-1	4	6.392
845	CASING PIPE		N80Q	215.90x19.00	/	API Spec 5CT 9th, Q/SHCG 18010-2016	5	4.825
846	CASING PIPE		P110	141.30x14.00	/	API Spec 5CT 9th, Q/SHCG 18010-2016	8	3.872
847	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
848	CASING PIPE	PSL3	TP140V	273.00x27.50	/	API 5CT 9th	10	19.59
849	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	50	24.2
850	CASING PIPE		TP110SS	396.00x24.00	/	API Spec 5CT 9th, NACE TM-0177	3	7.944
851	CASING PIPE		N80Q	159.00x20.00	/	API Spec 5CT 9th, PJ--Coupling Stock	66	38.412
852	CASING PIPE		N80Q	159.00x20.00	/	API Spec 5CT 9th, PJ--Coupling Stock	90	52.38
853	CASING PIPE		N80Q	159.00x20.00	/	API Spec 5CT 9th, PJ--Coupling Stock	90	52.38
854	CASING PIPE		N80Q	511.00x32.00	/	API Spec 5CT 9th, TGGXS-055-2009/9	4	14.444
855	CASING PIPE		TP125V	202.00x25.50	/	TGGXS-035-2015	2	1.932
856	CASING PIPE		TP90S-3Cr	74.00x14.00	/	TGGXS-187-2018, STD0001759002	1	0.183
857	CASING PIPE		TP110-3Cr	153.67x14.00	/	TLM-JSXY-TG-2015-1	6	2.868
858	CASING PIPE		P110	153.67x14.00	/	API Spec 5CT 9th, Q/SHCG 18010-2016	16	8.848
859	CASING PIPE		TP140V	273.00x27.50	/	API Spec 5CT 9th, STD0000209386	28	56.308
860	CASING PIPE		L80-1	153.67x14.00	/	API Spec 5CT 9th, YTG 001-2018	10	5.61
861	CASING PIPE		TP110TSS	298.45x28.00	/	API Spec 5CT 9th, NACE TM-0177	2	4.286
862	CASING PIPE		TP125V	396.00x31.50	/	API Spec 5CT 10th, STD0001693479	3	7.92
863	CASING PIPE		L80-1	86x15	/	API Spec 5CT 9th	13	3.237
864	CASING PIPE		K55	323.85x22	/	API Spec 5CT 9th, Q/SHCG 18010-2016	11	17.402
865	CASING PIPE		P110	141.30x14.00	/	API Spec 5CT 9th, Q/SHCG 18010-2016	32	15.488

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
866	CASING PIPE		TP140V	202.00x22.50	/	TLM-JSXY-TG-2015-1	1	0.93
867	CASING PIPE		TP140V	180.00x21.00	/	API Spec 5CT 9th, STD0000209608	2	1.896
868	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	50	24.2
869	CASING PIPE		N80Q	511.00x32.00	/	API Spec 5CT 9th, TGGXS-055-2009/9	4	12.972
870	CASING PIPE	PSL1	C110	224.00x24.00	/	TLM-JSXY-TG-2015-1	1	0.89
871	CASING PIPE		P110	153.67x14.00	/	API Spec 5CT 9th, Q/SHCG 18010-2016	48	23.184
872	CASING PIPE		TP125V	153.67x14	/	API Spec 5CT 9th	18	10.008
873	CASING PIPE		TP125SG	130.00x22.00	/	API Spec 5CT 10th	1	0.511
874	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	50	24.2
875	CASING PIPE		K55	244.48x20.80	/	API Spec 5CT 9th	10	12.7
876	CASING PIPE		TP110SS	198.00x21.00	/	API Spec 5CT 10th, NACE TM-0177, TGGXS-171-2019, STD0001807072	5	4.301
877	CASING PIPE		P110	153.67x14.00	/	API Spec 5CT 9th, Q/SHCG 18010-2016	148	82.88
878	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
879	CASING PIPE	PSL1	C110	224.00x24.00	/	TLM-JSXY-TG-2015-1	1	0.89
880	CASING PIPE		TP95SS	159.00x20.00	/	API Spec 5CT 9th, NACE TM-0177	8	6.68
881	CASING PIPE		P110	375.00x29.00	/	API Spec 5CT 9th, TGGXS-130-2016	3	6.723
882	CASING PIPE		P110	153.67x14.00	/	API Spec 5CT 9th, Q/SHCG 18010-2016	188	103.964
883	CASING PIPE		TP125V	142.80x20.00	/	API Spec 5CT 9th, PJ--Coupling Stock	17	9.044
884	CASING PIPE		TP110TSS	200.03x25.00	/	API Spec 5CT 9th, NACE TM-0177	1	0.967
885	CASING PIPE		L80-13Cr	200.03x22.00	/	API Spec 5CT 9th, API Spec 5CT 9th	13	14.365
886	CASING PIPE		P110	153.67x14.00	/	API Spec 5CT 9th, Q/SHCG 18010-2016	16	9.04
887	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
888	CASING PIPE		P110	396.00x31.50	/	API Spec 5CT 10th, TGGXS-130-2016	1	2.631
889	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
890	CASING PIPE		N80Q	159.00x20.00	/	API Spec 5CT 9th, PJ--Coupling Stock	90	52.38
891	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	34	16.456
892	CASING PIPE		TP125V	153.67x14	/	API Spec 5CT 9th	10	5.56
893	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	14	6.776
894	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	50	24.2
895	CASING PIPE		TP80SS	91.00x17.00	/	API Spec 5CT 9th, NACE TM-0177	98	33.026
896	CASING PIPE		L80-1Cr	269.88x21.00	/	API Spec 5CT 9th, YTG 001-2018, STD0001660006	17	21.505
897	CASING PIPE		TP110V	367.50x25.00	/	API Spec 5CT 9th, STD0000209357	5	10.055
898	CASING PIPE		TP110SS	198.00x21.00	/	API Spec 5CT 10th, NACE TM-0177, TGGXS-171-2019, STD0001807072	2	1.713
899	CASING PIPE		P110	202.00x25.50	/	API Spec 5CT 9th	2	1.926
900	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
901	CASING PIPE		N80Q	159.00x20.00	/	API Spec 5CT 9th, PJ--Coupling Stock	62	36.084
902	CASING PIPE		P110	367.50x25.00	/	API Spec 5CT 9th	2	4.08
903	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
904	CASING PIPE		N80Q	86.00x15.00	/	API Spec 5CT 10th	10	2.78
905	CASING PIPE		TP125SG	130.00x22.00	/	API Spec 5CT 10th	1	0.511
906	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	50	24.2
907	CASING PIPE		TP125V	198.00x21.00	/	API Spec 5CT 9th	2	1.818
908	CASING PIPE		TP110T	130.00x22.00	/	API Spec 5CT 10th	5	2.63
909	CASING PIPE	PSL1	C110	224.00x24.00	/	TLM-JSXY-TG-2015-1	1	0.89
910	CASING PIPE	PSL1	C110	224.00x24.00	/	TLM-JSXY-TG-2015-1	1	0.89
911	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
912	CASING PIPE		TP110TSS	375.00x33.50	/	API Spec 5CT 9th, NACE TM-0177, 375x33.5 锻坯接箍料	1	2.94
913	CASING PIPE	PSL1	P110	367.50x25.00	/	TLM-JSXY-TG-2015-1	2	5.006
914	CASING PIPE		L80-1	153.67x14.00	/	API Spec 5CT 9th, SINOPEC-Purchasing technical specification for	33	18.348
915	CASING PIPE		TP140V	144.50x15.60	/	TLM-JSXY-TG-2015-1	13	6.565
916	CASING PIPE		T95	128x19	/	API Spec 5CT 9th, Directive010	23	9.384
917	CASING PIPE		N80Q	159.00x20.00	/	API Spec 5CT 9th, PJ--Coupling Stock	76	44.232
918	CASING PIPE		N80Q	159.00x20.00	/	API Spec 5CT 9th, PJ--Coupling Stock	62	36.084
919	CASING PIPE		N80Q	159.00x20.00	/	API Spec 5CT 9th, PJ--Coupling Stock	22	12.804
920	CASING PIPE	PSL1	C110	224.00x24.00	/	TLM-JSXY-TG-2015-1	1	0.89
921	CASING PIPE		TP80H	153.67x14.00	/	API Spec 5CT 9th	28	16.296
922	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	50	24.2
923	CASING PIPE		TP125V	153.67x14	/	API Spec 5CT 9th	16	8.896
924	CASING PIPE		TP140V	298.45x20.00	/	API Spec 5CT 9th	6	9.336
925	CASING PIPE		TP110TSS	203.00x26.50	/	API Spec 5CT 9th, NACE TM-0177	3	3.99
926	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	40	19.36
927	CASING PIPE		TP110-3Cr	127.00x13.00	/	TLM-JSXY-TG-2015-1	19	8.132
928	CASING PIPE	PSL1	C110	224.00x24.00	/	TLM-JSXY-TG-2015-1	1	0.89
929	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	50	24.2
930	CASING PIPE		K55	244.48x20.80	/	API Spec 5CT 9th	6	7.65
931	CASING PIPE		TP140V	180.00x21.00	/	API Spec 5CT 9th, STD0000209608	1	0.994
932	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
933	CASING PIPE		N80Q	218.00x24.00	/	API Spec 5CT 9th	2	1.914
934	CASING PIPE		L80-1	153.67x14.00	/	API Spec 5CT 9th, SINOPEC-Purchasing technical specification for	7	3.892
935	CASING PIPE		TP140V	298.45x20.00	/	API Spec 5CT 9th, STD0000209611	4	4.188
936	CASING PIPE		TP110V	198.00x21.00	/	API Spec 5CT 9th	2	1.966
937	CASING PIPE	PSL1	C110	224.00x24.00	/	TLM-JSXY-TG-2015-1	1	0.89
938	CASING PIPE		TP125V	198.00x21.00	/	API Spec 5CT 9th, TGGXS-153-2012	1	0.952
939	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	50	24.2
940	CASING PIPE		TP110SS	519.00x37.00	/	API Spec 5CT 9th, NACE TM-0177, TGGXS-055-2009 STD0001552096	1	3.998
941	CASING PIPE		TP110-3Cr	127.00x13.00	/	TLM-JSXY-TG-2015-1	3	1.284

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
942	CASING PIPE		P110	153.67x14.00	/	API Spec 5CT 9th, Q/SHCG 18010-2016	24	13.272
943	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
944	CASING PIPE		N80Q	273.00x27.50	/	API Spec 5CT 9th, TGGXS-168-2017	1	1.994
945	CASING PIPE		TP140V	200.03x18.50	/	API Spec 5CT 9th	1	0.94
946	CASING PIPE		TP125V	141.30x14.00	/	TGGXS-035-2015	50	24.2
947	CASING PIPE		P110	323.85x22.00	/	API Spec 5CT 10th	2	3.186
948	CASING PIPE		N80Q	128.00x17.00	/	API Spec 5CT 9th, TGGXS-102-2019, STD0000209536	4	2.02
949	CASING PIPE		TP110SS	88.90x16.00	/	API Spec 5CT 9th, NACE TM-0177	3	1.002
950	CASING PIPE		Q125-1	203.00x28.00	/	API Spec 5CT 9th, TGGXS-123-2018	1	1.424
951	CASING PIPE		N80Q	159.00x20.00	/	API Spec 5CT 9th, PJ--Coupling Stock	80	46.56
952	CASING PIPE		P110	396.00x31.50	/	API Spec 5CT 10th, TGGXS-130-2016	1	2.631
953	CASING PIPE		TP110-3Cr	224.00x24.00	/	TLM-JSXY-TG-2015-1, STD0000823045	5	7.38
1106	CASING PIPE		TP90SS	127.00x9.19	PE	API Spec 5CT 10th, NACE TM-0177	6	1.68
1107	CASING PIPE		TP90SS	127.00x9.19	PE	API Spec 5CT 10th, NACE TM-0177	13	3.829
1108	CASING PIPE		TP90SS	127.00x9.19	PE	API Spec 5CT 10th, NACE TM-0177, TGGXS-171-2019, STD0001807076	4	1.109
1109	CASING PIPE		L80-1	139.70x7.72	PE	API Spec 5CT 10th	6	1.706
1110	CASING PIPE		L80-1	139.70x7.72	PE	API Spec 5CT 10th	1	0.283
1111	CASING PIPE		L80-1	139.70x7.72	PE	API Spec 5CT 10th	1	0.283
1112	CASING PIPE		N80-1	139.70x7.72	PE	API Spec 5CT 9th	1	0.272
1113	CASING PIPE		P110	139.70x7.72	PE	API Spec 5CT 10th	1	0.288
1114	CASING PIPE		N80-1	139.70x9.17	PE	API Spec 5CT 10th	12	4
1115	CASING PIPE		N80-1	139.70x9.17	PE	API Spec 5CT 10th	6	2
1116	CASING PIPE		P110	139.70x9.17	PE	API Spec 5CT 10th	19	5.979
1117	CASING PIPE		P110	139.70x9.17	PE	API Spec 5CT 10th, JY	1	0.332
1118	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.5
1119	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	5	2.465
1120	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.375
1121	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.449
1122	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.468
1123	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.463
1124	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.5
1125	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.5
1126	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.493
1127	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	2	1
1128	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.466
1129	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.493
1130	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.5
1131	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	3	1.5

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1132	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.469
1133	CASING PIPE		L80-13Cr	177.80x10.36	PE	API Spec 5CT 10th	1	0.5
1134	CASING PIPE		L80-3Cr	177.80x10.36	/	API Spec 5CT 10th	2	0.998
1135	CASING PIPE		L80-3Cr	177.80x10.36	/	API Spec 5CT 10th	8	4.016
1136	CASING PIPE		L80-3Cr	177.80x10.36	/	API Spec 5CT 10th	4	1.985
1137	CASING PIPE		TP110SS	177.80x12.65	PE	API Spec 5CT 10th, NACE TM-0177, TGGXS-171-2019, STD0001807071	4	2.228
1138	CASING PIPE		L80-1	244.48x11.05	PE	API Spec 5CT 9th	3	2.138
1139	CASING PIPE		L80-1	244.48x11.99	PE	API Spec 5CT 10th	1	0.687
1140	CASING PIPE	PSL2	L80-1	244.48x11.99	PE	API Spec 5CT 10th	1	0.735
1141	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	2	1.676
1142	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.838
1143	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.824
1144	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.82
1145	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	3	2.514
1146	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.838
1147	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.828
1148	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.824
1149	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	3	2.36
1150	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.839
1151	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.748
1152	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.745
1153	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.824
1154	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.789
1155	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.713
1156	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.828
1157	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.828
1158	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	2	1.676
1159	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	4	3.352
1160	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.568
1161	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.838
1162	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	3	2.41
1163	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	4	3.198
1164	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	2	1.583
1165	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.838
1166	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.838
1167	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.822
1168	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.721
1169	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	2	1.601

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1170	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	2	1.607
1171	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.811
1172	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.838
1173	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	4	3.352
1174	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.82
1175	CASING PIPE		L80-13Cr	244.48x11.99	PE	API Spec 5CT 10th	1	0.851
1176	CASING PIPE		K55	244.48x8.94	PE	API Spec 5CT 10th	32	8.9728
1177	CASING PIPE		K55	244.48x8.94	PE	API Spec 5CT 10th	29	8.1316
1178	CASING PIPE		TP125SS	250.83x15.88	PE	API Spec 5CT 10th, NACE TM-0177, TGGXS-171-2019, STD0001807075	2	2.187
1179	CASING PIPE		TP125TSS	250.83x15.88	PE	API Spec 5CT 10th, NACE TM-0177, TGGXS-171-2019, STD0001807074	1	0.993
1180	CASING PIPE		TP125TSS	250.83x15.88	PE	API Spec 5CT 10th, NACE TM-0177, TGGXS-171-2019, STD0001807074	1	0.99
1181	CASING PIPE		TP125TSS	250.83x15.88	PE	API Spec 5CT 10th, NACE TM-0177, TGGXS-171-2019, STD0001807074	1	0.814
1182	CASING PIPE		TP125TSS	250.83x15.88	PE	API Spec 5CT 10th, NACE TM-0177, TGGXS-171-2019, STD0001807074	4	4.296
1183	CASING PIPE		K55	273.05x8.89	PE	API Spec 5CT 10th	1	0.59
1184	CASING PIPE		L80-1	339.72x12.19	PE	API Spec 5CT 10th	1	0.984
1185	CASING PIPE		L80-1	339.72x12.19	PE	API Spec 5CT 10th	3	2.979
1186	CASING PIPE		L80-1	339.72x12.19	PE	API Spec 5CT 10th	50	50.95
1187	CASING PIPE		K55	339.72x9.65	PE	API Spec 5CT 10th	6	3.014
1188	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.091
1189	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.087
1190	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.084
1191	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.089
1192	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.087
1193	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.086
1194	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.087
1195	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.085
1196	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.087
1197	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.09
1198	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.086
1199	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.086
1200	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.086
1201	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.087
1202	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.085
1203	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.086
1204	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.086
1205	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	2	0.172
1206	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.085
1207	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.087

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1208	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	2	0.172
1209	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.085
1210	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.086
1211	CASING PIPE	PSL2	L80-1Cr	73.02x5.51	PE	API 5CT 9th, JSZX-MPS-057-2018	1	0.085
1312	CASING PIPE		K55	114.30x6.35	BC	API Spec 5CT 10th	1	0.179
1313	CASING PIPE		L80-3Cr	114.30x6.35	LC	API Spec 5CT 10th	18	3.507
1314	CASING PIPE	PSL3	C110	114.30x7.37	TP-G2	API Spec 5CT 10th, NACE TM-0177	1	0.175
1315	CASING PIPE		P110	114.30x7.37	BC	API Spec 5CT 10th	1	0.215
1316	CASING PIPE		P110	114.30x7.37	TP-G2	API Spec 5CT 10th	7	1.547
1317	CASING PIPE		P110	114.30x7.37	TP-G2	API Spec 5CT 10th	1	0.189
1318	CASING PIPE		P110	114.30x7.37	TP-G2	API Spec 5CT 10th	1	0.21
1319	CASING PIPE		TP110-HP13Cr	114.30x8.56	TP-CQ	TGGXS-151-2014	1	0.242
1320	CASING PIPE		TP110-HP13Cr	114.30x8.56	TP-CQ	TGGXS-151-2014	6	1.5
1321	CASING PIPE		TP140V	114.30x8.56	TP-CQ	API Spec 5CT 10th, JSZX-MPS-054-2019	1	0.241
1322	CASING PIPE		TP140V	114.30x8.56	TP-CQ	API Spec 5CT 10th, JSZX-MPS-054-2019	2	0.52
1323	CASING PIPE		Q125-1	127.00x11.10	LC	API Spec 5CT 9th	138	48.316
1324	CASING PIPE		TP125V	127.00x11.10	TP-CQ (API)	API Spec 5CT 9th, TGGXS-148-2018, STD0000209511	2	0.752
1325	CASING PIPE		TP125V	127.00x11.10	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2018, STD0001693657	1	0.36
1326	CASING PIPE		TP125V	127.00x11.10	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2018, STD0001693657	1	0.362
1327	CASING PIPE		TP125V	127.00x11.10	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2018, STD0001693657	33	12.033
1328	CASING PIPE		TP140V	127.00x12.70	TP-CQ (API)	API Spec 5CT 9th, TGGXS-055-2019, STD0000209587	7	2.891
1329	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	36	14.449
1330	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	4	1.563
1331	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	1	0.41
1332	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	14	5.625
1333	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	3	1.208
1334	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	1	0.397
1335	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th	1	0.362
1336	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	3	1.211
1337	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	1	0.351
1338	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 9th, TGGXS-148-2016	7	3.035
1339	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	3	1.207
1340	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	15	6
1341	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	12	4.839
1342	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	8	3.236
1343	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	8	3.235
1344	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	1	0.338
1345	CASING PIPE		TP125SG	127.00x13.00	TP-G2 H	API Spec 5CT 10th, TGGXS-148-2016	25	9.964

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1346	CASING PIPE		TP110SS	139.70x10.54	TP-CQ	API Spec 5CT 10th, NACE TM-0177	1	0.373
1347	CASING PIPE		TP125V	139.70x10.54	TP-CQ	API Spec 5CT 10th	7	2.691
1348	CASING PIPE		TP140V	139.70x10.54	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1515, TPCO-TGGXS-2021-0669, STD0	7	2.693
1349	CASING PIPE		TP110-TDJ028	139.70x11.10	TP-G2	ISO 13680	2	0.811
1350	CASING PIPE		TP110TSS	139.70x11.10	TP-CQ	API Spec 5CT 10th, NACE TM-0177	1	0.35
1351	CASING PIPE		TP110TSS	139.70x11.10	TP-CQ	API Spec 5CT 10th, NACE TM-0177	7	2.855
1352	CASING PIPE		TP110TSS	139.70x11.10	TP-CQ	API Spec 5CT 10th, NACE TM-0177	3	0.974
1353	CASING PIPE		TP110TSS	139.70x11.10	TP-CQ	API Spec 5CT 10th, NACE TM-0177	1	0.337
1354	CASING PIPE		TP125S	139.70x11.10	TP-CQ	API Spec 5CT 10th, NACE TM-0177	3	1.23
1355	CASING PIPE	PSL3	TP140V	139.70x12.09	TP-CQ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032005	3	1.364
1356	CASING PIPE	PSL3	TP140V	139.70x12.09	TP-CQ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032005	1	0.457
1357	CASING PIPE	PSL3	TP140V	139.70x12.09	TP-CQ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032005	7	3.212
1358	CASING PIPE	PSL3	TP140V	139.70x12.09	TP-CQ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032005	1	0.45
1359	CASING PIPE	PSL3	TP140V	139.70x12.09	TP-CQ	TLM-TGXY-1808C	16	7.308
1360	CASING PIPE	PSL3	TP140V	139.70x12.09	TP-CQ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032005	1	0.444
1361	CASING PIPE	PSL3	TP140V	139.70x12.09	TP-CQ	TLM-JSXY-TG-2015-1, STD0000823037	2	0.823
1362	CASING PIPE	PSL3	TP140V	139.70x12.09	TP-CQ	TLM-JSXY-TG-2015-1, STD0000823037	1	0.388
1363	CASING PIPE	PSL3	TP140V	139.70x12.09	TP-CQ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032005	1	0.449
1364	CASING PIPE		TP110T	139.70x12.34	TP-CQ		2	0.774
1365	CASING PIPE		TP110T	139.70x12.34	TP-CQ		1	0.455
1366	CASING PIPE		TP140V	139.70x12.34	BC	API Spec 5CT 10th, TPCO-TGGXS-2020-1515, TPCO-TGGXS-2022-0508, STD00	4	1.783
1367	CASING PIPE		TP140V	139.70x12.34	TP-CQ(AI	API Spec 5CT 10th, TPCO-TGGXS-2020-1515, STD00016931150	4	1.822
1368	CASING PIPE		TP140V	139.70x12.34	TP-CQ(FI	API Spec 5CT 10th, TGGXS-112-2017	16	7.263
1369	CASING PIPE		TP140V	139.70x12.34	TP-CQ(FI	API Spec 5CT 10th, TGGXS-112-2017	23	10.462
1370	CASING PIPE		TP125SG	139.70x12.70	TP-G2 H	API Spec 5CT 10th	1	0.448
1371	CASING PIPE		TP125SG	139.70x12.70	TP-G2 H	API Spec 5CT 10th	1	0.428
1372	CASING PIPE		TP125SG	139.70x12.70	TP-G2 H	API Spec 5CT 10th	1	0.488
1373	CASING PIPE		TP125SG	139.70x12.70	TP-G2 H	API Spec 5CT 10th	1	0.43
1374	CASING PIPE		TP125V	139.70x12.70	TP-G2	API Spec 5CT 10th, TGGXS-056-2017, STD0000209279	1	0.471
1375	CASING PIPE		TP125V	139.70x12.70	TP-G2	API Spec 5CT 10th, TGGXS-056-2017, STD0000209279	1	0.498
1376	CASING PIPE		TP125V	139.70x12.70	TP-G2	API Spec 5CT 10th, TGGXS-056-2017, STD0000209279	1	0.494
1377	CASING PIPE		TP125V	139.70x12.70	TP-G2	API Spec 5CT 10th, TGGXS-056-2017, STD0000209279	1	0.444
1378	CASING PIPE		TP125V	139.70x12.70	TP-G2	API Spec 5CT 10th, TGGXS-056-2017, STD0000209279	1	0.43
1379	CASING PIPE		TP125V	139.70x12.70	TP-G2	API Spec 5CT 9th, TGGXS-056-2017, STD0000209279	1	0.485
1380	CASING PIPE		TP125V	139.70x12.70	TP-G2	API Spec 5CT 10th, TGGXS-056-2017, STD0000209279	3	1.433
1381	CASING PIPE		TP125V	139.70x12.70	TP-G2	API Spec 5CT 10th, TGGXS-056-2017, STD0000209279	1	0.448
1382	CASING PIPE		TP140V	139.70x12.70	TP-G2 H	API Spec 5CT 10th	1	0.474
1383	CASING PIPE		TP140V	139.70x12.70	TP-G2 H	API Spec 5CT 10th	1	0.41

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1384	CASING PIPE		TP140V	139.70x12.70	TP-G2 H	API Spec 5CT 10th	87	41.09
1385	CASING PIPE		TP140V	139.70x12.70	TP-G2 H	API Spec 5CT 10th	97	45.571
1386	CASING PIPE		TP140V	139.70x12.70	TP-G2 H	API Spec 5CT 10th	7	3.27
1387	CASING PIPE		TP140V	139.70x12.70	TP-G2 H	API Spec 5CT 10th	1	0.473
1388	CASING PIPE		TP140V	139.70x12.70	TP-G2 H	API Spec 5CT 10th	88	41.293
1389	CASING PIPE		TP140V	139.70x12.70	TP-G2 H	API Spec 5CT 10th	1	0.392
1390	CASING PIPE		TP140V	139.70x14.27	TP-CQ(A)	API Spec 5CT 10th, TGGXS-056-2019, STD0001693460	34	17.809
1391	CASING PIPE		J55	139.70x7.72	LC	API Spec 5CT 9th	3	0.853
1392	CASING PIPE		J55	139.70x7.72	LC	API Spec 5CT 9th	2	0.575
1393	CASING PIPE		L80-1	139.70x7.72	BC	API Spec 5CT 10th	6	1.722
1394	CASING PIPE		L80-1	139.70x7.72	BC	API Spec 5CT 10th	20	5.817
1395	CASING PIPE		N80-1	139.70x7.72	LC	API Spec 5CT 9th	8	2.146
1396	CASING PIPE		N80-1	139.70x7.72	LC	API Spec 5CT 9th	5	1.366
1397	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	40	11.708
1398	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	8	2.234
1399	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	42	12.172
1400	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	9	2.517
1401	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	66	19.255
1402	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	1	0.291
1403	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	17	4.9
1404	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	64	18.625
1405	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	2	0.566
1406	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	35	10.248
1407	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	3	0.882
1408	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	78	22.675
1409	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	1	0.217
1410	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	1	0.271
1411	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	2	0.537
1412	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	38	11.157
1413	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	3	0.839
1414	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	1	0.273
1415	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	3	0.879
1416	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	65	19.155
1417	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	3	0.879
1418	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	4	1.172
1419	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	2	0.565
1420	CASING PIPE		N80-5Cr	139.70x7.72	LC	API Spec 5CT 10th	1	0.161
1421	CASING PIPE		N80Q	139.70x7.72	LC	API Spec 5CT 9th, Q/SHCG 18010-2016	1	0.283

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1422	CASING PIPE		N80-1	139.70x9.17	LC	API Spec 5CT 9th	60	20.4
1423	CASING PIPE		N80Q	139.70x9.17	LC	API Spec 5CT 10th	39	13.124
1424	CASING PIPE		N80Q	139.70x9.17	LC	API Spec 5CT 9th	17	5.317
1425	CASING PIPE		N80Q	139.70x9.17	LC	API Spec 5CT 9th, Q/SHCG 18010-2016	1	0.319
1426	CASING PIPE		N80Q	139.70x9.17	TP-CQ	API Spec 5CT 10th, TGGXS-110-2019	1	0.35
1427	CASING PIPE		N80Q	139.70x9.17	TP-CQ	API Spec 5CT 9th	1	0.336
1428	CASING PIPE		P110	139.70x9.17	LC	API Spec 5CT 10th	2	0.657
1429	CASING PIPE		P110	139.70x9.17	LC	API Spec 5CT 10th	4	1.329
1430	CASING PIPE		TP125S	146.05x12.34	TP-FJ	TGGXS-055-2009	9	4
1431	CASING PIPE		TP125S	146.05x12.34	TP-FJ	TGGXS-055-2009	6	2.691
1432	CASING PIPE		P110	168.28x8.94	TP-CQ	API Spec 5CT 10th	9	3.812
1433	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	1	0.45
1434	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	7	3.751
1435	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	5	2.72
1436	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	6	3.223
1437	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, TPCO-MPS-2020-1024 Rev. 01, STD00016931074	1	0.545
1438	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	9	4.841
1439	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	11	5.892
1440	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	1	0.54
1441	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	6	3.176
1442	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	7	3.753
1443	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	15	8.087
1444	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	10	5.42
1445	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	5	2.674
1446	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	5	2.602
1447	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	1	0.519
1448	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	7	3.728
1449	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	6	3.249
1450	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	2	0.896
1451	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	20	10.717
1452	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	14	7.601
1453	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	18	9.728
1454	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	1	0.502
1455	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	1	0.542
1456	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	10	5.457
1457	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	11	5.904
1458	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	15	8.147
1459	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	6	3.221

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1460	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	8	4.333
1461	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	9	4.819
1462	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	3	1.687
1463	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	2	1.075
1464	CASING PIPE		L80-1	177.80x10.36	TP-CQ	API Spec 5CT 10th	15	8.066
1465	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	4	1.796
1466	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 10th, YTG 002-2018	1	0.452
1467	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	1	0.303
1468	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	2	0.914
1469	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	1	0.402
1470	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	2	0.782
1471	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	1	0.323
1472	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 10th, YTG 002-2018	3	1.211
1473	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	1	0.394
1474	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	3	1.087
1475	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	1	0.465
1476	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 10th, YTG 002-2018	1	0.452
1477	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	1	0.313
1478	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	2	0.64
1479	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 10th, YTG 002-2018	1	0.387
1480	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 10th, YTG 002-2018, TGGXS-158-2019	1	0.407
1481	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 10th, YTG 002-2018, TGGXS-158-2019	1	0.418
1482	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 10th, YTG 002-2018, TGGXS-154-2019	2	0.769
1483	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 10th, YTG 002-2018, TGGXS-154-2019	3	1.157
1484	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	1	0.444
1485	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 10th, YTG 002-2018, TGGXS-154-2019	1	0.425
1486	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	2	0.81
1487	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	1	0.443
1488	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	3	1.331
1489	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	1	0.45
1490	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 10th, YTG 002-2018	1	0.381
1491	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 10th, YTG 002-2018	1	0.462
1492	CASING PIPE		L80-13Cr	177.80x10.36	TP-G2	API Spec 5CT 9th, YTG 001-2018	9	3.183
1493	CASING PIPE		N80Q	177.80x10.36	BC	API Spec 5CT 10th, YTG 001-2020	5	2.369
1494	CASING PIPE		N80Q	177.80x10.36	TP-CQ	API Spec 5CT 10th	5	2.383
1495	CASING PIPE		N80Q	177.80x10.36	TP-CQ	API Spec 5CT 10th	1	0.404
1496	CASING PIPE		P110	177.80x10.36	TP-CQ	API Spec 5CT 10th, TPCO-MPS-2020-1014	1	0.54
1497	CASING PIPE		P110	177.80x10.36	TP-CQ	API Spec 5CT 10th, TPCO-MPS-2020-1014 Rev. 01	3	1.478

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1498	CASING PIPE		P110	177.80x10.36	TP-CQ	API Spec 5CT 10th, TPCO-MPS-2020-1014 Rev. 01	1	0.514
1499	CASING PIPE	PSL2	P110	177.80x10.36	TP-CQ D	API Spec 5CT 10th, STD00016931127	2	0.915
1500	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	51	27.605
1501	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	42	22.809
1502	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	43	23.511
1503	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	5	2.698
1504	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	10	5.397
1505	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	5	2.715
1506	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	12	6.604
1507	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	11	5.901
1508	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	2	1.082
1509	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	17	9.172
1510	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	22	11.967
1511	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	5	2.705
1512	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	10	5.442
1513	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	12	6.569
1514	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	12	6.548
1515	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	1	0.551
1516	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	6	3.182
1517	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	1	0.547
1518	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	11	5.967
1519	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	12	6.462
1520	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	1	0.483
1521	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	17	9.224
1522	CASING PIPE		T95-1	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177	6	3.237
1523	CASING PIPE		TP110-3Cr	177.80x10.36	TP-CQ	TLM-JSXY-TG-2015-1, STD0000823045	4	1.851
1524	CASING PIPE		TP110-3Cr	177.80x10.36	TP-CQ	TLM-JSXY-TG-2015-1, STD0000823045	1	0.447
1525	CASING PIPE		TP110TT	177.80x10.36	LC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693497	8	3.976
1526	CASING PIPE		TP110V	177.80x10.36	LC	API Spec 5CT 10th	2	1.023
1527	CASING PIPE		TP130TT	177.80x10.36	BC	TGGXS-127-2016	5	2.544
1528	CASING PIPE		TP130TT	177.80x10.36	BC	TGGXS-127-2016	2	1.026
1529	CASING PIPE		TP80SS	177.80x10.36	TP-CQ	API Spec 5CT 9th, NACE TM-0177	11	5.445
1530	CASING PIPE		TP95SS	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TPCO-MPS-2020-2006 STD0001807163	2	0.999
1531	CASING PIPE		TP95SS	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TPCO-MPS-2020-2006 STD0001807163	1	0.591
1532	CASING PIPE		TP95SS	177.80x10.36	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TPCO-MPS-2020-2006 STD0001807163	2	1.046
1533	CASING PIPE	PSL2	L80-1	177.80x11.51	BC	API Spec 5CT 10th	1	0.5
1534	CASING PIPE	PSL2	L80-1	177.80x11.51	BC	API Spec 5CT 10th	4	2.112
1535	CASING PIPE	PSL2	L80-1	177.80x11.51	BC	API Spec 5CT 10th	1	0.482

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1536	CASING PIPE	PSL2	L80-1	177.80x11.51	BC	API Spec 5CT 10th	3	1.628
1537	CASING PIPE	PSL2	L80-1	177.80x11.51	BC	API Spec 5CT 10th	2	0.975
1538	CASING PIPE	PSL2	L80-1	177.80x11.51	BC	API Spec 5CT 10th	3	1.546
1539	CASING PIPE	PSL2	L80-1	177.80x11.51	BC	API Spec 5CT 10th	6	3.247
1540	CASING PIPE	PSL2	L80-1	177.80x11.51	BC	API Spec 5CT 10th	7	3.79
1541	CASING PIPE	PSL2	L80-1	177.80x11.51	BC	API Spec 5CT 10th	2	1.081
1542	CASING PIPE	PSL2	L80-1	177.80x11.51	BC	API Spec 5CT 10th	3	1.491
1543	CASING PIPE	PSL2	L80-1	177.80x11.51	BC	API Spec 5CT 10th	7	3.754
1544	CASING PIPE	PSL2	P110	177.80x11.51	LC	API Spec 5CT 10th	2	1.06
1545	CASING PIPE		TP110TT	177.80x11.51	LC	API Spec 5CT 9th	1	0.426
1546	CASING PIPE		TP125V	177.80x11.51	TP-G2 H	API Spec 5CT 9th	9	4.986
1547	CASING PIPE		TP140V	177.80x11.51	TP-G2 H	API Spec 5CT 9th, TGGXS-124-2018	6	3.201
1548	CASING PIPE		P110	177.80x12.65	TP-CQ	API Spec 5CT 10th	6	3.451
1549	CASING PIPE		P110	177.80x12.65	TP-CQ	API Spec 5CT 10th	2	1.128
1550	CASING PIPE		TP110-HP13Cr	177.80x12.65	TP-CQ		5	2.497
1551	CASING PIPE		TP110-HP13Cr	177.80x12.65	TP-CQ		43	25.215
1552	CASING PIPE		TP110SS	177.80x12.65	TP-CQ	API Spec 5CT 9th, NACE TM-0177	8	4.856
1553	CASING PIPE		TP110SS	177.80x12.65	TP-CQ	API Spec 5CT 10th, NACE TM-0177	1	0.507
1554	CASING PIPE		TP110SS	177.80x12.65	TP-CQ	API Spec 5CT 10th, NACE TM-0177	7	4.223
1555	CASING PIPE		TP110SS	177.80x12.65	TP-CQ	API Spec 5CT 9th, NACE TM-0177	1	0.607
1556	CASING PIPE		TP110SS	177.80x12.65	TP-CQ	API Spec 5CT 10th, NACE TM-0177	4	2.421
1557	CASING PIPE		TP110SS	177.80x12.65	TP-CQ	API Spec 5CT 10th, NACE TM-0177	26	15.353
1558	CASING PIPE		TP110SS	177.80x12.65	TP-CQ	API Spec 5CT 10th, NACE TM-0177	4	2.17
1559	CASING PIPE		TP110SS	177.80x12.65	TP-CQ	API Spec 5CT 10th, NACE TM-0177	22	13.018
1560	CASING PIPE		TP110T	177.80x12.65	LC	API Spec 5CT 10th, TGGJH13-2019, STD0001693839	5	2.78
1561	CASING PIPE		TP110T	177.80x12.65	TP-CQ	API Spec 5CT 10th	2	1.201
1562	CASING PIPE		TP110T	177.80x12.65	TP-CQ (A)	API Spec 5CT 10th	1	0.61
1563	CASING PIPE		TP110TS	177.80x12.65	TP-CQ	API Spec 5CT 10th, NACE TM-0177	3	1.825
1564	CASING PIPE		TP110TS	177.80x12.65	TP-CQ	API Spec 5CT 10th, NACE TM-0177	7	4.257
1565	CASING PIPE		TP140V	177.80x12.65	TP-CQ	API Spec 5CT 9th	1	0.556
1566	CASING PIPE		TP140V	177.80x12.65	TP-CQ	API Spec 5CT 10th	5	3.036
1567	CASING PIPE		TP140V	177.80x12.65	TP-G2	API Spec 5CT 10th, TGGXS-078-2013, STD0001693499	1	0.523
1568	CASING PIPE		TP140V	177.80x12.65	TP-G2	API Spec 5CT 10th, TGGXS-078-2013, STD0001693499	1	0.568
1569	CASING PIPE		TP140V	177.80x12.65	TP-G2	API Spec 5CT 10th, TGGXS-078-2013, STD0001693499	1	0.539
1570	CASING PIPE		TP140V	177.80x12.65	TP-G2	API Spec 5CT 10th, TGGXS-078-2013, STD0001693499	1	0.558
1571	CASING PIPE		TP140V	177.80x12.65	TP-G2	API Spec 5CT 10th, TGGXS-078-2013, STD0001693499	2	1.142
1572	CASING PIPE		TP140V	177.80x12.65	TP-G2	API Spec 5CT 10th, TGGXS-078-2013, STD0001693499	2	1.121
1573	CASING PIPE		TP110TSS	177.80x13.72	TP-CQ	API Spec 5CT 10th, NACE TM-0177	1	0.579

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1574	CASING PIPE		TP125S	177.80x13.72	TP-CQ	API Spec 5CT 9th, NACE TM-0177, TGGXS-055-2009 STD0001552123	2	1.334
1575	CASING PIPE		TP125S	177.80x13.72	TP-CQ	API Spec 5CT 9th, NACE TM-0177, TGGXS-055-2009 STD0001552123	2	1.29
1576	CASING PIPE		K55	177.80x8.05	BC	API Spec 5CT 10th	7	2.5
1577	CASING PIPE		K55	177.80x8.05	BC	API Spec 5CT 10th	11	3.935
1578	CASING PIPE		K55	177.80x8.05	BC	API Spec 5CT 10th	2	0.703
1579	CASING PIPE		K55	177.80x8.05	BC	API Spec 5CT 10th	14	5.071
1580	CASING PIPE		K55	177.80x8.05	BC	API Spec 5CT 10th	8	2.896
1581	CASING PIPE		K55	177.80x8.05	BC	API Spec 5CT 10th	2	0.723
1582	CASING PIPE		K55	177.80x8.05	BC	API Spec 5CT 10th	1	0.317
1583	CASING PIPE		K55	177.80x8.05	BC	API Spec 5CT 10th	6	2.141
1584	CASING PIPE		K55	177.80x8.05	BC	API Spec 5CT 10th	1	0.365
1585	CASING PIPE		K55	177.80x8.05	BC	API Spec 5CT 10th	1	0.368
1586	CASING PIPE		K55	177.80x8.05	LC	API Spec 5CT 10th	1	0.396
1587	CASING PIPE		L80-13Cr	177.80x8.05	BC	API Spec 5CT 9th, YTG 001-2014	2	0.78
1588	CASING PIPE		L80-13Cr	177.80x8.05	BC	API Spec 5CT 9th, YTG 001-2014	1	0.396
1589	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.448
1590	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	4	1.99
1591	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th	1	0.383
1592	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	3	1.474
1593	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th	1	0.366
1594	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th	5	2.07
1595	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	5	2.449
1596	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th	1	0.395
1597	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	4	1.994
1598	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	3	1.509
1599	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.413
1600	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.405
1601	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th	3	1.211
1602	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th	5	2.01
1603	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.468
1604	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.47
1605	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.394
1606	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.449
1607	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.489
1608	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.477
1609	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	13	6.362
1610	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	5	2.316
1611	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	3	1.494

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1612	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th	1	0.413
1613	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th	10	4.427
1614	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.476
1615	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th	2	0.792
1616	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.489
1617	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	2	0.995
1618	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th	37	16.168
1619	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	3	1.488
1620	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.483
1621	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.423
1622	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th	2	0.823
1623	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	6	2.973
1624	CASING PIPE		L80-1	177.80x9.19	TP-CQ	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.499
1625	CASING PIPE		L80-3Cr	177.80x9.19	TP-CQ	API Spec 5CT 10th	3	1.304
1626	CASING PIPE		L80-3Cr	177.80x9.19	TP-CQ	API Spec 5CT 10th	2	0.833
1627	CASING PIPE	PSL2	N80Q	177.80x9.19	LC	API Spec 5CT 10th	4	1.593
1628	CASING PIPE	PSL2	N80Q	177.80x9.19	LC	API Spec 5CT 10th	6	2.385
1629	CASING PIPE		P110	177.80x9.19	TP-G2 H	API Spec 5CT 10th, TGGXS-112-2019	12	5.394
1630	CASING PIPE		TP100H	177.80x9.19	TP-CQ	API Spec 5CT 10th	1	0.421
1631	CASING PIPE		TP100H	177.80x9.19	TP-CQ	API Spec 5CT 10th, Q/TGGJH14-2019, STD0001693751	1	0.411
1632	CASING PIPE		TP110-13Cr	177.80x9.19	TP-G2 H	ISO 13680, TGGXS-112-2019	5	2.39
1633	CASING PIPE		TP110H	177.80x9.19	BC	API Spec 5CT 10th	1	0.432
1634	CASING PIPE		TP125V	182.00x12.46	TP-CQ		1	0.612
1635	CASING PIPE		TP125V	182.00x12.46	TP-CQ		37	22.374
1636	CASING PIPE		L80-13Cr	193.68x10.92	TP-G2 H	API Spec 5CT 9th, YTG 001-2017	4	2.636
1637	CASING PIPE		L80-13Cr	193.68x10.92	TP-G2 H	API Spec 5CT 9th, YTG 001-2017	13	8.554
1638	CASING PIPE		P110	193.68x10.92	BC	API Spec 5CT 10th	1	0.539
1639	CASING PIPE		P110	193.68x10.92	BC	API Spec 5CT 10th	2	1.034
1640	CASING PIPE		TP110S	193.68x10.92	TP-CQ	API Spec 5CT 10th, NACE TM-0177	62	35.65
1641	CASING PIPE		TP110S	193.68x10.92	TP-CQ	API Spec 5CT 10th, NACE TM-0177	99	56.925
1642	CASING PIPE		TP110S	193.68x10.92	TP-CQ	API Spec 5CT 9th, NACE TM-0177, TGGXS-147-2016 STD0001552199	4	2.352
1643	CASING PIPE		TP110S	193.68x12.70	TP-CQ	TGGXS-062-2016	1	0.641
1644	CASING PIPE		TP110TS	193.68x12.70	TP-CQ	API Spec 5CT 10th, NACE TM-0177	1	0.58
1645	CASING PIPE		TP110TSS	193.68x12.70	TP-CQ		6	4.13
1646	CASING PIPE		TP110TSS	193.68x12.70	TP-CQ		3	2.017
1647	CASING PIPE		TP110TSS	193.68x12.70	TP-CQ		6	3.852
1648	CASING PIPE		TP110TSS	193.68x12.70	TP-CQ	TGGXS-055-2009	4	2.651
1649	CASING PIPE		TP110TT	193.68x12.70	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1514, STD0001693913	1	0.522

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1650	CASING PIPE		TP110TT	193.68x12.70	TP-CQ	API Spec 5CT 10th	1	0.67
1651	CASING PIPE		TP110TT	193.68x12.70	TP-CQ	API Spec 5CT 10th	4	2.658
1652	CASING PIPE		TP125V	193.68x12.70	TP-CQ	API Spec 5CT 10th	2	1.328
1653	CASING PIPE		TP125V	193.68x12.70	TP-CQ	API Spec 5CT 10th	6	3.984
1654	CASING PIPE		TP140V	193.68x12.70	TP-CQ	API Spec 5CT 9th, TGGXS-147-2016, STD0000209410	100	68.3
1655	CASING PIPE		TP140V	193.68x12.70	TP-CQ	API Spec 5CT 9th, TGGXS-147-2016, STD0000209410	86	58.738
1656	CASING PIPE		TP155V	193.68x12.70	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1515, STD00016931176	1	0.398
1657	CASING PIPE		P110	193.68x15.11	TP-BM(S)	API Spec 5CT 10th	10	4.95
1658	CASING PIPE		TP140V	193.68x15.11	TP-G2 H	API Spec 5CT 10th, TGGXS-121-2019, STD0001693516	2	1.5
1659	CASING PIPE		K55	193.68x8.33	BC	API Spec 5CT 10th	2	0.793
1660	CASING PIPE		K55	193.68x8.33	BC	API Spec 5CT 10th	8	3.351
1661	CASING PIPE		K55	193.68x8.33	BC	API Spec 5CT 10th	1	0.338
1662	CASING PIPE		K55	193.68x8.33	BC	API Spec 5CT 10th	2	0.749
1663	CASING PIPE		K55	193.68x8.33	BC	API Spec 5CT 10th	1	0.403
1664	CASING PIPE		K55	193.68x8.33	BC	API Spec 5CT 10th	2	0.83
1665	CASING PIPE		L80-1	193.68x9.52	BC	API Spec 5CT 10th, Directive010, Appendix B December 2009	1	0.458
1666	CASING PIPE		N80Q	193.68x9.52	TP-CQ	API Spec 5CT 9th	1	0.444
1667	CASING PIPE		N80Q	193.68x9.52	TP-CQ	API Spec 5CT 9th	3	1.535
1668	CASING PIPE		N80Q	193.68x9.52	TP-CQ	API Spec 5CT 9th	2	0.961
1669	CASING PIPE		TP110S	193.68x9.53	TP-CQ	API Spec 5CT 9th, NACE TM-0177	7	3.591
1670	CASING PIPE	PSL3	TP140HC	196.85x12.70	TP-CQ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032002	1	0.542
1671	CASING PIPE	PSL3	TP140HC	196.85x12.70	TP-CQ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032002	1	0.573
1672	CASING PIPE	PSL3	TP140HC	196.85x12.70	TP-CQ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032002	1	0.563
1673	CASING PIPE	PSL3	TP140HC	196.85x12.70	TP-CQ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032002	1	0.553
1674	CASING PIPE	PSL3	TP140HC	196.85x12.70	TP-CQ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032002	1	0.521
1675	CASING PIPE	PSL3	TP140V	196.85x12.70	TP-CQ	TLM-JSXY-TG-2015-1	50	34.45
1676	CASING PIPE	PSL3	TP140V	196.85x12.70	TP-CQ	TLM-JSXY-TG-2015-1	22	15.158
1677	CASING PIPE		TP140V	196.85x12.70	TP-CQ	TGGXS-108-2015	2	1.263
1678	CASING PIPE		TP140V	196.85x12.70	TP-CQ	TGGXS-108-2015	1	0.659
1679	CASING PIPE		TP140V	196.85x12.70	TP-CQ	TGGXS-108-2015	1	0.658
1680	CASING PIPE	PSL3	TP140V	196.85x12.70	TP-CQ	TLM-JSXY-TG-2015-1	49	33.761
1681	CASING PIPE		TP155V	196.85x16.83	TP-NF	API Spec 5CT 10th, TGGXS-143-2019	1	0.737
1682	CASING PIPE		TP155V	196.85x16.83	TP-NF	API Spec 5CT 10th, TGGXS-143-2019	1	0.788
1683	CASING PIPE		TP155V	196.85x16.83	TP-NF	API Spec 5CT 10th, TGGXS-143-2019	1	0.797
1684	CASING PIPE		TP155V	196.85x16.83	TP-NF	API Spec 5CT 10th, TGGXS-143-2019	1	0.805
1685	CASING PIPE		TP155V	196.85x16.83	TP-NF	API Spec 5CT 10th, TGGXS-143-2019	2	1.562
1686	CASING PIPE		TP155V	196.85x16.83	TP-NF	API Spec 5CT 10th, TGGXS-143-2019	2	1.566
1687	CASING PIPE		TP155V	196.85x16.83	TP-NF	API Spec 5CT 10th, TGGXS-143-2019	2	1.559

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1688	CASING PIPE	PSL3	C110	200.03x10.92	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TLM-JSXY-TG-2015-I STD0001807066	1	0.522
1689	CASING PIPE	PSL3	C110	200.03x10.92	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TLM-JSXY-TG-2015-I STD0001807066	1	0.529
1690	CASING PIPE	PSL3	C110	200.03x10.92	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TLM-JSXY-TG-2015-I STD0001807066	1	0.517
1691	CASING PIPE	PSL3	C110	200.03x10.92	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TLM-JSXY-TG-2015-I STD0001807066	2	0.998
1692	CASING PIPE	PSL3	C110	200.03x10.92	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TLM-JSXY-TG-2015-I STD0001807066	1	0.506
1693	CASING PIPE	PSL3	C110	200.03x10.92	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TLM-JSXY-TG-2015-I STD0001807066	1	0.516
1694	CASING PIPE	PSL3	C110	200.03x10.92	TP-CQ	API Spec 5CT 9th, NACE TM-0177, TLM-JSXY-TG-2015-1	2	1.034
1695	CASING PIPE	PSL3	C110	200.03x10.92	TP-CQ	API Spec 5CT 9th, NACE TM-0177	33	19.941
1696	CASING PIPE	PSL3	C110	200.03x10.92	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TLM-JSXY-TG-2015-I STD0001807066	2	1.022
1697	CASING PIPE	PSL3	C110	200.03x10.92	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TLM-JSXY-TG-2015-I STD0001807066	2	1.01
1698	CASING PIPE	PSL3	C110	200.03x10.92	TP-CQ	API Spec 5CT 9th, NACE TM-0177, TLM-JSXY-TG-2015-1	1	0.514
1699	CASING PIPE	PSL3	C110	200.03x10.92	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TLM-JSXY-TG-2015-I STD0001807066	1	0.504
1700	CASING PIPE		TP110-3Cr	200.03x10.92	TP-CQ	TLM-JSXY-TG-2015-1, STD0000823045	12	7.294
1701	CASING PIPE		TP110-3Cr	200.03x10.92	TP-CQ	TLM-JSXY-TG-2015-1, STD0000823045	1	0.604
1702	CASING PIPE		TP110-3Cr	200.03x10.92	TP-CQ	TLM-JSXY-TG-2015-1, STD0000823045	1	0.601
1703	CASING PIPE		TP110-3Cr	200.03x10.92	TP-CQ	TLM-JSXY-TG-2015-1, STD0000823045	4	2.409
1704	CASING PIPE		TP110S	200.03x10.92	BC	API Spec 5CT 9th, NACE TM-0177	45	27.302
1705	CASING PIPE		TP110S	200.03x10.92	BC	API Spec 5CT 9th, NACE TM-0177	40	24.52
1706	CASING PIPE		TP110S	200.03x10.92	BC	API Spec 5CT 9th, NACE TM-0177	34	20.844
1707	CASING PIPE		TP110S	200.03x15.88	TP-CQ(N	API Spec 5CT 9th, NACE TM-0177	18	14.688
1708	CASING PIPE	PSL3	TP140V	206.38x17.25	TP-G2 H	TLM-TGXY-1808C	1	0.778
1709	CASING PIPE		TP155V	206.38x17.25	TP-FJ		2	1.676
1710	CASING PIPE		TP155V	206.38x17.25	TP-G2 H	API Spec 5CT 10th, TGGXS-078-2013, STD0001693559	11	10.166
1711	CASING PIPE		TP155V	206.38x17.25	TP-G2 H	API Spec 5CT 10th, TGGXS-078-2013, STD0001693559	2	1.733
1712	CASING PIPE		TP110S	206.38x19.05	TP-G2 H	API Spec 5CT 10th, NACE TM-0177	1	0.924
1713	CASING PIPE		TP110S	206.38x19.05	TP-G2 H	API Spec 5CT 9th, NACE TM-0177	53	50.191
1714	CASING PIPE		TP110S	206.38x19.05	TP-G2 H	API Spec 5CT 9th, NACE TM-0177	77	72.919
1715	CASING PIPE		TP110S	206.38x19.05	TP-G2 H	API Spec 5CT 9th, NACE TM-0177	99	93.753
1716	CASING PIPE		TP110T	206.38x19.05	TP-NF	API Spec 5CT 10th, TGGXS-055-2009/9, STD0001693599	6	5.697
1717	CASING PIPE		TP110TSS	206.38x19.05	TP-NF	TGGXS-055-2009	3	2.739
1718	CASING PIPE		TP110TSS	206.38x19.05	TP-NF	API Spec 5CT 10th, NACE TM-0177	1	0.78
1719	CASING PIPE		TP110TSS	206.38x19.05	TP-NF	API Spec 5CT 10th, NACE TM-0177, TGGXS-055-2009, STD0001807146	1	0.905
1720	CASING PIPE		TP110TSS	206.38x19.05	TP-NF	API Spec 5CT 10th, NACE TM-0177	3	2.694
1721	CASING PIPE		TP110S	219.08x12.70	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TGGXS-129-2017, STD0001807046	7	5.285
1722	CASING PIPE		K55	244.48x10.03	BC	API Spec 5CT 10th	2	1.253
1723	CASING PIPE		K55	244.48x10.03	BC	API Spec 5CT 10th	7	4.308
1724	CASING PIPE		K55	244.48x10.03	BC	API Spec 5CT 10th	1	0.563
1725	CASING PIPE		K55	244.48x10.03	BC	API Spec 5CT 10th	3	1.842

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1726	CASING PIPE		K55	244.48x10.03	LC	API Spec 5CT 10th	1	0.796
1727	CASING PIPE		K55	244.48x10.03	LC	API Spec 5CT 10th	1	0.684
1728	CASING PIPE		K55	244.48x10.03	LC	API Spec 5CT 10th	4	2.764
1729	CASING PIPE		K55	244.48x10.03	LC	API Spec 5CT 10th	3	2.074
1730	CASING PIPE		K55	244.48x10.03	LC	API Spec 5CT 10th	7	4.869
1731	CASING PIPE		K55	244.48x10.03	LC	API Spec 5CT 10th	5	3.44
1732	CASING PIPE		L80-1	244.48x10.03	BC	API Spec 5CT 10th, /	2	1.481
1733	CASING PIPE		L80-1Cr	244.48x10.03	BC	API Spec 5CT 9th, YTG 001-2018, STD0001660006	1	0.584
1734	CASING PIPE		L80-1Cr	244.48x10.03	TP-CQ	API Spec 5CT 9th, YTG 001-2018, Q/TGGK20-2013 STD0001660003	1	0.739
1735	CASING PIPE		L80-1Cr	244.48x10.03	TP-CQ	API Spec 5CT 9th, YTG 001-2018, Q/TGGK20-2013 STD0001660003	9	6.794
1736	CASING PIPE		L80-3Cr	244.48x10.03	TP-CQ	API Spec 5CT 9th, YTG 001-2018, Q/TGGK20-2013 STD0001660003	2	1.342
1737	CASING PIPE		L80-3Cr	244.48x10.03	TP-CQ	API Spec 5CT 9th, YTG 001-2018	1	0.634
1738	CASING PIPE		L80-3Cr	244.48x10.03	TP-CQ	API Spec 5CT 9th, YTG 001-2018, Q/TGGK20-2013 STD0001660003	3	2.051
1739	CASING PIPE		N80Q	244.48x10.03	BC	API Spec 5CT 10th	6	3.911
1740	CASING PIPE		N80Q	244.48x10.03	BC	API Spec 5CT 10th	1	0.662
1741	CASING PIPE		N80Q	244.48x10.03	BC	API Spec 5CT 10th	4	2.605
1742	CASING PIPE		N80Q	244.48x10.03	BC	API Spec 5CT 10th	1	0.613
1743	CASING PIPE		N80Q	244.48x10.03	BC	API Spec 5CT 10th	1	0.634
1744	CASING PIPE		TP90S	244.48x10.03	BC		3	1.831
1745	CASING PIPE	PSL2	J55	244.48x11.05	BC	API Spec 5CT 10th	1	0.71
1746	CASING PIPE	PSL2	J55	244.48x11.05	BC	API Spec 5CT 10th	1	0.674
1747	CASING PIPE		L80-1	244.48x11.05	BC	API Spec 5CT 9th, IE18010014	1	0.669
1748	CASING PIPE		L80-1	244.48x11.05	BC	API Spec 5CT 9th, IE18010014	6	4.068
1749	CASING PIPE		L80-1	244.48x11.05	BC	API Spec 5CT 9th, IE18010014	2	1.322
1750	CASING PIPE		L80-1	244.48x11.05	BC	API Spec 5CT 9th, IE18010014	1	0.869
1751	CASING PIPE		L80-1	244.48x11.05	BC	API Spec 5CT 9th, IE18010014	1	0.684
1752	CASING PIPE		L80-1	244.48x11.05	BC	API Spec 5CT 9th	3	2.043
1753	CASING PIPE		L80-1	244.48x11.05	BC	API Spec 5CT 9th	1	0.641
1754	CASING PIPE		L80-1	244.48x11.05	BC	API Spec 5CT 9th, IE18010014	1	0.649
1755	CASING PIPE		L80-1	244.48x11.05	BC	API Spec 5CT 9th, IE18010014	5	3.325
1756	CASING PIPE		L80-1	244.48x11.05	BC	API Spec 5CT 9th, IE18010014	1	0.664
1757	CASING PIPE	PSL2	L80-1	244.48x11.05	TP-CQ	API Spec 5CT 9th	3	0.42
1758	CASING PIPE	PSL2	L80-1	244.48x11.05	TP-CQ	API Spec 5CT 9th	3	0.378
1759	CASING PIPE		L80-13Cr	244.48x11.05	TP-CQ	API Spec 5CT 9th	1	0.803
1760	CASING PIPE		L80-13Cr	244.48x11.05	TP-CQ	API Spec 5CT 9th	15	12.156
1761	CASING PIPE	PSL2	N80Q	244.48x11.05	LC	API Spec 5CT 10th, Max23HRC & 变化值4HRC	1	0.695
1762	CASING PIPE	PSL2	N80Q	244.48x11.05	LC	API Spec 5CT 10th, Max23HRC & 变化值4HRC	1	0.669
1763	CASING PIPE	PSL2	N80Q	244.48x11.05	LC	API Spec 5CT 10th	2	1.342

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1764	CASING PIPE	PSL2	N80Q	244.48x11.05	LC	API Spec 5CT 10th, Max23HRC & 变化值4HRC	1	0.688
1765	CASING PIPE	PSL2	N80Q	244.48x11.05	LC	API Spec 5CT 10th	1	0.667
1766	CASING PIPE	PSL2	N80Q	244.48x11.05	LC	API Spec 5CT 10th	1	0.671
1767	CASING PIPE	PSL2	N80Q	244.48x11.05	LC	API Spec 5CT 10th	6	4.008
1768	CASING PIPE	PSL2	N80Q	244.48x11.05	LC	API Spec 5CT 10th, Max23HRC & 变化值4HRC	1	0.688
1769	CASING PIPE	PSL2	N80Q	244.48x11.05	LC	API Spec 5CT 10th	1	0.697
1770	CASING PIPE	PSL2	N80Q	244.48x11.05	LC	API Spec 5CT 10th, Max23HRC & 变化值4HRC	1	0.638
1771	CASING PIPE		P110	244.48x11.05	LC	API Spec 5CT 10th	7	5.001
1772	CASING PIPE		P110	244.48x11.05	LC	API Spec 5CT 10th	88	63.546
1773	CASING PIPE		P110	244.48x11.05	LC	API Spec 5CT 10th	74	53.501
1774	CASING PIPE		P110	244.48x11.05	LC	API Spec 5CT 10th	6	3.944
1775	CASING PIPE		P110	244.48x11.05	LC	API Spec 5CT 10th	12	8.675
1776	CASING PIPE		P110	244.48x11.05	LC	API Spec 5CT 10th	35	24.955
1777	CASING PIPE		P110	244.48x11.05	LC	API Spec 5CT 10th	35	24.961
1778	CASING PIPE		P110	244.48x11.05	LC	API Spec 5CT 10th	13	9.269
1779	CASING PIPE		P110	244.48x11.05	LC	API Spec 5CT 10th	2	1.284
1780	CASING PIPE		P110	244.48x11.05	LC	API Spec 5CT 10th	9	5.966
1781	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	1	0.737
1782	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	2	1.441
1783	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	1	0.72
1784	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	2	1.41
1785	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	1	0.739
1786	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 10th, IE18010014	1	0.724
1787	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 10th, IE18010014	1	0.749
1788	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	1	0.721
1789	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	1	0.722
1790	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177, JSZX-MPS-019-2017	1	0.706
1791	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	1	0.705
1792	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, IE18010014	2	1.441
1793	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	2	1.456
1794	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	1	0.724
1795	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	1	0.651
1796	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	4	2.831
1797	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	6	4.285
1798	CASING PIPE		L80-1	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	4	2.877
1799	CASING PIPE		L80-1	244.48x11.99	TP-BM(S)	API Spec 5CT 10th	1	0.637
1800	CASING PIPE		L80-1	244.48x11.99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	2	1.476
1801	CASING PIPE		L80-1	244.48x11.99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	9	6.6

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1802	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	3	2. 179
1803	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	1	0. 724
1804	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	2	1. 457
1805	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	5	3. 658
1806	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	5	3. 632
1807	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 9th	4	3. 585
1808	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	1	0. 7
1809	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	8	5. 884
1810	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	11	8. 264
1811	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	4	3. 019
1812	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	14	10. 225
1813	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	4	3
1814	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	1	0. 738
1815	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	2	1. 348
1816	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	9	6. 553
1817	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	5	3. 703
1818	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	13	9. 512
1819	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	1	0. 738
1820	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	1	0. 712
1821	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	1	0. 739
1822	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	62	48. 264
1823	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 9th	8	6. 867
1824	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	1	0. 726
1825	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	1	0. 746
1826	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 9th	6	5. 293
1827	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	1	0. 735
1828	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	11	8. 046
1829	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-1000, STD0001693777	12	8. 69
1830	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ D	API Spec 5CT 10th	12	10. 711
1831	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ D	API Spec 5CT 10th	2	1. 82
1832	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ D	API Spec 5CT 10th	13	11. 56
1833	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ D	API Spec 5CT 10th	3	2. 628
1834	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ D	API Spec 5CT 10th	7	6. 264
1835	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ D	API Spec 5CT 10th	1	0. 793
1836	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ D	API Spec 5CT 10th	4	3. 559
1837	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ D	API Spec 5CT 10th	2	1. 736
1838	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ D	API Spec 5CT 10th	2	1. 799
1839	CASING PIPE		L80-1	244. 48x11. 99	TP-CQ D	API Spec 5CT 10th	1	0. 895

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1840	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	3	2.687
1841	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	3	2.647
1842	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	4	3.437
1843	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	7	6.098
1844	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	2	1.755
1845	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	5	4.465
1846	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	8	7.218
1847	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	4	3.584
1848	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 9th, JSZX-MPS-093-2018	2	1.77
1849	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	13	11.349
1850	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	7	6.258
1851	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	2	1.794
1852	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 9th, JSZX-MPS-093-2018	7	6.17
1853	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	5	4.465
1854	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	5	4.431
1855	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	1	0.806
1856	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 9th, JSZX-MPS-093-2018	1	0.886
1857	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	3	2.625
1858	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	7	6.31
1859	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	2	1.777
1860	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	7	6.146
1861	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	21	19.001
1862	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	14	12.455
1863	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	7	6.239
1864	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	10	8.964
1865	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	10	9.023
1866	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	1	0.892
1867	CASING PIPE		L80-1	244.48x11.99	TP-CQ D	API Spec 5CT 10th	4	3.561
1868	CASING PIPE		L80-13Cr	244.48x11.99	TP-G2	TGGXS-111-2016	1	0.788
1869	CASING PIPE		L80-13Cr	244.48x11.99	TP-G2	TGGXS-111-2016	1	0.761
1870	CASING PIPE		L80-13Cr	244.48x11.99	TP-G2	TGGXS-111-2016	1	0.778
1871	CASING PIPE		L80-13Cr	244.48x11.99	TP-G2	TGGXS-111-2016	2	1.418
1872	CASING PIPE		L80-13Cr	244.48x11.99	TP-G2	TGGXS-111-2016	2	1.463
1873	CASING PIPE		L80-1Cr	244.48x11.99	TP-CQ	API Spec 5CT 10th, YTG 002-2018	1	0.674
1874	CASING PIPE		L80-1Cr	244.48x11.99	TP-CQ	API Spec 5CT 9th, YTG 002-2017	2	1.56
1875	CASING PIPE		L80-1Cr	244.48x11.99	TP-CQ	API Spec 5CT 10th, YTG 002-2018	4	3.099
1876	CASING PIPE		L80-1Cr	244.48x11.99	TP-CQ	API Spec 5CT 9th, YTG 002-2017	1	0.876
1877	CASING PIPE		L80-3Cr	244.48x11.99	TP-CQ	API Spec 5CT 9th, YTG 002-2017	19	16.787

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1878	CASING PIPE		L80-3Cr	244.48x11.99	TP-CQ	TGGXS-110-2015	2	1.766
1879	CASING PIPE		N80-1	244.48x11.99	BC	API Spec 5CT 9th	4	3.122
1880	CASING PIPE		N80Q	244.48x11.99	BC	API Spec 5CT 10th	1	0.793
1881	CASING PIPE		N80Q	244.48x11.99	BC	API Spec 5CT 10th	1	0.776
1882	CASING PIPE	PSL2	TP110HC	244.48x11.99	TP-CQ D	API Spec 5CT 10th	3	2.185
1883	CASING PIPE	PSL2	TP110HC	244.48x11.99	TP-CQ D	API Spec 5CT 10th	1	0.82
1884	CASING PIPE	PSL2	TP110HC	244.48x11.99	TP-CQ D	API Spec 5CT 10th	1	0.775
1885	CASING PIPE	PSL2	TP110HC	244.48x11.99	TP-CQ D	API Spec 5CT 10th	3	2.308
1886	CASING PIPE	PSL2	TP110HC	244.48x11.99	TP-CQ D	API Spec 5CT 10th	4	3.054
1887	CASING PIPE	PSL2	TP110HC	244.48x11.99	TP-CQ D	API Spec 5CT 10th	2	1.409
1888	CASING PIPE	PSL2	TP110HC	244.48x11.99	TP-CQ D	API Spec 5CT 10th	1	0.777
1889	CASING PIPE	PSL2	TP110HC	244.48x11.99	TP-CQ D	API Spec 5CT 10th	1	0.767
1890	CASING PIPE	PSL2	TP110HC	244.48x11.99	TP-CQ D	API Spec 5CT 10th	12	9.401
1891	CASING PIPE		TP110S	244.48x11.99	BC	API Spec 5CT 10th, NACE TM-0177, TLM-JSXY-TG-2015-I STD0001807040	1	0.676
1892	CASING PIPE		TP110S	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1000, STD0001807104	1	0.739
1893	CASING PIPE		TP110S	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1000, STD0001807104	5	4.013
1894	CASING PIPE		TP110S	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177	31	25.005
1895	CASING PIPE		TP110S	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1000, STD0001807104	1	0.777
1896	CASING PIPE		TP110S	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1000, STD0001807104	20	16.207
1897	CASING PIPE		TP110SS	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TGGXS-177-2019, STD0001807099	1	0.758
1898	CASING PIPE		TP110T	244.48x11.99	BC	API Spec 5CT 10th, Q/TGGJH 13-2019, STD0001693431	1	0.823
1899	CASING PIPE		TP110T	244.48x11.99	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693431	2	1.517
1900	CASING PIPE		TP110T	244.48x11.99	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693431	1	0.77
1901	CASING PIPE		TP110T	244.48x11.99	BC	API Spec 5CT 10th, Q/TGGJH 13-2019, STD0001693431	2	1.502
1902	CASING PIPE		TP110T	244.48x11.99	BC	API Spec 5CT 9th, Q/TGGJH 13-2014, STD0000209313	4	2.943
1903	CASING PIPE		TP110T	244.48x11.99	BC	API Spec 5CT 9th, Q/TGGJH 13-2014, STD0000209313	2	1.467
1904	CASING PIPE		TP110T	244.48x11.99	LC		2	1.618
1905	CASING PIPE		TP110T	244.48x11.99	LC	API Spec 5CT 10th, Q/TGGJH 13-2014	5	4.042
1906	CASING PIPE		TP110T	244.48x11.99	TP-CQ	API Spec 5CT 10th	1	0.829
1907	CASING PIPE		TP110T	244.48x11.99	TP-CQ	API Spec 5CT 10th	1	0.743
1908	CASING PIPE		TP110T	244.48x11.99	TP-CQ	API Spec 5CT 10th, TGGXS-068-2019	14	11.478
1909	CASING PIPE		TP110TS	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807128	2	1.397
1910	CASING PIPE		TP110TS	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807128	4	3.056
1911	CASING PIPE		TP110TS	244.48x11.99	TP-CQ	API Spec 5CT 9th, NACE TM-0177	4	3.3
1912	CASING PIPE		TP110TS	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807128	2	1.548
1913	CASING PIPE		TP110TSS	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177	6	4.981
1914	CASING PIPE		TP110TSS	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177	8	6.59
1915	CASING PIPE		TP110TSS	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177	10	8.187

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1916	CASING PIPE		TP110TSS	244.48x11.99	TP-CQ	API Spec 5CT 10th, NACE TM-0177	1	0.823
1917	CASING PIPE		TP125TT	244.48x11.99	BC	API Spec 5CT 9th, Q/TGGJH 13-2014, STD0000209312	1	0.752
1918	CASING PIPE		TP125TT	244.48x11.99	BC	API Spec 5CT 9th, Q/TGGJH 13-2014, STD0000209312	1	0.763
1919	CASING PIPE		TP125TT	244.48x11.99	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693446	6	4.511
1920	CASING PIPE		TP125TT	244.48x11.99	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693446	3	2.146
1921	CASING PIPE		TP125TT	244.48x11.99	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693446	17	12.481
1922	CASING PIPE		TP125TT	244.48x11.99	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693446	1	0.759
1923	CASING PIPE		TP125TT	244.48x11.99	BC	API Spec 5CT 9th, Q/TGGJH 13-2014, STD0000209312	2	1.469
1924	CASING PIPE		TP125TT	244.48x11.99	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693446	7	5.219
1925	CASING PIPE		TP125TT	244.48x11.99	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693446	1	0.77
1926	CASING PIPE		TP125TT	244.48x11.99	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693446	1	0.762
1927	CASING PIPE		TP125V	244.48x11.99	LC	API Spec 5CT 10th	4	3.139
1928	CASING PIPE		TP80SS	244.48x11.99	BC	API Spec 5CT 9th, Q/TGGB 21-2004	7	5.343
1929	CASING PIPE		TP80SS	244.48x11.99	BC	API Spec 5CT 9th, NACE TM-0177	2	1.358
1930	CASING PIPE	PSL2	P110	244.48x13.84	LC	API Spec 5CT 10th	1	0.825
1931	CASING PIPE	PSL2	P110	244.48x13.84	TP-CQ D	API Spec 5CT 10th	3	3.179
1932	CASING PIPE	PSL2	P110	244.48x13.84	TP-CQ D	API Spec 5CT 10th	1	1.069
1933	CASING PIPE		T95-1	244.48x13.84	TP-CQ		2	1.835
1934	CASING PIPE		T95-1	244.48x13.84	TP-CQ		1	0.922
1935	CASING PIPE		T95-1	244.48x13.84	TP-CQ		1	0.923
1936	CASING PIPE	PSL3	TP150V	244.48x13.84	TP-CQ	API Spec 5CT 10th	1	0.74
1937	CASING PIPE	PSL3	TP150V	244.48x13.84	TP-CQ	API Spec 5CT 10th	13	12.718
1938	CASING PIPE	PSL3	TP150V	244.48x13.84	TP-CQ	API Spec 5CT 10th	1	0.959
1939	CASING PIPE	PSL3	TP150V	244.48x15.11	TP-CQ	API Spec 5CT 10th	2	1.652
1940	CASING PIPE	PSL2	TP110TNC-3Cr	244.48x15.88	TP-CQ		28	28.619
1941	CASING PIPE	PSL2	TPTNC110-3Cr	244.48x15.88	TP-CQ		2	1.921
1942	CASING PIPE	PSL2	TPTNC110-3Cr	244.48x15.88	TP-CQ		28	28.901
1943	CASING PIPE		K55	244.48x8.94	BC	API Spec 5CT 10th	5	2.826
1944	CASING PIPE		K55	244.48x8.94	BC	API Spec 5CT 10th	1	0.48
1945	CASING PIPE		K55	244.48x8.94	BC	API Spec 5CT 10th	1	0.551
1946	CASING PIPE		K55	244.48x8.94	BC	API Spec 5CT 10th	2	1.218
1947	CASING PIPE		K55	244.48x8.94	BC	API Spec 5CT 10th	1	0.544
1948	CASING PIPE		K55	244.48x8.94	BC	API Spec 5CT 10th	4	2.274
1949	CASING PIPE		K55	244.48x8.94	BC	API Spec 5CT 10th	1	0.559
1950	CASING PIPE		K55	244.48x8.94	BC	API Spec 5CT 10th	1	0.559
1951	CASING PIPE		TP110TT	247.65x13.84	BC	API Spec 5CT 9th, Q/TGGJH 13-2014, STD0000209368	1	0.843
1952	CASING PIPE		TP110TT	247.65x13.84	BC	API Spec 5CT 9th	1	0.718
1953	CASING PIPE		TP110TT	247.65x13.84	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693432	2	1.52

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1954	CASING PIPE		TP110TT	247.65x13.84	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693432	1	0.841
1955	CASING PIPE		TP110TT	247.65x13.84	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693432	1	0.755
1956	CASING PIPE		TP110TT	247.65x13.84	BC	API Spec 5CT 9th	2	1.866
1957	CASING PIPE		TP110TT	247.65x13.84	BC	TGGXS-062-2010	1	0.839
1958	CASING PIPE		TP110TT	247.65x13.84	BC	API Spec 5CT 10th, Q/TGGJH 13-2014, STD0001693432	1	0.765
1959	CASING PIPE		TP110TT	247.65x13.84	TP-CQ	TGGXS-078-2013	80	76.285
1960	CASING PIPE		TP110S	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1000, STD0001807105	1	0.944
1961	CASING PIPE		TP110S	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1000, STD0001807105	7	6.523
1962	CASING PIPE		TP110S	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1000, STD0001807105	9	9.13
1963	CASING PIPE		TP110S	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1000, STD0001807105	3	2.819
1964	CASING PIPE		TP110S	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1000, STD0001807105	5	5.075
1965	CASING PIPE		TP110S	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1000, STD0001807105	1	0.891
1966	CASING PIPE		TP110S	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1000, STD0001807105	1	0.912
1967	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.91
1968	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	4	3.821
1969	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.956
1970	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.953
1971	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	2	1.806
1972	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.957
1973	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.966
1974	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	4	3.819
1975	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.948
1976	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.938
1977	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	2	1.88
1978	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	2	1.913
1979	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.919
1980	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.937
1981	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	4	3.669
1982	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.945
1983	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.946
1984	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.953
1985	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.933
1986	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.94
1987	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.948
1988	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	3	2.747
1989	CASING PIPE		TP110TS	250.83x15.16	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807129	1	0.944
1990	CASING PIPE		P110	250.83x15.88	TP-CQ I	API Spec 5CT 10th	2	2.093
1991	CASING PIPE		P110	250.83x15.88	TP-CQ I	API Spec 5CT 10th	1	0.981

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1992	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	2	1.975
1993	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	8	8.418
1994	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	1	0.986
1995	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	1	0.998
1996	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	1	0.996
1997	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	4	3.944
1998	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	1	0.971
1999	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	1	0.996
2000	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	3	2.995
2001	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	2	1.942
2002	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	1	0.965
2003	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 9th, NACE TM-0177	87	92.481
2004	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	1	0.956
2005	CASING PIPE		TP110TS	250.83x15.88	TP-CQ I	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807134	2	1.945
2006	CASING PIPE		TP125TT	250.83x15.88	BC	API Spec 5CT 9th, JSZX-MPS-126-2014	1	0.988
2007	CASING PIPE		TP125TT	250.83x15.88	BC	API Spec 5CT 9th, JSZX-MPS-126-2014	1	0.955
2008	CASING PIPE	PSL3	TP140V	250.83x15.88	TP-CQ II		1	0.845
2009	CASING PIPE	PSL3	TP140V	250.83x15.88	TP-CQ II		1	0.852
2010	CASING PIPE		TP110TS	257.00x18.57	TP-G2 H	API Spec 5CT 10th, NACE TM-0177	5	6.129
2011	CASING PIPE		TP110S	257.18x18.88	TP-G2 H	API Spec 5CT 10th, NACE TM-0177	14	17.212
2012	CASING PIPE		TP110SS	260.35x20.52	TP-NF		2	2.4
2013	CASING PIPE		TP110TSS	260.38x20.52	TP-NF	API Spec 5CT 10th, NACE TM-0177	7	9.583
2014	CASING PIPE		P110	273.05x12.57	BC	API Spec 5CT 10th	1	1.047
2015	CASING PIPE		P110	273.05x12.57	BC	API Spec 5CT 10th	12	12.564
2016	CASING PIPE		TP110SS	273.05x12.57	TP-CQ(S)	API Spec 5CT 10th, NACE TM-0177	8	7.395
2017	CASING PIPE		TP110TSS	273.05x12.57	TP-CQ	API Spec 5CT 10th, NACE TM-0177	29	27.907
2018	CASING PIPE		TP110TSS	273.05x12.57	TP-CQ(S)	API Spec 5CT 10th, NACE TM-0177	9	8.58
2019	CASING PIPE		P110	273.05x13.84	TP-CQ	API Spec 5CT 9th	6	5.97
2020	CASING PIPE		TP110TS	273.05x13.84	BC	API Spec 5CT 10th, TLM-TGXY-1808C, STD0002085000	1	0.713
2021	CASING PIPE		TP110TS	273.05x13.84	BC	API Spec 5CT 10th, NACE TM-0177, TLM-JSXY-TG-2015-I, STD0001807069	1	0.882
2022	CASING PIPE		TP110TS	273.05x13.84	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TGGXS-125-2019, STD0001807018	2	2.066
2023	CASING PIPE		TP110TS	273.05x13.84	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TGGXS-125-2019, STD0001807018	1	0.98
2024	CASING PIPE		TP110TS	273.05x13.84	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TGGXS-078-2013, STD0001807092	1	0.977
2025	CASING PIPE		TP110TS	273.05x13.84	TP-CQ	API Spec 5CT 9th, NACE TM-0177, TGGXS-078-2013 STD0001552029	1	0.98
2026	CASING PIPE		TP110TSS	273.05x13.84	BC	API Spec 5CT 10th, TLM-TGXY-1808C, STD0002085002	1	0.873
2027	CASING PIPE		TP110TSS	273.05x13.84	BC	API Spec 5CT 10th, TLM-TGXY-1808C, STD0002085002	1	0.831
2028	CASING PIPE		TP110TSS	273.05x13.84	BC	API Spec 5CT 10th, TLM-TGXY-1808C, STD0002085002	1	0.878
2029	CASING PIPE		TP110TSS	273.05x13.84	BC	API Spec 5CT 10th, TLM-TGXY-1808C, STD0002085002	1	0.828

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
2030	CASING PIPE		TP125V	273.05x13.84	TP-NFII		49	50.897
2031	CASING PIPE		TP125V	273.05x13.84	TP-NFII		8	8.154
2032	CASING PIPE	PSL3	TP140HC	273.05x13.84	TP-CQ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032001	1	0.884
2033	CASING PIPE		TP110T	273.05x13.93	TP-NF	TGGXS-055-2009	2	2.053
2034	CASING PIPE		TP110TSS	273.05x13.93	TP-NF	API Spec 5CT 10th, NACE TM-0177	8	8.265
2035	CASING PIPE		L80-1	273.05x8.89	BC	API Spec 5CT 10th	2	1.089
2036	CASING PIPE		N80Q	273.05x8.89	BC	API Spec 5CT 10th	6	3.877
2037	CASING PIPE		TP110S	282.58x17.32	TP-NF	TGGXS-062-2016	28	32.406
2038	CASING PIPE		TP110TSS	282.58x17.32	TP-NF		1	1.1
2039	CASING PIPE		TP110TSS	282.58x17.32	TP-NF	API Spec 5CT 10th, NACE TM-0177	1	1.098
2040	CASING PIPE		N80Q	298.45x9.52	BC	API Spec 5CT 9th, YTG 001-2018	5	3.851
2041	CASING PIPE		N80Q	298.45x9.52	BC	API Spec 5CT 9th, YTG 001-2018	1	0.77
2042	CASING PIPE		N80Q	298.45x9.52	BC	API Spec 5CT 9th, YTG 001-2018	1	0.802
2043	CASING PIPE		N80Q	298.45x9.52	BC	API Spec 5CT 9th, YTG 001-2018	2	1.775
2044	CASING PIPE		J55	339.72x10.92	BC	API Spec 5CT 9th	6	6.164
2045	CASING PIPE		L80-1	339.72x10.92	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-2013	2	1.935
2046	CASING PIPE		L80-1	339.72x10.92	TP-CQ	API Spec 5CT 10th, TPCO-TGGXS-2020-2013	3	2.908
2047	CASING PIPE		P110	339.72x10.92	TP-CQ D	API Spec 5CT 10th, JSZX-MPS-100-2019	3	2.812
2048	CASING PIPE		TP110T	339.72x10.92	BC	API Spec 5CT 10th	7	7.492
2049	CASING PIPE		L80-1	339.72x12.19	BC	API Spec 5CT 10th, Q/SHCG 18010-2016	1	1.1
2050	CASING PIPE		L80-1	339.72x12.19	BC	API Spec 5CT 10th, IE18010014	2	2.095
2051	CASING PIPE		L80-1	339.72x12.19	BC	API Spec 5CT 10th, Q/SHCG 18010-2016	6	6.829
2052	CASING PIPE		L80-1	339.72x12.19	BC	API Spec 5CT 10th, IE18010014	2	2.098
2053	CASING PIPE		L80-1	339.72x12.19	BC	API Spec 5CT 10th, IE18010014	1	1.044
2054	CASING PIPE		L80-1	339.72x12.19	BC	API Spec 5CT 10th, Q/SHCG 18010-2016	6	6.845
2055	CASING PIPE		L80-1	339.72x12.19	TP-CQ	API Spec 5CT 10th, Q/TGGB23-2008	1	1.06
2056	CASING PIPE		L80-1	339.72x12.19	TP-CQ	API Spec 5CT 10th, Q/TGGB23-2008	2	2.03
2057	CASING PIPE		L80-1	339.72x12.19	TP-CQ	API Spec 5CT 10th, Q/TGGB23-2008	4	4.118
2058	CASING PIPE		L80-13Cr	339.72x12.19	TP-CQ	API Spec 5CT 9th	7	9.404
2059	CASING PIPE		L80-13Cr	339.72x12.19	TP-CQ	API Spec 5CT 9th, JSZX-MPS-020-2017	1	1.055
2060	CASING PIPE		L80-13Cr	339.72x12.19	TP-CQ	API Spec 5CT 9th	1	1.304
2061	CASING PIPE		P110	339.72x12.19	BC	API Spec 5CT 10th	10	11.344
2062	CASING PIPE		P110	339.72x12.19	BC	API Spec 5CT 10th	1	1.041
2063	CASING PIPE		TP110TS	339.72x12.19	BC	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-1006, STD0001807130	3	3.129
2064	CASING PIPE		TP110TS	339.72x12.19	TP-CQ		1	1.016
2065	CASING PIPE		TP110TS	339.72x12.19	TP-CQ	API Spec 5CT 9th, NACE TM-0177	1	1.082
2066	CASING PIPE		TP110TS	339.72x12.19	TP-CQ	API Spec 5CT 9th, NACE TM-0177, TGGXS-055-2009 STD0001552091	2	2.34
2067	CASING PIPE		TP110TS	339.72x12.19	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-2013, STD000180718	1	1.021

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
2068	CASING PIPE		TP110TS	339.72x12.19	TP-CQ	API Spec 5CT 10th, NACE TM-0177, TPCO-TGGXS-2020-2013, STD000180718	1	1.101
2069	CASING PIPE		TP90H	339.72x12.19	TP-CQ	API Spec 5CT 10th, TGGXS-160-2014	1	1.169
2070	CASING PIPE		L80-1	339.72x13.06	BC	API Spec 5CT 10th	2	2.399
2071	CASING PIPE		L80-1	339.72x13.06	BC	API Spec 5CT 10th	1	1.219
2072	CASING PIPE		L80-1	339.72x13.06	BC	API Spec 5CT 10th	3	4.137
2073	CASING PIPE		L80-1	339.72x13.06	BC	API Spec 5CT 10th	1	1.21
2074	CASING PIPE	PSL2	N80Q	339.72x13.06	BC	API Spec 5CT 10th	11	13.27
2075	CASING PIPE	PSL2	N80Q	339.72x13.06	BC	API Spec 5CT 10th	2	2.089
2076	CASING PIPE	PSL2	N80Q	339.72x13.06	BC	API Spec 5CT 10th	1	0.99
2077	CASING PIPE	PSL2	N80Q	339.72x13.06	TP-QR	API Spec 5CT 10th	2	2.112
2078	CASING PIPE		P110	339.72x13.06	TP-CQ	API Spec 5CT 10th, JSZX-MPS-002-2020	2	2.431
2079	CASING PIPE	PSL2	P110	339.72x13.06	TP-CQ D	API Spec 5CT 10th	2	2.429
2080	CASING PIPE	PSL3	TP140V	339.72x13.06	TP-CQ	TLM-JSXY-TG-2015-1, STD0000823012	11	14.027
2081	CASING PIPE		TP95TT	339.72x13.06	BC	API Spec 5CT 9th, Q/TGGJH 13-2014	4	5.281
2082	CASING PIPE		J55	339.72x9.65	BC	API Spec 5CT 9th, Q/SHCG 18010-2016	1	0.897
2083	CASING PIPE		K55	339.72x9.65	BC	API Spec 5CT 10th	1	0.925
2084	CASING PIPE		K55	339.72x9.65	BC	API Spec 5CT 10th	2	2.038
2085	CASING PIPE		K55	339.72x9.65	BC	API Spec 5CT 10th	1	0.821
2086	CASING PIPE		K55	339.72x9.65	BC	API Spec 5CT 10th	1	0.841
2087	CASING PIPE		K55	339.72x9.65	BC	API Spec 5CT 10th	1	0.941
2088	CASING PIPE		K55	339.72x9.65	BC	API Spec 5CT 10th	1	0.936
2089	CASING PIPE		P110	346.08x10.54	TP-CQ	API Spec 5CT 9th, TGGXS-130-2016	3	2.881
2090	CASING PIPE		TP125V	346.08x12.85	TP-CQ		1	1.171
2091	CASING PIPE		TP125V	346.08x12.85	TP-CQ		18	21.996
2092	CASING PIPE		TP110TS	346.08x15.37	TP-CQ	API Spec 5CT 9th, NACE TM-0177	2	2.82
2093	CASING PIPE	PSL2	TP95S	346.08x15.88	BC	API Spec 5CT 9th, NACE TM-0177	5	7.238
2094	CASING PIPE	PSL2	TP95S	346.08x15.88	BC	API Spec 5CT 9th, NACE TM-0177	1	1.589
2095	CASING PIPE	PSL2	TP95S	346.08x15.88	BC	API Spec 5CT 9th, NACE TM-0177	1	1.608
2096	CASING PIPE	PSL1	TP110	365.12x13.88	TZ-BC	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032007	1	1.203
2097	CASING PIPE	PSL1	TP110	365.12x13.88	TZ-BC	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032007	1	0.985
2098	CASING PIPE	PSL1	TP110	365.12x13.88	TZ-BC	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032007	1	1.173
2099	CASING PIPE	PSL1	TP110	365.12x13.88	TZ-BC	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032007	1	1.175
2100	CASING PIPE	PSL1	TP110	365.12x13.88	TZ-BC	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032007	1	1.074
2101	CASING PIPE	PSL1	TP110	365.12x13.88	TZ-BC	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032007	1	1.193
2102	CASING PIPE	PSL1	TP110	365.12x13.88	TZ-BC	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032007	1	1.194
2103	CASING PIPE	PSL1	TP110V	365.12x13.88	BC	TLM-JSXY-TG-2015-1, STD0000823005	6	8.574
2104	CASING PIPE	PSL3	TP140V	365.12x24.89	TP-NF	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032022	1	1.651
2105	CASING PIPE		TP110S	365.13x13.88	BC	API Spec 5CT 9th, NACE TM-0177, TGGXS-165-2018 STD0001552100	1	1.355

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
2106	CASING PIPE		TP125V	365.13x13.88	TP-CQ	API Spec 5CT 9th	4	5.828
2107	CASING PIPE		TP125V	365.13x13.88	TP-CQ	API Spec 5CT 9th	1	1.37
2108	CASING PIPE	PSL3	TP140V	374.65x18.65	TZ-BC	TLM-TGXY-1808C	3	5.288
2109	CASING PIPE	PSL3	TP140V	374.65x18.65	TZ-BC	TLM-TGXY-1808C	1	1.849
2110	CASING PIPE	PSL3	TP140V	374.65x18.65	TZ-BC	TLM-TGXY-1808C	1	1.786
2111	CASING PIPE	PSL3	TP140V	374.65x18.65	TZ-BC	TLM-TGXY-1808C	1	1.665
2112	CASING PIPE		N80Q	406.40x12.57	BC	API Spec 5CT 9th	2	2.749
2113	CASING PIPE		N80Q	406.40x12.57	BC	API Spec 5CT 10th	2	2.795
2114	CASING PIPE		P110	406.40x14.27	BC	API Spec 5CT 10th, YTG 002-2018	2	3.011
2115	CASING PIPE		P110	406.40x14.27	BC	API Spec 5CT 10th, YTG 002-2018	2	3.076
2116	CASING PIPE		P110	406.40x14.27	BC	API Spec 5CT 10th, YTG 002-2018	1	1.56
2117	CASING PIPE		J55	406.40x9.53	BC	API Spec 5CT 10th	2	1.953
2118	CASING PIPE		J55	406.40x9.53	BC	API Spec 5CT 10th	1	0.911
2119	CASING PIPE		J55	426.00x12.00	BC	API Spec 5CT 10th, MPS-055-2019	1	1.303
2120	CASING PIPE		J55	426.00x12.00	BC	API Spec 5CT 10th	1	1.308
2121	CASING PIPE		J55	426.00x12.00	BC	API Spec 5CT 10th, MPS-055-2019	1	1.318
2122	CASING PIPE		J55	426.00x12.00	BC	API Spec 5CT 10th, MPS-055-2019	1	1.173
2123	CASING PIPE		J55	426.00x12.00	BC	API Spec 5CT 10th, MPS-055-2019	1	1.254
2124	CASING PIPE		J55	426.00x12.00	BC	API Spec 5CT 10th, MPS-055-2019	4	5.231
2125	CASING PIPE		J55	426.00x12.00	BC	API Spec 5CT 10th	1	1.298
2126	CASING PIPE		J55	426.00x12.00	BC	API Spec 5CT 10th, MPS-055-2019	3	3.796
2127	CASING PIPE		K55	473.08x11.88	BC	API Spec 5CT 10th	2	2.859
2128	CASING PIPE		K55	473.08x11.88	BC	API Spec 5CT 10th, JSZX-MPS-041-2019	1	1.421
2129	CASING PIPE		K55	473.08x11.88	TP-QR(S	API Spec 5CT 10th	1	1.651
2130	CASING PIPE		K55	473.08x11.88	TP-QR(S	API Spec 5CT 10th	1	1.377
2131	CASING PIPE		K55	473.08x11.88	TP-QR(S	API Spec 5CT 10th	1	1.411
2132	CASING PIPE	PSL2	K55	473.08x13.97	BC	API Spec 5CT 10th	1	1.493
2133	CASING PIPE	PSL2	K55	473.08x13.97	BC	API Spec 5CT 10th	4	6.762
2134	CASING PIPE	PSL2	K55	473.08x13.97	BC	API Spec 5CT 10th	17	32.332
2135	CASING PIPE		L80-1	473.08x16.15	BC	API Spec 5CT 10th	3	6.956
2136	CASING PIPE		TP110V	473.08x16.48	TP-QR	API Spec 5CT 10th, TGGXS-062-2019	1	1.664
2137	CASING PIPE		L80-1	473.08x17.60	BC	API Spec 5CT 10th	4	8.423
2138	CASING PIPE		L80-1	473.08x17.60	BC	API Spec 5CT 10th	1	2.09
2139	CASING PIPE		P110	473.08x18.45	BC	API Spec 5CT 9th	1	1.929
2140	CASING PIPE		N80Q	476.25x12.70	TP-G2	TGGXS-055-2009	1	1.802
2141	CASING PIPE		N80Q	476.25x12.70	TP-G2	API Spec 5CT 10th	5	8.995
2142	CASING PIPE		N80Q	476.25x12.70	TP-G2	TGGXS-055-2009	1	1.516
2143	CASING PIPE		N80Q	476.25x12.70	TP-G2	API Spec 5CT 10th	1	1.405

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
2144	CASING PIPE		N80Q	476.25x12.70	TP-G2	API Spec 5CT 10th	1	1.599
2145	CASING PIPE		L80-1	482.60x15.88	TP-TLM	API Spec 5CT 9th	8	17.28
2146	CASING PIPE		TP110S	482.60x15.88	TP-TLM	API Spec 5CT 9th, NACE TM-0177	4	8.824
2147	CASING PIPE		TP110S	482.60x15.88	TP-TLM	API Spec 5CT 9th, NACE TM-0177	1	1.649
2148	CASING PIPE		J55	508.00x11.13	BC	API Spec 5CT 9th	1	1.614
2149	CASING PIPE		K55	508.00x11.13	BC	ISO 11960-2020	1	1.43
2150	CASING PIPE		J55	508.00x12.70	BC	API Spec 5CT 10th	9	16.716
2151	CASING PIPE		J55	508.00x12.70	BC	API Spec 5CT 10th	4	7.544
2152	CASING PIPE		J55	508.00x12.70	BC	API Spec 5CT 10th	3	5.57
2153	CASING PIPE		J55	508.00x12.70	BC	API Spec 5CT 9th	1	1.799
2154	CASING PIPE		J55	508.00x12.70	BC	API Spec 5CT 10th	16	29.735
2155	CASING PIPE		J55	508.00x12.70	BC	API Spec 5CT 10th	16	29.194
2156	CASING PIPE		J55	508.00x12.70	BC	API Spec 5CT 10th	4	7.433
2157	CASING PIPE		L80-1	508.00x12.70	BC	API Spec 5CT 10th	6	11.764
2158	CASING PIPE		L80-1	508.00x12.70	BC	API Spec 5CT 10th	8	15.517
2159	CASING PIPE		L80-1	508.00x12.70	BC	API Spec 5CT 10th	2	3.928
2160	CASING PIPE		L80-1	508.00x12.70	BC	API Spec 5CT 10th	3	5.696
2161	CASING PIPE		L80-1	508.00x12.70	BC	API Spec 5CT 10th	2	3.617
2162	CASING PIPE		L80-1	508.00x12.70	BC	API Spec 5CT 10th	2	3.94
2163	CASING PIPE		L80-1	508.00x12.70	BC	API Spec 5CT 10th	4	7.812
2164	CASING PIPE		J55	508.00x14.30	TP-QR	API Spec 5CT 10th	1	1.743
2165	CASING PIPE		J55	508.00x16.13	BC	API Spec 5CT 10th	1	2.274
2166	CASING PIPE		J55	508.00x16.13	BC	API Spec 5CT 9th	2	4.673
2167	CASING PIPE		K55	508.00x16.13	BC	API Spec 5CT 10th	1	2.454
2168	CASING PIPE		K55	508.00x16.13	BC	API Spec 5CT 10th	5	12.193
2169	CASING PIPE	PSL2	L80-1	508.00x16.13	TP-QR	API Spec 5CT 9th, JSZX-MPS-064-2018	1	1.885
2170	CASING PIPE	PSL2	L80-1	508.00x16.13	TP-QR	API Spec 5CT 10th	1	2.038
2171	CASING PIPE	PSL2	L80-1	508.00x16.13	TP-QR	API Spec 5CT 10th	2	4.392
2172	CASING PIPE	PSL2	L80-1	508.00x16.13	TP-QR	API Spec 5CT 10th	3	6.453
2173	CASING PIPE	PSL2	L80-1	508.00x16.13	TP-QR	API Spec 5CT 9th, JSZX-MPS-064-2018	1	1.824
2174	CASING PIPE	PSL2	L80-1	508.00x16.13	TP-QR	API Spec 5CT 10th	1	2.213
2175	CASING PIPE	PSL2	L80-1	508.00x16.13	TP-QR	API Spec 5CT 10th	1	2.235
2176	CASING PIPE	PSL2	N80Q	508.00x18.00	BC	API Spec 5CT 10th, /	1	1.971
2177	CASING PIPE		N80Q	508.00x18.00	TP-QR	API Spec 5CT 10th, TGGXS-078-2013, STD0001693793	3	5.52
2178	CASING PIPE		N80Q	508.00x18.00	TP-QR	API Spec 5CT 10th	2	3.643
2179	CASING PIPE		N80Q	508.00x18.00	TP-QR	API Spec 5CT 10th, TGGXS-078-2013, STD0001693793	3	5.231
2180	CASING PIPE		N80Q	508.00x18.00	TP-QR	API Spec 5CT 10th, TGGXS-078-2013, STD0001693793	1	1.637
2181	CASING PIPE		N80Q	508.00x18.00	TP-QR	API Spec 5CT 10th	4	7.299

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
2182	CASING PIPE		N80Q	508.00x18.00	TP-QR	API Spec 5CT 10th, TGGXS-078-2013, STD0001693793	3	5.801
2183	CASING PIPE		L80-1	508.00x18.01	BC	API Spec 5CT 10th	1	2.318
2184	CASING PIPE		L80-1	508.00x18.01	BC	API Spec 5CT 10th	2	4.398
2185	CASING PIPE		L80-1	508.00x20.62	TP-QR	API Spec 5CT 10th	1	2.671
2186	CASING PIPE		L80-1	508.00x20.62	TP-QR	API Spec 5CT 10th	2	5.579
2187	CASING PIPE		L80-1	508.00x20.62	TP-QR	API Spec 5CT 10th	2	5.814
2188	CASING PIPE		J55	609.60x15.24	TP-QR	API Spec 5CT 10th	1	2.629
2189	CASING PIPE		J55	609.60x15.24	TP-QR	API Spec 5CT 9th	1	1.566
2190	CASING PIPE		J55	609.60x15.24	TP-QR	API Spec 5CT 9th	5	12.263
2191	CASING PIPE		J55	609.60x15.24	TP-QR	API Spec 5CT 10th	2	5.067
2192	CASING PIPE		J55	609.60x15.24	TP-QR	API Spec 5CT 9th	6	15.106
2193	CASING PIPE		J55	609.60x15.24	TP-QR	API Spec 5CT 9th	1	0.941
2194	CASING PIPE		L80-13Cr	101.60x5.74	TP-G2		4	0.511
2195	CASING PIPE	PSL3	L80-1	114.30x10.92	TP-G2	API Spec 5CT 10th	1	0.243
2196	CASING PIPE	PSL3	L80-1	114.30x10.92	TP-G2	API Spec 5CT 10th	1	0.241
2197	CASING PIPE	PSL3	L80-1	114.30x10.92	TP-G2	API Spec 5CT 10th	1	0.245
2198	CASING PIPE	PSL3	L80-1	114.30x10.92	TP-G2	API Spec 5CT 10th	2	0.464
2199	CASING PIPE	PSL3	L80-1	114.30x10.92	TP-G2	API Spec 5CT 10th	2	0.454
2200	CASING PIPE		J55	114.30x6.35	SUPERMA	API Spec 5CT 9th	1	0.154
2201	CASING PIPE		J55	114.30x6.88	EU	API Spec 5CT 10th	1	0.16
2202	CASING PIPE		N80Q	114.30x6.88	TP-G2	API Spec 5CT 10th, TPCO-TGGXS-2020-1015	1	0.179
2203	CASING PIPE	PSL2	L80-1	114.30x8.56	TP-G2	API Spec 5CT 10th	1	0.181
2204	CASING PIPE		J55	60.32x4.83	EU	API SPEC 5CT 10th, 45-SAMSS-006(12/11/2017)	16	1.037
2205	CASING PIPE		J55	60.32x4.83	EU	API SPEC 5CT 9th, 45-SAMSS-006(01/23/2012)	3	0.173
2206	CASING PIPE		J55	60.32x4.83	NU	API Spec 5CT 10th	3	0.168
2207	CASING PIPE		P110	60.32x6.45	TP-JC	TGGXS-031-2009	2	0.17
2359	CASING PIPE		TP125S	139.70x12.70	TP-SFJ	API Spec 5CT 9th, NACE TM-0177	1	0.476
2360	CASING PIPE		TP125S	139.70x12.70	TP-SFJ	API Spec 5CT 10th, NACE TM-0177	10	4.602
2361	CASING PIPE		TP110S	139.70x13.72	TP-SFJ	API Spec 5CT 10th, NACE TM-0177	1	0.472
2362	CASING PIPE		TP110S	139.70x13.72	TP-SFJ	API Spec 5CT 10th, NACE TM-0177	1	0.492
2363	CASING PIPE		TP110TSS	146.05x12.34	TP-FJ	API Spec 5CT 10th, NACE TM-0177	1	0.344
2364	CASING PIPE		TP125S	146.05x12.34	TP-FJ	API Spec 5CT 9th, NACE TM-0177, TGGXS-055-2009 STD0001552167	3	1.29
2365	CASING PIPE		P110	193.68x12.70	TP-ISF	API Spec 5CT 10th	1	0.572
2366	CASING PIPE		P110	193.68x12.70	TP-ISF	API Spec 5CT 10th	1	0.517
2367	CASING PIPE		P110	193.68x12.70	TP-ISF	API Spec 5CT 10th	1	0.636
2368	CASING PIPE		P110	193.68x12.70	TP-ISF	API Spec 5CT 10th	1	0.552
2369	CASING PIPE		P110	193.68x12.70	TP-ISF	API Spec 5CT 10th	1	0.623
2370	CASING PIPE		P110	193.68x12.70	TP-ISF	API Spec 5CT 10th	1	0.513

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
2371	CASING PIPE		P110	193.68x12.70	TP-ISF	API Spec 5CT 10th	1	0.52
2372	CASING PIPE		TP110TSS	193.68x12.70	TP-ISF	API Spec 5CT 10th, NACE TM-0177	1	0.611
2373	CASING PIPE		TP110TSS	193.68x12.70	TP-ISF	API Spec 5CT 10th, NACE TM-0177	1	0.521
2374	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	1	0.907
2375	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	2	1.582
2376	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	API Spec 5CT 10th, NACE TM-0177	4	3.6
2377	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	6	5.43
2378	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	11	9.977
2379	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	5	4.54
2380	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	4	3.538
2381	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	45	40.86
2382	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	2	1.804
2383	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	1	0.863
2384	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	1	0.834
2385	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	3	2.719
2386	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	1	0.871
2387	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	API Spec 5CT 10th, NACE TM-0177	2	1.8
2388	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	3	2.7
2389	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	7	6.328
2390	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	API Spec 5CT 10th, NACE TM-0177	16	14.48
2391	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	1	0.859
2392	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	1	0.854
2393	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	4	3.577
2394	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	23	20.973
2395	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	31	27.9
2396	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	1	0.862
2397	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	4	3.616
2398	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	14	12.706
2399	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	2	1.705
2400	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	17	15.436
2401	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	25	22.546
2402	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	6	5.448
2403	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	1	0.866
2404	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	API Spec 5CT 10th, NACE TM-0177	7	6.356
2405	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	21	18.978
2406	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	1	0.855
2407	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	API Spec 5CT 10th, NACE TM-0177	8	7.24
2408	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	29	26.158

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
2409	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	3	2.712
2410	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	41	37.228
2411	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	18	16.272
2412	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	1	0.829
2413	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	2	1.783
2414	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	6	5.431
2415	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	25	22.776
2416	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	API Spec 5CT 10th, NACE TM-0177	32	29.056
2417	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	5	4.54
2418	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	16	14.464
2419	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	3	2.701
2420	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	3	2.712
2421	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	2	1.717
2422	CASING PIPE		TP110SS	193.68x19.05	TP-FJ	TGGXS-078-2013	1	0.907
2423	CASING PIPE		TP110TSS	193.68x20.66	TP-FJ	API Spec 5CT 10th, NACE TM-0177	5	4.533
2424	CASING PIPE		TP110TSS	193.68x20.66	TP-FJ	API Spec 5CT 10th, NACE TM-0177	1	0.907
2425	CASING PIPE		TP110TSS	193.68x20.66	TP-FJ	API Spec 5CT 10th, NACE TM-0177	1	0.908
2426	CASING PIPE		TP110TSS	193.68x20.66	TP-FJ	API Spec 5CT 10th, NACE TM-0177	1	0.816
2427	CASING PIPE		TP95S	206.38x16.00	TP-FJ	API Spec 5CT 10th, NACE TM-0177	10	8.56
2428	CASING PIPE	PSL3	TP140HC	206.38x17.25	TP-FJ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032010	1	0.754
2429	CASING PIPE		TP110TS	206.38x19.05	TP-FJ	API Spec 5CT 9th, NACE TM-0177, TGGXS-184-2017 STD0001552152	13	11.005
2430	CASING PIPE		TP110TSS	206.38x19.05	TP-FJ	API Spec 5CT 9th, NACE TM-0177	2	1.72
2431	CASING PIPE		TP140V	219.08x12.70	TP-FJ	API Spec 5CT 10th, TGGXS-055-219, STD00016931061	7	4.159
2432	CASING PIPE		TP140V	219.08x12.70	TP-FJ	API Spec 5CT 10th	2	1.334
2433	CASING PIPE		TP140V	219.08x12.70	TP-FJ	API Spec 5CT 10th, TGGXS-055-219, STD00016931061	5	3.63
2434	CASING PIPE		TP140V	219.08x12.70	TP-FJ	API Spec 5CT 10th, TGGXS-055-219, STD00016931061	5	3.349
2435	CASING PIPE	PSL3	TP140HC	273.05x26.24	TP-FJ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032017	17	32.13
2436	CASING PIPE	PSL3	TP140HC	273.05x26.24	TP-FJ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032017	24	45.36
2437	CASING PIPE	PSL3	TP140HC	273.05x26.24	TP-FJ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032017	14	26.46
2438	CASING PIPE	PSL3	TP140HC	273.05x26.24	TP-FJ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032017	4	7.56
2439	CASING PIPE	PSL3	TP140V	293.45x23.55	TP-FJ	TLM-JSXY-TG-2015-1	1	1.503
2440	CASING PIPE	PSL3	TP140V	293.45x23.55	TP-FJ	TLM-TGXY-1808C, TLM-TGXY-1808C, STD0002032012	1	1.366
2441	CASING PIPE	PSL3	TP140V	293.45x23.55	TP-FJ	TLM-JSXY-TG-2015-1, STD0000823029	1	1.219
619	Alloypipe		27CrMo44S/1	114.30x10.92	/	TPCO-TGGXS-2020-0021	15	5.175
620	Alloypipe		27CrMo44S/1	114.30x8.56	/	TPCO-TGGXS-2020-0021	9	1.98
621	Alloypipe		27CrMo44S/1	114.30x8.56	/	TPCO-TGGXS-2020-0021	8	1.782
622	Alloypipe		26CrMo4S/2	127.00x9.19	/	TPCO-TGGXS-2020-0021	8	2.14
623	Alloypipe		27CrMo44S/1	127.00x9.19	/	TGGXS-ZZB002-17	10	2.66

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
624	Alloypipe		27CrMo44S/1	127.00x9.19	/	TGGXS-ZZB002-17	111	29.304
625	Alloypipe		27CrMo44S/1	127.00x9.19	/	TPCO-TGGXS-2020-0021	9	2.34
626	Alloypipe		27CrMo44S/1	127.00x9.19	/	TGGXS-ZZB056-11	10	2.62
627	Alloypipe		27CrMo44S/1	127.00x9.19	/	TGGXS-ZZB002-17	111	29.526
628	Alloypipe		NS-1 S135	127.00x9.65	/	TGGXS-115-2015	50	13.632
629	Alloypipe		40Cr	146.00x18.00	/	GB/T 8162-2008	1	0.552
630	Alloypipe		40Cr	146.00x18.00	/	GB/T 8162-2008	1	0.581
631	Alloypipe		40Cr	146.00x18.00	/	GB/T 8162-2008	20	11.04
632	Alloypipe		TP140DL	149.20x10.52	/	TGGXS-011-2019	83	29.78
633	Alloypipe		27CrMo44S/1	219.10x12.70	/	TGGXS-ZZB061-15	13	8.45
634	Alloypipe		TP550RD	450.00x13.00	/	TGGXS-010-2017	1	1.567
635	Alloypipe		TP550RD	450.00x13.00	/	TGGXS-010-2017	5	7.833
636	Alloypipe		TP550RD	530.00x13.00	/	TGGXS-010-2017	1	1.937
637	Alloypipe		TP550RD	530.00x13.00	/	TGGXS-010-2017	2	3.769
638	Alloypipe		TP550RD	530.00x13.00	/	TGGXS-010-2017	2	3.458
639	Alloypipe		TP550RD	530.00x13.00	/	TGGXS-010-2017	2	3.398
640	Alloypipe		TP550RD	530.00x13.00	/	TGGXS-010-2017	1	1.91
28	BOILER PIPE		12Cr1MoVG	133.00x20.00	/	B&WB 08115-21	2	1.026
29	BOILER PIPE		12Cr1MoVG	133.00x22.00	/	B&WB 08115-21	19	9.69
30	BOILER PIPE		15CrMoG	457.00x19.00	/	GB/T 5310-2017	1	2.101
31	BOILER PIPE		15CrMoG	60.00x10.00	/	GB/T 5310-2008, DG1893-2016A	19	2.812
32	BOILER PIPE		15CrMoG	60.00x10.00	/	GB/T 5310-2008, DG1893-2016A	25	3.7
33	BOILER PIPE		15CrMoG	60.00x10.00	/	GB/T 5310-2008, DG1893-2016A	91	13.377
34	BOILER PIPE		15CrMoG	63.50x10.00	/	GB/T 5310-2008, DG1893-2016A	43	6.794
35	BOILER PIPE		20G	168.00x8.00	/	GB/T 5310-2017	9	2.7
36	BOILER PIPE		20G	168.30x10.97	BE	GB/T 5310-2017	1	0.476
37	BOILER PIPE		20G	219.00x8.50	/	GB/T 5310-2017	2	0.986
38	BOILER PIPE		20G	325.00x15.00	/	GB/T 5310-2017	3	3.238
39	BOILER PIPE		20G	325.00x8.00	/	GB/T 5310-2017	5	3.811
40	BOILER PIPE		20G	530.00x22.00	/	GB/T 5310-2017	3	9.837
41	BOILER PIPE		20G	57.00x4.00	/	GB/T 5310-2017	4	0.252
42	BOILER PIPE		20G	60.00x4.50	/	GB/T 5310-2017	20	1.462
43	BOILER PIPE		20G	89.00x5.50	/	GB/T 5310-2017	23	3.128
44	BOILER PIPE		SA-106 Gr. B	219.00x24.00	/	ASME SA-106/SA-106M-2019	1	1.327
45	BOILER PIPE		SA-106 Gr. B	219.10x18.26	/	ASME SA-106/SA-106M-2019	1	0.941
46	BOILER PIPE		SA-106 Gr. C	159.00x20.00	/	ASME SA-106 HG CG705-2020C	1	0.769
47	BOILER PIPE		SA-210 Gr. C	63.50x7.00	/	ASME SA-210M, HG CG702-2020C	24	2.784
48	BOILER PIPE		T12	60.00x6.50	/	ASME SA-213/SA-213M-2015	24	2.376

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
49	BOILER PIPE		T12	60.00x6.50	/	ASME SA-213/SA-213M-2015	6	0.582
50	BOILER PIPE		T12	60.00x6.50	/	ASME SA-213/SA-213M-2015	6	0.546
51	BOILER PIPE		T12	60.00x6.50	/	ASME SA-213/SA-213M-2015	22	2.142
52	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	7	0.434
53	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	5	0.285
54	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	5	0.325
55	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	24	1.815
56	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	9	0.564
57	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	4	0.23
58	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	1	0.083
59	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	15	1.111
60	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	28	2.001
61	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	28	1.805
62	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	35	2.548
63	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	35	2.514
64	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	25	1.943
65	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	17	1.343
66	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	7	0.602
67	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	7	0.399
68	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	2	0.114
69	BOILER PIPE		T91	51.00x6.50	/	ASME SA-213-2017, DG1835-2017A	27	1.987
684	BOILER PIPE		A335P11	114.30x9.00	/	TGGXS-140-2016	5	1.196
685	BOILER PIPE		A335P11	141.30x12.00	/	TGGXS-140-2016	2	0.86
686	BOILER PIPE		A335P11	168.00x16.00	/	TGGXS-057-2016	2	1.107
687	BOILER PIPE		A335P11	219.10x16.00	/	TGGXS-140-2016	2	1.66
688	BOILER PIPE		A335P11	244.00x25.00	/	TGGXS-057-2016	3	2.994
689	BOILER PIPE		A335P11	254.00x13.00	/	TGGXS-057-2016	4	2.772
690	BOILER PIPE		A335P11	89.00x8.00	/	TGGXS-057-2016	5	0.83
691	BOILER PIPE		A335P22	219.00x10.00	/	TGGXS-131-2015	2	0.992
692	BOILER PIPE		A335P22	219.00x10.00	/	TGGXS-131-2015	2	0.768
693	BOILER PIPE		A335P22	325.00x18.00	/	TGGXS-131-2015	1	1.312
694	BOILER PIPE		A335P22	457.00x14.27	/		1	1.605
695	BOILER PIPE		A335P22	508.00x12.70	/	TGGXS-053-2010	1	1.491
696	BOILER PIPE		A335P22	508.00x20.62	/		1	2.359
697	BOILER PIPE		A335P22	559.00x19.05	/	TGGXS-209-2017	1	1.747
698	BOILER PIPE		A335P22	610.00x19.05	/	TGGXS-209-2017	2	5.074
2447	Coupling		L80-1	2-7/8	TP-CQ(EX)		370	0.707
2448	Coupling		L80-1	2-7/8	TP-CQ(EX)		370	0.707

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
2449	Coupling		TP110	13-3/8	BC		71	2.343
2450	Coupling		L80-13Cr	9-5/8	TP-G2	API Spec 5CT 10th, YTG 002-2018	14	0.331
1101	Hydraulic pipe		27SiMn	184.00x16.00	/		1	0.64
1102	Hydraulic pipe		27SiMn	194.00x35.00	/		2	3.16
1103	Hydraulic pipe		27SiMn	377.00x32.00	/	GB/T 17396-2009	2	5.436
1104	Hydraulic pipe		27SiMn	420.00x37.00	/	TPCO-TGGXS-2020-0002	13	51.462
1105	Hydraulic pipe		27SiMn	184.00x16.00	/		1	0.596
641	Nuclear power tube		20控Cr	114.00x7.00	/	TGGXS-054-2010	9	1.764
642	Nuclear power tube		20控Cr	114.00x7.00	/	TGGXS-054-2010	1	0.167
643	Nuclear power tube		20控Cr	114.00x7.00	/		1	0.237
644	Nuclear power tube		20控Cr	114.00x7.00	/		2	0.29
645	Nuclear power tube		20控Cr	168.00x7.00	/	TGGXS-054-2010	5	1.525
646	Nuclear power tube		20控Cr	168.00x7.00	/	TGGXS-054-2010	5	1.523
647	Nuclear power tube		20控Cr	219.00x9.00	/	TGGXS-054-2010	1	0.362
648	Nuclear power tube		20控Cr	232.00x16.00	/		2	1.778
649	Nuclear power tube		20控Cr	254.00x18.00	/		1	1.635
650	Nuclear power tube		20控Cr	254.00x18.00	/		1	0.423
651	Nuclear power tube		20控Cr	273.00x9.00	/	TGGXS-054-2010	1	0.571
652	Nuclear power tube		20控Cr	273.00x9.00	/	ANX32710002GJBS44DS	12	7.015
653	Nuclear power tube		20控Cr	273.00x9.00	/	TGGXS-209-2017	1	0.665
654	Nuclear power tube		20控Cr	273.00x9.00	/	ANX32710002GJBS44DS	3	1.73
655	Nuclear power tube		20控Cr	325.00x10.00	/	TGGXS-054-2010	1	0.878
656	Nuclear power tube		20控Cr	325.00x10.00	/	TGGXS-054-2010	1	0.876
657	Nuclear power tube		20控Cr	325.00x10.00	/	TGGXS-209-2017	1	0.938
658	Nuclear power tube		20控Cr	325.00x10.00	/	TGGXS-054-2010	2	1.798
659	Nuclear power tube		20控Cr	325.00x10.00	/	TGGXS-054-2010	1	0.899
660	Nuclear power tube		20控Cr	325.00x10.00	/	TGGXS-054-2010	1	0.876
661	Nuclear power tube		20控Cr	325.00x18.00	/	TGGXS-133-2015	1	1.218
662	Nuclear power tube		20控Cr	406.00x13.00	/	TGGXS-209-2017	1	1.444
663	Nuclear power tube		20控Cr	406.00x18.00	/		4	7.397
664	Nuclear power tube		20控Cr	457.00x22.00	/	TGGXS-054-2010	2	3.592
665	Nuclear power tube		20控Cr	508.00x16.00	/	TGGXS-209-2017	4	8.883
666	Nuclear power tube		20控Cr	508.00x16.00	/	TGGXS-209-2017	2	4.444
667	Nuclear power tube		20控Cr	559.00x16.00	/	TGGXS-209-2017	1	2.407
668	Nuclear power tube		20控Cr	559.00x16.00	/	TGGXS-209-2017	1	2.407
669	Nuclear power tube		20控Cr	660.00x20.00	/		1	2.856
670	Nuclear power tube		20控Cr	660.00x20.00	/		1	3.48
671	Nuclear power tube		20控Cr	660.00x20.00	/		2	7.149

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
672	Nuclear power tube		20控Cr	89.00x5.00	/	TGGXS-054-2010	1	0.116
673	Nuclear power tube		A106 B+Cr	219.10x12.00	/	TGGXS-142-2016	1	0.534
674	Nuclear power tube		A106 B+Cr	273.00x9.27	/	TGGXS-121-2016	7	4.549
675	Nuclear power tube		A106 B+Cr	406.40x12.70	/	TGGXS-121-2016	8	11.488
676	Nuclear power tube		A106 B+Cr	406.40x12.70	/	TGGXS-121-2016	24	34.229
677	Nuclear power tube		A106 B+Cr	406.40x12.70	/	TGGXS-121-2016	3	4.193
678	Nuclear power tube		A106 B+Cr	559.00x15.88	/	TGGXS-121-2016	1	1.775
679	Nuclear power tube		A106 B+Cr	559.00x15.88	/	TGGXS-121-2016	2	4.67
680	Nuclear power tube		A106 B+Cr	559.00x15.88	/	TGGXS-121-2016	4	9.213
681	Nuclear power tube		A106 B+Cr	559.00x15.88	/	TGGXS-121-2016	19	44.289
682	Nuclear power tube		A106 B+Cr	559.00x15.88	/	TGGXS-121-2016	2	4.751
683	Nuclear power tube		A106 B+Cr	559.00x15.88	/	TGGXS-121-2016	1	1.557
699	Nuclear power tube		WB36CN1	168.30x12.50	/	TGGXS-209-2017	1	0.555
700	Nuclear power tube		WB36CN1	219.10x10.00	/		1	0.538
701	Nuclear power tube		WB36CN1	219.10x10.00	/		2	1.015
702	Nuclear power tube		WB36CN1	219.10x10.00	/		2	1.042
703	Nuclear power tube		WB36CN1	219.10x10.00	/		1	0.537
704	Nuclear power tube		WB36CN1	273.00x20.00	/	TGGXS-052-2010	1	1.02
705	Nuclear power tube		WB36CN1	273.00x21.00	/		2	2.376
706	Nuclear power tube		WB36CN1	273.00x22.00	/	TGGXS-132-2015	1	1.188
707	Nuclear power tube		WB36CN1	355.60x17.50	/		2	2.745
708	Nuclear power tube		WB36CN1	355.60x17.50	/	TGGXS-209-2017	2	2.676
709	Nuclear power tube		WB36CN1	406.40x26.50	/		1	1.731
710	Nuclear power tube		WB36CN1	508.00x25.00	/		3	9.775
711	Nuclear power tube		WB36CN1	508.00x25.00	/		1	3.331
712	Nuclear power tube		WB36CN1	559.00x14.20	/		3	6.502
713	Nuclear power tube		WB36CN1	660.00x22.20	/		1	2.27
714	Nuclear power tube		WB36CN1	660.00x22.20	/		1	2.411
715	Nuclear power tube		WB36CN1	660.00x22.20	/		1	3.478
2208	oil pipe		J55	73.02x5.51	EU	API Spec 5CT 10th	23	1.991
2209	oil pipe		J55	73.02x5.51	EU	API Spec 5CT 10th	34	2.939
2210	oil pipe		J55	73.02x5.51	EU	API Spec 5CT 10th	13	1.14
2211	oil pipe		J55	73.02x5.51	EU	API Spec 5CT 10th	23	2.005
2212	oil pipe	PSL2	L80-1	73.02x5.51	EU	API Spec 5CT 10th, Max23HRC & 变化值4HRC	12	1.056
2213	oil pipe	PSL2	L80-1	73.02x5.51	EU	API Spec 5CT 10th, Max23HRC & 变化值4HRC	43	3.784
2214	oil pipe		L80-1	73.02x5.51	EU	API SPEC 5CT 10th, 45-SAMSS-006(12/11/2017)	1	0.117
2215	oil pipe		L80-1	73.02x5.51	NU	API Spec 5CT 10th	4	0.337
2216	oil pipe		L80-1	73.02x5.51	NU	API Spec 5CT 10th	1	0.061

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
2217	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.11
2218	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.109
2219	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	20	2.223
2220	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.111
2221	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	3	0.341
2222	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.108
2223	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	4	0.466
2224	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	14	1.654
2225	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	3	0.328
2226	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	2	0.226
2227	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	5	0.584
2228	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.093
2229	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	4	0.467
2230	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	5	0.57
2231	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.113
2232	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	4	0.453
2233	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	2	0.236
2234	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.111
2235	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.116
2236	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	4	0.407
2237	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.119
2238	oil pipe		L80-1	73.02x5.51	TP-CQ(E)	API Spec 5CT 10th, JSZX-MPS-049-2019	1	0.112
2239	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	6	0.701
2240	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.112
2241	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	14	1.667
2242	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	6	0.709
2243	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.119
2244	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	10	1.185
2245	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	4	0.49
2246	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	12	1.425
2247	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	12	1.405
2248	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.098
2249	oil pipe	PSL2	L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	11	0.839
2250	oil pipe	PSL2	L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	2	0.16
2251	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	7	0.827
2252	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	2	0.24
2253	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	7	0.833
2254	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.101

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
2255	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	5	0.595
2256	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	8	0.95
2257	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	5	0.432
2258	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.104
2259	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	3	0.353
2260	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	7	0.831
2261	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.107
2262	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	5	0.598
2263	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	7	0.806
2264	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	11	1.3
2265	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	4	0.475
2266	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	7	0.837
2267	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	5	0.594
2268	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	2	0.242
2269	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.108
2270	oil pipe	PSL2	L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	7	0.564
2271	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.117
2272	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	61	7.136
2273	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	17	2.049
2274	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.123
2275	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	6	0.718
2276	oil pipe	PSL2	L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.071
2277	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	2	0.243
2278	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	13	1.54
2279	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	2	0.224
2280	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	8	0.954
2281	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	4	0.479
2282	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	15	1.802
2283	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	10	1.184
2284	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	19	2.273
2285	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	3	0.36
2286	oil pipe	PSL2	L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	3	0.236
2287	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.081
2288	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.118
2289	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.12
2290	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	2	0.175
2291	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	5	0.592
2292	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	3	0.356

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
2293	oil pipe	PSL2	L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	3	0.214
2294	oil pipe	PSL2	L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	5	0.378
2295	oil pipe	PSL2	L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	17	1.366
2296	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	4	0.468
2297	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	26	3.062
2298	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	3	0.356
2299	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	19	2.242
2300	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	2	0.176
2301	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	13	1.555
2302	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	1	0.109
2303	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	13	1.548
2304	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	21	2.475
2305	oil pipe		L80-1	73.02x5.51	TP-G2	API Spec 5CT 10th	8	0.946
2306	oil pipe		N80-1	73.02x5.51	NU	API Spec 5CT 9th, SINOPEC-Purchasing technical specification for	17	1.53
2307	oil pipe		N80-1	73.02x5.51	NU	API Spec 5CT 9th, SINOPEC-Purchasing technical specification for	96	8.529
2308	oil pipe		N80-5Cr	73.02x5.51	NU	API Spec 5CT 10th	31	2.684
2309	oil pipe		N80-5Cr	73.02x5.51	NU	API Spec 5CT 10th	4	0.35
2310	oil pipe		N80-5Cr	73.02x5.51	NU	API Spec 5CT 10th	1	0.089
2311	oil pipe		N80-5Cr	73.02x5.51	NU	API Spec 5CT 10th	1	0.095
2312	oil pipe		N80-5Cr	73.02x5.51	NU	API Spec 5CT 10th	4	0.307
2313	oil pipe		N80-5Cr	73.02x5.51	NU	API Spec 5CT 10th	16	1.368
2314	oil pipe		N80-5Cr	73.02x5.51	NU	API Spec 5CT 10th	29	2.545
2315	oil pipe		N80Q	73.02x5.51	EU	API Spec 5CT 9th	3	0.268
2316	oil pipe		N80Q	73.02x5.51	EU	API Spec 5CT 9th	1	0.09
2317	oil pipe		N80Q	73.02x5.51	EU	API Spec 5CT 9th	1	0.089
2318	oil pipe		TP110-HP13Cr	73.02x5.51	TP-G2	ISO 13680, TGGXS-175-2018, STD0001626013	39	3.084
2319	oil pipe		TP110-HP13Cr	73.02x5.51	TP-G2	ISO 13680, TGGXS-175-2018, STD0001626013	67	5.317
2320	oil pipe		TP110SS	73.02x5.51	TP-G2	API Spec 5CT 10th, NACE TM-0177	2	0.149
2321	oil pipe	PSL2	TP110-TDJ028	73.02x5.51	TP-G2	ISO 13680	11	1.151
2322	oil pipe		TP110-TDJ028	73.02x5.51	TP-G2	ISO 13680, TGGXS-161-2019	3	0.322
2323	oil pipe	PSL2	TP110-TDJ028	73.02x5.51	TP-G2	ISO 13680	20	2.106
2324	oil pipe	PSL2	TP110-TDJ028	73.02x5.51	TP-G2	ISO 13680	20	2.164
2325	oil pipe		TP80S	73.02x5.51	TP-G2(AI)	API Spec 5CT 9th, NACE TM-0177, TGGXS-163-2018 STD0001552083	3	0.259
2326	oil pipe		TP80S	73.02x5.51	TP-G2(AI)	API Spec 5CT 9th, NACE TM-0177, TGGXS-163-2018 STD0001552083	34	3.016
2327	oil pipe		TP80S	73.02x5.51	TP-G2(AI)	API Spec 5CT 9th, NACE TM-0177, TGGXS-163-2018 STD0001552083	9	0.765
2328	oil pipe		TP80S	73.02x5.51	TP-G2(AI)	API Spec 5CT 9th, NACE TM-0177, TGGXS-163-2018 STD0001552083	17	1.492
2329	oil pipe		TP80S	73.02x5.51	TP-G2(AI)	API Spec 5CT 9th, NACE TM-0177, TGGXS-163-2018 STD0001552083	36	3.22
2330	oil pipe		TP80S	73.02x5.51	TP-G2(AI)	API Spec 5CT 9th, NACE TM-0177, TGGXS-163-2018 STD0001552083	17	1.496

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
2331	oil pipe		TP80S	73.02x5.51	TP-G2(A)	API Spec 5CT 9th, NACE TM-0177, TGGXS-163-2018 STD0001552083	18	1.581
2332	oil pipe		TP80S	73.02x5.51	TP-G2(A)	API Spec 5CT 9th, NACE TM-0177, TGGXS-163-2018 STD0001552083	2	0.177
2333	oil pipe		J55	88.90x6.45	EU	API Spec 5CT 10th	12	1.488
2334	oil pipe		J55	88.90x6.45	EU	API Spec 5CT 10th	1	0.105
2335	oil pipe		J55	88.90x6.45	EU	API Spec 5CT 10th	1	0.113
2336	oil pipe		J55	88.90x6.45	EU	API Spec 5CT 10th	1	0.118
2337	oil pipe		J55	88.90x6.45	EU	API Spec 5CT 10th	1	0.117
2338	oil pipe	PSL3	L80-1	88.90x6.45	TP-G2	API Spec 5CT 10th	11	1.369
2339	oil pipe	PSL3	L80-1	88.90x6.45	TP-G2	API Spec 5CT 10th	1	0.104
2340	oil pipe	PSL3	L80-1	88.90x6.45	TP-G2	API Spec 5CT 10th	4	0.469
2341	oil pipe		L80-3Cr	88.90x6.45	EU	API Spec 5CT 9th, YTG 001-2018, STD0001702008	4	0.49
2342	oil pipe		P110	88.90x6.45	EU	API Spec 5CT 10th	18	2.27
2343	oil pipe		P110	88.90x6.45	EU	API Spec 5CT 10th	44	5.738
2344	oil pipe		P110	88.90x6.45	TP-JC	API Spec 5CT 9th, TGGXS-033-2011	5	0.616
2345	oil pipe		P110	88.90x6.45	TP-JC	API Spec 5CT 9th	1	0.121
2346	oil pipe		TP110SS	88.90x6.45	TP-CQ(E)	TGGXS-038-2010	9	1.142
2347	oil pipe		TP125-TDJ028	88.90x6.45	TP-G2	TGGXS-053-2014	5	0.725
2348	oil pipe	PSL3	L80-1	88.90x7.34	TP-G2	API Spec 5CT 10th	1	0.117
2349	oil pipe	PSL2	L80-13Cr	88.90x7.34	TP-G2		96	16.309
2350	oil pipe	PSL2	L80-13Cr	88.90x7.34	TP-G2		98	16.856
2351	oil pipe	PSL2	L80-13Cr	88.90x7.34	TP-G2		1	0.152
2352	oil pipe	PSL2	L80-13Cr	88.90x7.34	TP-G2		1	0.156
2353	oil pipe	PSL3	T95-1	88.90x7.34	TP-G2	API Spec 5CT 10th, NACE TM-0177	1	0.13
2354	oil pipe		TP-Ti-110	88.90x7.34	TP-G2(Ti)		21	1.843
2355	oil pipe		TP110SS	88.90x9.52	TP-G2	API Spec 5CT 10th, NACE TM-0177	1	0.15
2356	oil pipe		TP110SS	88.90x9.52	TP-G2	API Spec 5CT 10th, NACE TM-0177	6	1.051
2357	oil pipe		TP110SS	88.90x9.52	TP-G2	API Spec 5CT 10th, NACE TM-0177	1	0.155
2358	oil pipe		TP110SS	88.90x9.52	TP-G2	API Spec 5CT 10th, NACE TM-0177	3	0.525
954	Structural pipe		S355NH	101.60x10.00	PE	BS EN 10210-1:2006	13	2.944
955	Structural pipe		S355NH	101.60x10.00	PE	BS EN 10210-1:2006	1	0.22
956	Structural pipe		S355NH	101.60x12.50	PE	BS EN 10210-1:2006	1	0.304
957	Structural pipe		S355NH	101.60x12.50	PE	BS EN 10210-1:2006	2	0.609
958	Structural pipe		S355NH	101.60x4.50	PE	BS EN 10210-1:2006	42	5.064
959	Structural pipe		S355NH	114.30x10.00	PE	BS EN 10210-1:2006	2	0.602
960	Structural pipe		S355NH	114.30x10.00	PE	BS EN 10210-1:2006	12	3.52
961	Structural pipe		S355NH	114.30x8.00	PE	BS EN 10210-1:2006	12	2.876
962	Structural pipe		S355NH	139.70x8.00	PE	BS EN 10210-1:2006	1	0.261
963	Structural pipe		Q345D	140.00x8.00	/	GB/T 8162-2018	40	10.728

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
964	Structural pipe		S355NH	177.80x10.00	PE	BS EN 10210-1:2006	2	0.9
965	Structural pipe		Q345D	180.00x10.00	/	GB/T 8162-2018	12	5.628
966	Structural pipe		Q345D	180.00x8.00	/	GB/T 8162-2018	22	9.13
967	Structural pipe		S355NH	193.70x12.70	PE	BS EN 10210-1:2006	1	0.666
968	Structural pipe		S355NH	193.70x12.70	PE	BS EN 10210-1:2006	3	2.086
969	Structural pipe		S355NH	193.70x20.00	PE	BS EN 10210-1:2006	2	1.571
970	Structural pipe		S355NH	219.10x12.70	PE	BS EN 10210-1:2006	2	1.491
971	Structural pipe		S355NH	219.10x12.70	PE	BS EN 10210-1:2006	2	1.525
972	Structural pipe		S355NH	219.10x12.70	PE	BS EN 10210-1:2006	1	0.758
973	Structural pipe		S355NH	219.10x12.70	PE	BS EN 10210-1:2006	1	0.756
974	Structural pipe		S355NH	219.10x16.00	PE	BS EN 10210-1:2006	2	1.92
975	Structural pipe		S355NH	219.10x16.00	PE	BS EN 10210-1:2006	2	1.943
976	Structural pipe		S355NH	244.50x11.00	PE	BS EN 10210-1:2006	2	1.499
977	Structural pipe		S355NH	244.50x12.70	PE	BS EN 10210-1:2006	2	1.709
978	Structural pipe		S355NH	244.50x12.70	PE	BS EN 10210-1:2006	1	0.842
979	Structural pipe		S355NH	244.50x15.90	PE	BS EN 10210-1:2006	1	1.048
980	Structural pipe		S355NH	244.50x15.90	PE	BS EN 10210-1:2006	2	2.119
981	Structural pipe		S355NH	244.50x16.00	PE	BS EN 10210-1:2006	4	4.137
982	Structural pipe		S355NH	244.50x20.00	PE	BS EN 10210-1:2006	2	2.531
983	Structural pipe		S355NH	244.50x20.00	PE	BS EN 10210-1:2006	1	1.328
984	Structural pipe		S355NH	244.50x25.00	PE	BS EN 10210-1:2006	6	9.345
985	Structural pipe		Q620E	245.00x15.00	/	TPCO-TGGXS-2020-3023	3	3.067
986	Structural pipe		S355NH	273.00x16.00	PE	BS EN 10210-1:2006	2	2.162
987	Structural pipe		S355NH	273.00x25.00	PE	BS EN 10210-1:2006	1	1.746
988	Structural pipe		S355NH	273.10x12.70	PE	BS EN 10210-1:2006	2	1.934
989	Structural pipe		S355NH	273.10x12.70	PE	BS EN 10210-1:2006	3	2.95
990	Structural pipe		S355NH	273.10x12.70	PE	BS EN 10210-1:2006	1	0.944
991	Structural pipe		S355NH	273.10x12.70	PE	BS EN 10210-1:2006	2	1.928
992	Structural pipe		S355NH	273.10x12.70	PE	BS EN 10210-1:2006	2	1.965
993	Structural pipe		S355NH	273.10x15.40	PE	BS EN 10210-1:2006	1	1.184
994	Structural pipe		S355NH	273.10x15.40	PE	BS EN 10210-1:2006	1	1.136
995	Structural pipe		S355NH	273.10x15.40	PE	BS EN 10210-1:2006	1	1.142
996	Structural pipe		S355NH	273.10x15.40	PE	BS EN 10210-1:2006	1	1.194
997	Structural pipe		S355NH	273.10x25.00	PE	BS EN 10210-1:2006	1	1.743
998	Structural pipe		S355NH	323.90x11.00	PE	BS EN 10210-1:2006	1	0.993
999	Structural pipe		S355NH	323.90x12.70	PE	BS EN 10210-1:2006	2	2.289
1000	Structural pipe		S355NH	323.90x12.70	PE	BS EN 10210-1:2006	1	1.167
1001	Structural pipe		S355NH	323.90x20.00	PE	BS EN 10210-1:2006	1	1.769

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1002	Structural pipe		S355NH	323.90x20.00	PE	BS EN 10210-1:2006	1	1.52
1003	Structural pipe		S355NH	323.90x20.00	PE	BS EN 10210-1:2006	2	1.815
1004	Structural pipe		S355NH	323.90x25.00	PE	BS EN 10210-1:2006	1	2.065
1005	Structural pipe		S355NLH	323.90x40.50	/	BS EN 10210-1:2006, CE认证用	3	8.745
1006	Structural pipe		S355NH	324.00x12.70	PE	BS EN 10210-1:2006	2	2.383
1007	Structural pipe		S355NH	324.00x15.90	PE	BS EN 10210-1:2006	4	5.949
1008	Structural pipe		Q345D	351.00x10.00	/	GB/T 8162-2018	1	0.944
1009	Structural pipe		Q345D	351.00x12.00	/	GB/T 8162-2018	2	2.324
1010	Structural pipe		S355NH	355.60x11.10	PE	BS EN 10210-1:2006	2	2.221
1011	Structural pipe		S355NH	355.60x11.10	PE	BS EN 10210-1:2006	1	1.137
1012	Structural pipe		S355NH	355.60x12.70	PE	BS EN 10210-1:2006	3	3.889
1013	Structural pipe		S355NH	355.60x12.70	PE	BS EN 10210-1:2006	1	1.266
1014	Structural pipe		S355NH	355.60x12.70	PE	BS EN 10210-1:2006	1	1.266
1015	Structural pipe		S355NH	355.60x12.70	PE	BS EN 10210-1:2006	4	5.087
1016	Structural pipe		S355NH	355.60x12.70	PE	BS EN 10210-1:2006	1	0.937
1017	Structural pipe		S355NH	355.60x15.90	PE	BS EN 10210-1:2006	4	4.687
1018	Structural pipe		S355NH	355.60x15.90	PE	BS EN 10210-1:2006	2	3.302
1019	Structural pipe		S355NH	355.60x15.90	PE	BS EN 10210-1:2006	1	1.57
1020	Structural pipe		S355NH	355.60x15.90	PE	BS EN 10210-1:2006	1	1.572
1021	Structural pipe		S355NH	355.60x15.90	PE	BS EN 10210-1:2006	2	2.978
1022	Structural pipe		S355NH	355.60x20.00	PE	BS EN 10210-1:2006	1	1.955
1023	Structural pipe		S355NH	355.60x20.00	PE	BS EN 10210-1:2006	2	3.909
1024	Structural pipe		S355NH	355.60x20.00	PE	BS EN 10210-1:2006	3	5.841
1025	Structural pipe		S355NH	355.60x20.00	PE	BS EN 10210-1:2006	4	7.738
1026	Structural pipe		S355NH	355.60x25.40	PE	BS EN 10210-1:2006	1	2.436
1027	Structural pipe		Q690D	406.00x12.00	/	GB/T 8162-2018, TPC0-TGGXS-2020-3019	1	1.299
1028	Structural pipe		Q690D	406.00x12.00	/	GB/T 8162-2018, TPC0-TGGXS-2020-3019	1	1.328
1029	Structural pipe		Q690D	406.00x12.00	/	GB/T 8162-2018, TPC0-TGGXS-2020-3019	2	2.576
1030	Structural pipe		S355NH	406.00x12.70	PE	BS EN 10210-1:2006	2	2.852
1031	Structural pipe		S355NH	406.00x12.70	PE	BS EN 10210-1:2006	4	5.999
1032	Structural pipe		S355NH	406.00x12.70	PE	BS EN 10210-1:2006	1	1.451
1033	Structural pipe		Q690D	406.00x14.00	/	GB/T 8162-2018, TPC0-TGGXS-2020-3019	1	1.072
1034	Structural pipe		Q690D	406.00x14.00	/	GB/T 8162-2018, TPC0-TGGXS-2020-3019	2	2.181
1035	Structural pipe		Q690D	406.00x16.00	/	GB/T 8162-2018, TPC0-TGGXS-2020-3019	4	5.402
1036	Structural pipe		S355NH	406.00x20.60	PE	BS EN 10210-1:2006	1	1.676
1037	Structural pipe		S355NH	406.00x25.40	PE	BS EN 10210-1:2006	1	2.77
1038	Structural pipe		S355NH	406.40x12.70	PE	BS EN 10210-1:2006	1	0.82
1039	Structural pipe		S355NH	406.40x12.70	PE	BS EN 10210-1:2006	1	0.847

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1040	Structural pipe		S355NH	406.40x12.70	PE	BS EN 10210-1:2006	1	1.478
1041	Structural pipe		S355NH	406.40x12.70	PE	BS EN 10210-1:2006	3	2.559
1042	Structural pipe		S355NH	406.40x15.90	PE	BS EN 10210-1:2006	4	3.772
1043	Structural pipe		S355NH	406.40x15.90	PE	BS EN 10210-1:2006	3	2.828
1044	Structural pipe		S355J2H+N	48.30x6.30	PE	BS EN 10210-1:2006	37	1.455
1045	Structural pipe		Q690D	500.00x16.00	/	TPCO-TGGXS-2020-3022	2	4.598
1046	Structural pipe		Q690D	500.00x16.00	/	TPCO-TGGXS-2020-3022	2	3.124
1047	Structural pipe		Q690D	500.00x18.00	/	TPCO-TGGXS-2020-3022	1	1.816
1048	Structural pipe		Q690D	500.00x18.00	/	TPCO-TGGXS-2020-3022	1	2.104
1049	Structural pipe		Q690D	500.00x20.00	/	GB/T 8162-2018, TPCO-TGGXS-2020-3020	1	2.372
1050	Structural pipe		Q690D	500.00x20.00	/	GB/T 8162-2018, TPCO-TGGXS-2020-3020	2	4.662
1051	Structural pipe		Q355C	530.00x18.00	/	TPCO-TGGXS-2020-0044	1	2.306
1052	Structural pipe		Q355C	530.00x18.00	/	TPCO-TGGXS-2020-0044	6	15.523
1053	Structural pipe		Q355C	530.00x18.00	/	TPCO-TGGXS-2020-0044	8	21.072
1054	Structural pipe		S355NH	559.00x12.70	PE	BS EN 10210-1:2006	1	1.669
1055	Structural pipe		S355NH	559.00x12.70	PE	BS EN 10210-1:2006	3	5.342
1056	Structural pipe		S355NH	559.00x12.70	PE	BS EN 10210-1:2006	7	11.229
1057	Structural pipe		S355NH	559.00x16.00	PE	BS EN 10210-1:2006, Subsea7	1	1.736
1058	Structural pipe		S355NH	559.00x16.00	PE	BS EN 10210-1:2006, Subsea7	1	1.543
1059	Structural pipe		S355NH	559.00x16.00	PE	BS EN 10210-1:2006, Subsea7	1	1.386
1060	Structural pipe		S355NH	559.00x16.00	PE	BS EN 10210-1:2006	1	1.882
1061	Structural pipe		Q690D	630.00x22.00	/	GB/T 8162-2018, TPCO-TGGXS-2020-3020	1	2.866
1062	Structural pipe		Q690D	630.00x26.00	/	GB/T 8162-2018, TPCO-TGGXS-2020-3020	1	2.978
1064	Structural pipe		20	108.00x5.00	/	GB/T 8163-2018	6	0.888
1065	Structural pipe		20	114.00x4.00	/	GB/T 8163-2018	4	0.416
1066	Structural pipe		20	114.30x6.02	BE	GB/T 8163-2018	9	1.615
1067	Structural pipe		20	114.30x6.02	BE	GB/T 8163-2018	4	0.715
1068	Structural pipe		20	114.30x6.02	BE	GB/T 8163-2018	3	0.538
1069	Structural pipe		20	133.00x4.00	/	GB/T 8163-2018	4	0.555
1070	Structural pipe		20	168.30x7.11	/	GB/T 8163-2018	3	0.942
1071	Structural pipe		Q355B	180.00x8.00	/	TPCO-TGGXS-2020-0045	4	1.556
1072	Structural pipe		Q355B	203.00x10.00	/	TPCO-TGGXS-2020-0045	9	3.726
1073	Structural pipe		20	203.00x6.00	/	GB/T 8163-2018	84	27.54
1074	Structural pipe		20	219.00x10.00	/	GB/T 8163-2018	2	1.2
1075	Structural pipe		Q355B	219.00x12.00	/	TPCO-TGGXS-2020-0045	6	3.12
1076	Structural pipe		20	219.10x10.31	BE	GB/T 8163-2018	3	1.788
1077	Structural pipe		20	219.10x7.04	BE	GB/T 8163-2018	6	2.491
1078	Structural pipe		20	219.10x7.04	/	GB/T 8163-2018	3	1.275

SEAMLESS PIPE STORAGE 2022-4

No.	Description	Type	Steel Grade	Size	Connection	Standard	PCS	Weight (ton)
1079	Structural pipe		20	273.10x6.35	BE	GB/T 8163-2018	1	0.482
1080	Structural pipe		20	273.10x7.80	BE	GB/T 8163-2018	1	0.558
1081	Structural pipe		20	273.10x7.80	/	GB/T 8163-2018	1	0.556
1082	Structural pipe		20	273.10x7.80	/	GB/T 8163-2018	2	1.112
1083	Structural pipe		20	323.90x14.27	BE	GB/T 8163-2018	3	3.728
1084	Structural pipe		20	323.90x7.00	/	GB/T 8163-2018	1	0.6
1085	Structural pipe		20	324.00x10.00	/	GB/T 8163-2018	6	5.136
1086	Structural pipe		20	324.00x8.00	/	GB/T 8163-2018	3	2.094
1087	Structural pipe		20	325.00x8.00	/	GB/T 8163-2018	7	4.907
1088	Structural pipe		20	355.60x7.92	BE	GB/T 8163-2018	1	0.707
1089	Structural pipe		20	355.60x7.92	BE	GB/T 8163-2018	2	1.47
1090	Structural pipe		20	355.60x7.92	BE	GB/T 8163-2018	4	2.96
1091	Structural pipe		20	355.60x9.53	BE	GB/T 8163-2018	3	2.794
1092	Structural pipe		20	357.00x9.00	/	GB/T 8163-2018	2	1.716
1093	Structural pipe		20	406.00x12.00	/	GB/T 8163-2018	3	4.098
1094	Structural pipe		Q345D	406.40x20.00	/	GB/T 8163-2018	1	2.346
1095	Structural pipe		20	406.40x9.53	BE	GB/T 8163-2018	2	2.039
1096	Structural pipe		20	88.90x5.49	BE	GB/T 8163-2018	62	7.88
1097	Structural pipe		20	88.90x5.49	BE	GB/T 8163-2018	5	0.637
1098	Structural pipe		20	88.90x5.49	BE	GB/T 8163-2018	1	0.124
1099	Structural pipe		20	89.00x4.00	/	GB/T 8163-2018	6	0.486